



Wheel Fitment Guide

2011

IMPORTANT WHEEL GUIDE INFORMATION

PLEASE READ!

This guide is presented as a general sales and reference guideline for Mickey Thompson wheels ONLY. Due to variances in vehicle manufacturing, the fitment data listed in this guide provides suggestions for wheel selection and is not guaranteed to be free of flawed data; for this reason Mickey Thompson Tires & Wheels recommends that all wheels be test fit on each vehicle prior to the mounting of tires to the wheels. Different suspension lift manufacturer's requirements may vary. For lifted and/or modified vehicles, always check with the vehicles' suspension lift manufacturer to determine their suggested specifications for wheels to be used with their suspension lifts. These suggestions in no way express or imply safety of fitness of the vehicle or the minimum changes which may be required to install Mickey Thompson wheels. The correct, 60-degree, conical-bulge seat lug nuts must be used to insure the wheel is seated and centered properly to the vehicle's hub. All wheel lug nuts must be re-torqued after driving the vehicle 100 miles. For additional information, the user and/or installer may refer to www.mickeythompsonstires.com or contact the Mickey Thompson Tires & Wheels tech department at (800)222-9092.

CAUTION!

If changing the overall tire diameter from the original, the speedometer accuracy and anti-lock brake system (ABS) may be affected, as well as automatic transmission shift points.

CAUTION!

Vehicles should not be fitted with smaller diameter wheels than the original equipment wheels as resulting clearance issues may arise due to diameter/offset changes. **Always test fit wheels for clearance before mounting tires.**

LIMITED LIFETIME WARRANTY

Mickey Thompson Tires & Wheels warrants to the original purchaser that a new Mickey Thompson wheel is free from defects in material and workmanship and agrees to replace a Mickey Thompson wheel which fails in normal use and service resulting from defects in material and workmanship for the life of the vehicle for which said wheel was intended and purchased for. Mickey Thompson Tires & Wheels does not warrant any wheel which and has been subject to misuse or abuse including the following: (A) Using tires which are oversized according to the standards recommended by the Tire and Rim Association, Inc.; (B) Loading the wheel beyond the applicable maximum wheel load as specified by Mickey Thompson Tires & Wheels; (C) Any type of racing or activity which subjects wheels to the abuse of racing, whether on the road or off; (D) Inflating beyond the maximum pressure specified on any given tire size as specified by Mickey Thompson Tires & Wheels; (E) Changing or altering the original condition of the wheel or by subjecting it to any processing such as welding or straightening.

There is no warranty that wheels neither are merchantable or satisfactory for any particular purpose nor is there any other warranty expressed or implied except as set forth herein. Mickey Thompson Tires & Wheels shall not be liable for any incidental or consequential damages for any breach of warranty, its liability and the purchaser's exclusive remedy being expressly limited to replacement of defective wheel, as herein provided. Replacement will be handled by an authorized Mickey Thompson Tires & Wheels dealer or Mickey Thompson Tires & Wheels Representative. This warranty gives you specific legal rights. You may also have other rights under applicable laws.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
CHEVY/GMC								
89 - 06 Geo Tracker	5 on 5 1/2	158401 358401 458401 1258401 1358401	-	-	368401 468401	-	-	379402 479402
82 - 04 S/T Series Truck's, SUV's	5 on 4 3/4	358441	-	-	-	-	-	-
04 - 10 Colorado and GMC Canyon (All except Sport)	6 on 5 1/2	-	-	-	168412 [^] 368411 368412 [^] 468412 [^] 1268411 1268412 [^] 1368412 [^]	360411 360412 [^] 460412 [^]	-	179412 [^] 379411 379412 [^] 379413 [^] 479412 [^] 1279413 [^] 1379412 [^]
04 - 10 Colorado - Sport	6 on 5 1/2	-	-	-	-	-	-	179412 [^] 379411 379412 [^] 379413 [^] 479412 [^] 1279413 [^] 1379412 [^]
73 - 91 K-5 Blazer, Jimmy, Suburban 1/2 Ton 4WD	6 on 5 1/2	358411 458411 1258411	350411 450411A 1250411 1350411	352411	168412 [^] 368412 [^] 468412 [^] 1268412 [^] 1368412 [^]	-	-	179412 [^] 379412 [^] 479412 [^] 1379412 [^]
73 - 91 C10 Truck, Blazer, Suburban 2WD	5 on 5	358431	-	-	-	-	-	179431 379431 479431 1279431 1379431
92 - 99 Blazer, Yukon, Tahoe, Suburban, K1500 4WD	6 on 5 1/2	358411 458411 1258411	350411 450411A 1250411 1350411	352411	168412 [^] 368411 368412 [^] 468412 [^] 1268411 1268412 [^] 1368412 [^]	360411 360412 [^] 460412 [^]	361412 [^] 461412 [^]	179412 [^] 379411 379412 [^] 379413 [^] 479412 [^] 1279413 [^] 1379412 [^]
88 - 98 C1500 Truck 2WD	5 on 5	358431	-	-	-	-	-	179431 379431 479431 1279431 1379431
92 - 99 Blazer, Yukon, Tahoe, Suburban, C1500 2WD	5 on 5	358431	-	-	-	-	-	179431 379431 479431 1279431 1379431

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- [^] = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
CHEVY/GMC								
88 - 98 K1500 Truck 4WD	6 on 5 1/2	358411 458411 1258411	350411 450411A 1250411 1350411	352411	168412^ 368411 368412^ 468412^ 1268411 1268412^ 1368412^	360411 360412^ 460412^	361412^ 461412^	179412^ 379411 379412^ 379413^ 479412^ 1279413^ 1379412^
73 - 87 K-10 Truck 4WD	6 on 5 1/2	358411 458411 1258411	350411 450411A 1250411 1350411	352411	368412^ 468412^ 1268412^ 1368412^	-	-	379412^ 479412^ 1379412^
99 - 04 Silverado / Sierra 1500 2WD / 4WD	6 on 5 1/2	-	-	-	168412* 368412* 468412* 1268412* 1368412*	360412* 460412*	361412* 461412*	179412* 379412* 479412* 1379412*
05 - 06 Silverado / Sierra 1500 2WD / 4WD	6 on 5 1/2	-	-	-	168412* 368412* 468412* 1268412* 1368412*	360412* 460412*	361412* 461412*	179412* 379412* 379413* 479412* 1279413* 1379412*
07 - 10 Silverado / Sierra 1500 2WD / 4WD	6 on 5 1/2	-	-	-	-	-	-	379412* 379413* 479412* 1279413* 1379412*
2011 Silverado / Sierra 1500 2WD / 4WD	6 on 5 1/2	-	-	-	-	-	-	379412* 379413* 479412* 1279413* 1379412*
00 - 06 Tahoe, Yukon, Yukon XL 1500, Denali 2WD / 4WD	6 on 5 1/2	-	-	-	168412* 368412* 468412* 1268412* 1368412*	360412* 460412*	361412* 461412*	179412* 379412* 379413* 479412* 1279413* 1379412*
07 - 10 Tahoe, Yukon, Yukon XL 1500, Denali 2WD / 4WD	6 on 5 1/2	-	-	-	-	-	-	179412* 379412* 379413* 479412* 1279413* 1379412*

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
CHEVY/GMC								
02 - 06 1500 Avalanche	6 on 5 1/2	-	-	-	168412* 368412* 468412* 1268412* 1368412*	360412* 460412*	361412* 461412*	179412* 379412* 379413* 479412* 1279413* 1379412*
07 - 10 1500 Avalanche	6 on 5 1/2	-	-	-	-	-	-	179412* 379412* 379413* 479412* 1279413* 1379412*
73 - 87 C/K 20 & 30 Series Truck 2WD / 4WD	8 on 6 1/2	-	-	-	168482 368482# 468482# 1268482	360481# 460481#	361481# 461481#	179481 379481# 479481# 1279481 1379481
88 - 98 C2500/C3500 Truck 2WD	8 on 6 1/2	-	-	-	168482 368482 468482 1268482	360481 460481	-	179481 379481 479481 1279481 1379481
88 - 98 K2500 / K3500 Truck 4WD	8 on 6 1/2	-	-	-	168482 368482 468482 1268482	360481 460481	361481 461481	179481 379481 479481 1279481 1379481
73 - 91 3/4 Ton Suburban 2WD/4WD	8 on 6 1/2	-	-	-	168482 368482# 468482# 1268482	360481# 460481#	-	179481 379481# 479481# 1279481 1379481
92 - 99 Suburban C/K 2500 2WD / 4WD	8 on 6 1/2	-	-	-	168482 368482 468482 1268482	360481 460481	361481# 461481#	179481 379481 479481 1279481 1379481

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
CHEVY/GMC								
99 - 04 Silverado / Sierra 1500HD, 2500, 3500 (SRW) Yukon XL/HD, Suburban HD 2WD / 4WD	8 on 6 1/2	-	-	-	168482** 368482** 468482** 1268482**	360481** 460481**	361481** 461481**	179481** 379481** 479481** 1279481** 1379481**
05 - 06 Silverado / Sierra 1500HD, 2500, 3500 (SRW) Yukon XL/HD, Suburban HD 2WD / 4WD	8 on 6 1/2	-	-	-	-	-	-	179481** 379481** 479481** 1279481** 1379481**
07 - 10 Silverado / Sierra 1500HD, 2500, 3500 (SRW) Yukon XL/HD, Suburban HD 2WD / 4WD	8 on 6 1/2	-	-	-	-	-	-	179481** 379481** 479481** 1279481** 1379481**
02 - 06 2500 Avalanche	8 on 6 1/2	-	-	-	168482** 368482** 468482** 1268482**	360481** 460481**	361481** 461481**	179481** 379481** 479481** 1279481** 1379481**
03 - 10 Hummer - H2	8 on 6 1/2	-	-	-	-	-	-	179481** 379481** 479481** 1279481** 1379481**
06 - 10 Hummer - H3	6 on 5 1/2	-	-	-	168412^ 368412^ 468412^ 1268412^ 1368412^	360412^ 460412^	-	179412^ 379412^ 479412^ 1379412^
2001 G10 Van	5 on 5	358431	-	-	-	-	-	179431 379431 479431 1279431 1379431
2001 G20 Light Duty Express Van	6 on 5 1/2	-	-	-	168412^ 368411 368412^ 468412^ 1268411 1268412^ 1368412^	-	-	379412^ 479412^ 1379412^
2001 G20/G30 Van	8 on 6 1/2	-	-	-	368482 468482 1268482	-	-	179481 379481 479481 1279481 1379481

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
DAIHATSU								
82 - 91 Rocky	5 on 5 1/2	158401 358401 458401 1258401 1358401	-	-	368401 468401	-	-	379402 479402
DODGE								
87 - 91 Raider / D50 4WD	6 on 5 1/2	158411 358411 458411 1258411	-	-	168412^ 368411 368412^ 468412^ 1268411 1268412^ 1368412^	-	-	179412^ 379411 379412^ 379413^ 479412^ 1279413^ 1379412^
87 - 90 Dakota 2WD / 4WD	5 on 4 1/2	158421 358421 458421 1258421 1358421	150421 350421 450421A 1250421 1350421	-	368421 468421 1268421	360421 460421	-	379421 479421
05 - 10 Dakota	5 on 5 1/2	-	-	-	-	-	-	179401 379402 479402
04 - 09 Durango	5 on 5 1/2	-	-	-	-	-	-	179401 379402 479402
07 - 10 Nitro	5 on 4 1/2	-	-	-	368421 468421 1268421	-	-	379421 479421

All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
DODGE								
74 - 84 1/2 Ton Truck & Ramcharger 4WD	5 on 4 1/2	158421 358421 458421 1258421 1358421	150421 350421 450421A 1250421 1350421	-	-	-	-	379421 479421
74 - 84 1/2 Ton Truck & Ramcharger 2WD	5 on 4 1/2	158421 358421 458421 1258421 1358421	150421 350421 450421A 1250421 1350421	-	368421 468421 1268421	-	-	379421 479421
80 - 93 1/2 Ton Truck, Ramcharger 4WD with manual hubs	5 on 5 1/2	158401 358401 458401 1258401 1358401	150401 350401 450401A 1250401 1350401	352401	-	-	-	379402 479402
85 - 93 1/2 Ton Truck, Ramcharger 2WD	5 on 5 1/2	158401 358401 458401 1258401 1358401	150401 350401 450401A 1250401 1350401	-	368401 468401	360401 460401	-	379402 479402
94 - 01 Ram 1500 Truck 2WD / 4WD	5 on 5 1/2	358401 458401 1258401 1358401	350401 450401A 1250401 1350401	352401	368401 468401	360401 460401	-	179401 379402 479402
02 - 10 Ram 1500 Truck 2WD / 4WD (Except Mega Cab)	5 on 5 1/2	-	-	-	-	-	-	179401 379402 479402
46 - 93 3/4 Ton, 1Ton Truck 2WD / 4WD	8 on 6 1/2	-	-	-	168482 368482# 468482# 1268482	360481# 460481#	361481# 461481#	179481 379481# 479481# 1279481 1379481
94 - 01 Ram 2500 & 3500 Truck 2WD / 4WD	8 on 6 1/2	-	-	-	168482 368482# 468482# 1268482	360481# 460481#	361481# 461481#	179481 379481# 479481# 1279481 1379481
02 - 10 Ram 2500 & 3500 Truck 2WD / 4WD 1500 Mega Cab	8 on 6 1/2	-	-	-	-	-	-	179481 379481# 479481# 1279481 1379481

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
DODGE								
74 - 84 1/2 Ton Van	5 on 4 1/2	158421 358421 458421 1258421 1358421	-	-	368421 468421 1268421	-	-	379421 479421
85 - 93 1/2 Ton Van	5 on 5 1/2	158401 358401 458401 1258401 1358401	-	-	368401 468401	-	-	379402 479402
94 - 96 B150 Van	5 on 5 1/2	158401 358401 458401 1258401 1358401	-	-	-	-	-	-
97 - 03 B1500 Van	5 on 5 1/2	158401 358401 458401 1258401 1358401	-	-	368401 468401	-	-	379402 479402
3/4 & 1Ton Van & Ram Wagon	8 on 6 1/2	-	-	-	168482 368482# 468482# 1268482	-	-	179481 379481# 479481# 1279481 1379481
FORD								
83 - 92 Ranger, Bronco II 2WD / 4WD	5 on 4 1/2	158421 358421 458421 1258421 1358421	150421 350421 450421A 1250421 1350421	-	368421 468421 1268421	360421 460421	-	379421 479421
93 - 02 Ranger 2WD / 4WD	5 on 4 1/2	158421 358421 458421 1258421 1358421	150421 350421 450421A 1250421 1350421	-	368421 468421 1268421	360421 460421	-	379421 479421
03 - 10 Ranger 2WD / 4WD	5 on 4 1/2	358421 458421 1258421 1358421	350421 450421A 1250421 1350421	-	368421 468421 1268421	360421 460421	-	379421 479421

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
FORD								
01 - 10 Escape	5 on 4 1/2	158421 358421 458421 1258421 1358421	-	-	368421 468421 1268421	-	-	379421 479421
05 - 10 Escape, Mercury Mariner	5 on 4 1/2	-	-	-	368421 468421 1268421	-	-	379421 479421
91 - 01 Explorer, Mercury Mountaineer	5 on 4 1/2	158421 358421 458421 1258421 1358421	150421 350421 450421A 1250421 1350421	-	368421 468421 1268421	360421 460421	-	379421 479421
02 - 10 Explorer, Mercury Mountaineer	5 on 4 1/2	-	-	-	368421 468421 1268421	360421 460421	-	379421 479421
03 - 05 Lincoln Aviator	5 on 4 1/2	-	-	-	368421 468421 1268421	360421 460421	-	379421 479421
01 - 05 Explorer Sport-Trac	5 on 4 1/2	-	-	-	368421 468421 1268421	360421 460421	-	379421 479421
07 - 10 Explorer Sport-Trac	5 on 4 1/2	-	-	-	-	-	-	379421 479421
66 - 79 Bronco	5 on 5 1/2	158401 358401 458401 1258401 1358401	150401 350401 450401A 1250401 1350401	352401	-	-	-	379402 479402
80 - 96 Bronco	5 on 5 1/2	158401 358401 458401 1258401 1358401	150401 350401 450401A 1250401 1350401	352401	368401 468401	360401 460401	-	379402 479402

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
FORD								
65 - 79 F-100, 150 2WD / 4WD	5 on 5 1/2	158401 358401 458401 1258401 1358401	150401 350401 450401A 1250401 1350401	352401	-	-	-	379402 479402
80 - 96 F-150 2WD / 4WD	5 on 5 1/2	158401 358401 458401 1258401 1358401	150401 350401 450401A 1250401 1350401	352401	368401 468401	360401 460401	-	379402 479402
94 - 96 F-150 Lightning Truck	5 on 5 1/2	-	-	-	-	-	-	179401 379402 479402
97 - 03 F-150 2WD / 4WD	5 on 135mm	-	-	-	368452**	360452**	-	379452** 479452**
97 - 02 Expedition / Navigator 2WD / 4WD	5 on 135mm	-	-	-	368452**	360452**	-	379452** 479452**
03 - 10 Expedition	6 on 135mm	-	-	-	-	-	-	179462** 379462** 479462**
03 - 10 Navigator 2WD / 4WD	6 on 135mm	-	-	-	-	-	-	-
04 - 10 F150 2WD / 4WD	6 on 135mm	-	-	-	-	-	-	179462** 379462** 479462**

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
FORD								
48 - 97 F-250, F-350 2WD / 4WD	8 on 6 1/2	-	-	-	168482 368482# 468482# 1268482	360481# 460481#	361481# 461481#	179481 379481# 479481# 1279481 1379481
48 - 97 F-250, F-350 2WD / 4WD w/Dana 60	8 on 6 1/2	-	-	-	168482 368482# 468482# 1268482	360481# 460481#	361481# 461481#	179481 379481# 479481# 1279481 1379481
98 - 04 F250 & F350 Superduty 2WD / 4WD	8 on 170mm	-	-	-	168170**# 368170**# 468170**#	360170**# 460170**#	361170**# 461170**#	179170** 379170**# 479170**# 1279170** 1379170**
05 - 10 F250 & F350 Superduty 2WD / 4WD	8 on 170mm	-	-	-	-	-	-	179170** 379170**# 479170**# 1279170** 1379170**
00 - 05 Excursion 2WD / 4WD	8 on 170mm	-	-	-	168170**# 368170**# 468170**#	360170**# 460170**#	361170**# 461170**#	179170** 379170**# 479170**# 1279170** 1379170**
92 - 06 E150 Van	5 on 5 1/2	158401 358401 458401 1258401 1358401	-	-	368401 468401	-	-	379402 479402
07 - 10 E150 Van	8 on 6 1/2	-	-	-	168482 368482 468482 1268482	-	-	-
48 - 10 E250 & E350 Van	8 on 6 1/2	-	-	-	168482 368482# 468482# 1268482	360481# 460481#	-	179481 379481# 479481# 1279481 1379481

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
HONDA/ ISUZU								
83 - 95 Isuzu Pickup	6 on 5 1/2	158411 358411 458411 1258411	350411 450411A 1250411 1350411	-	168412 [^] 368411 368412 [^] 468412 [^] 1268411 1268412 [^] 1368412 [^]	360411 460412 [^]	-	179412 [^] 379411 379412 [^] 379413 [^] 479412 [^] 1279413 [^] 1379412 [^]
84 - 99 Isuzu Amigo 98 - 99 Isuzu Rodeo 84 - 99 Isuzu Trooper II	6 on 5 1/2	158411 358411 458411 1258411	350411 450411A 1250411 1350411	-	168412 [^] 368411 368412 [^] 468412 [^] 1268411 1268412 [^] 1368412 [^]	360411 460412 [^]	-	179412 [^] 379411 379412 [^] 379413 [^] 479412 [^] 1279413 [^] 1379412 [^]
97 - 02 Honda Passport 00 - 04 Isuzu Rodeo	6 on 5 1/2	158411 358411 458411 1258411	-	-	168412 [^] 368411 368412 [^] 468412 [^] 1268411 1268412 [^] 1368412 [^]	-	-	179412 [^] 379411 379412 [^] 379413 [^] 479412 [^] 1279413 [^] 1379412 [^]
2000 Isuzu Amigo 97 - 02 Isuzu Trooper 97 - 99 Acura SLX	6 on 5 1/2	-	-	-	168412 [^] 368411 368412 [^] 468412 [^] 1268411 1268412 [^] 1368412 [^]	-	-	179412 [^] 379411 379412 [^] 379413 [^] 479412 [^] 1279413 [^] 1379412 [^]
96 - 00 Isuzu Hombre	5 on 4 3/4	358441	-	-	-	-	-	-
03 - 08 Honda Pilot	5 on 4 1/2	-	-	-	368421 468421 1268421	360421 460421	-	379421 479421
06 - 10 Commander	5 on 5	-	-	-	-	-	-	179431 379431 479431 1279431 1379431
07 - 10 Compass, Patriot	5 on 4 1/2	-	-	-	368421 468421 1268421	-	-	379421 479421

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- [^] = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
JEEP								
93 - 98 Grand Cherokee	5 on 4 1/2	-	-	-	368421 468421 1268421	-	-	379421 479421
99 - 10 Grand Cherokee (Except SRT8)	5 on 5	-	-	-	-	-	-	179431 379431 479431 1279431 1379431
87 - 96 Wrangler YJ	5 on 4 1/2	158421 358421 458421 1258421 1358421	150421 350421 450421A 1250421 1350421	-	368421 468421 1268421	360421 460421	-	379421 479421
97 - 06 Wrangler TJ	5 on 4 1/2	158421 358421 458421 1258421 1358421	150421 350421 450421A 1250421 1350421	-	368421 468421 1268421	360421 460421	-	379421 479421
07 - 10 Wrangler JK	5 on 5	-	-	-	368431	-	-	179431 379431 479431 1279431 1379431
84 - 01 Cherokee, Commanche	5 on 4 1/2	158421 358421 458421 1258421 1358421	150421 350421 450421A 1250421 1350421	-	368421 468421 1268421	360421 460421	-	379421 479421
02 - 10 Liberty	5 on 4 1/2	-	-	-	368421 468421 1268421	360421 460421	-	379421 479421
82 - 86 CJ 5, 7, 8 With "Wide Track Front End"	5 on 5 1/2	358401 458401 1258401 1358401	350401 450401A 1250401 1350401	352401	-	-	-	379402 479402
55 - 82 CJ 5, 7, 8 With "Narrow Track Front End"	5 on 5 1/2	358401 458401 1258401 1358401	350401 450401A 1250401 1350401	352401	-	-	-	379402 479402

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
JEEP								
74 - 91 J10, Wagoneer Fullsize	6 on 5 1/2	158411 358411 458411 1258411	350411 450411A 1250411 1350411	352411	368412^ 468412^ 1268412^ 1368412^	-	-	379412^ 479412^ 1379412^
74 - 88 J20 Truck	8 on 6 1/2	-	-	-	168482 368482# 468482# 1268482	360481# 460481#	361481#	179481 379481# 479481# 1279481 1379481
MAZDA								
77 - 94 Pickup 2WD / 4WD	6 on 5 1/2	158411 358411 458411 1258411	-	-	368411 368412^ 468412^ 1268411 1268412^ 1368412^	360412^ 460412^	-	179412^ 379411 379412^ 379413^ 479412^ 1279413^ 1379412^
95 - 09 Pickup 2WD / 4WD	5 on 4 1/2	158421 358421 458421 1258421 1358421	150421 350421 450421A 1250421 1350421	-	368421 468421 1268421	360421 460421	-	379421 479421
91 - 94 Navajo	5 on 4 1/2	158421 358421 458421 1258421 1358421	150421 350421 450421A 1250421 1350421	-	368421 468421 1268421	360421 460421	-	379421 479421
01 - 10 Tribute	5 on 4 1/2	-	-	-	368421 468421 1268421	-	-	379421 479421
MITSUBISHI								
83 - 96 Pickup 2WD / 4WD	6 on 5 1/2	158411 358411 458411 1258411	-	-	368411 368412^ 468412^ 1268411 1268412^ 1368412^	360412^ 460412^	-	179412^ 379411 379412^ 379413^ 479412^ 1279413^ 1379412^
04 - 08 Endeavor	5 on 4 1/2	-	-	-	-	-	-	379421 479421

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
MITSUBISHI								
84 - 04 Montero (Pajero)	6 on 5 1/2	158411 358411 458411 1258411	-	-	168412^ 368411 368412^ 468412^ 1268411 1268412^ 1368412^	360412^ 460412^	-	179412^ 379411 379412^ 379413^ 479412^ 1279413^ 1379412^
05 - 06 Montero (Pajero)	6 on 5 1/2	-	-	-	-	-	-	179412^ 379411 379412^ 379413^ 479412^ 1279413^ 1379412^
97 - 04 Montero Sport	6 on 5 1/2	158411 358411 458411 1258411	150411 350411 450411A 1250411 1350411	-	168412^ 368411 368412^ 468412^ 1268411 1268412^ 1368412^	360411 360412^ 460412^	-	179412^ 379411 379412^ 379413^ 479412^ 1279413^ 1379412^
06 - 09 Raider	5 on 5 1/2	-	-	-	368401 468401	360401 460401	-	179401 379402 479402
NISSAN								
78 - 86 Pickup 2WD / 4WD	6 on 5 1/2	158411 358411 458411 1258411	150411 350411 450411A 1250411 1350411	-	168412^ 368411 368412^ 468412^ 1268411 1268412^ 1368412^	360411 360412^ 460412^	-	179412^ 379411 379412^ 379413^ 479412^ 1279413^ 1379412^
87 - 97 Hardbody Pickup 2WD / 4WD	6 on 5 1/2	158411 358411 458411 1258411	150411 350411 450411A 1250411 1350411	-	168412^ 368411 368412^ 468412^ 1268411 1268412^ 1368412^	360411 360412^ 460412^	-	179412^ 379411 379412^ 379413^ 479412^ 1279413^ 1379412^
98 - 04 Frontier Truck	6 on 5 1/2	158411 358411 458411 1258411	150411 350411 450411A 1250411 1350411	-	168412 368411 368412^ 468412^ 1268411 1268412^ 1368412^	360411 360412^ 460412^	-	179412^ 379411 379412^ 479412^ 1379412^
00 - 04 Pathfinder	6 on 5 1/2	-	-	-	168412^ 368411 368412^ 468412^ 1268411 1268412^ 1368412^	-	-	179412^ 379411 379412^ 379413^ 479412^ 1279413^ 1379412^

All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
NISSAN								
00 - 04 Xterra	6 on 5 1/2	-	-	-	168412 [^] 368411 368412 [^] 468412 [^] 1268411 1268412 [^] 1368412 [^]	-	-	179412 [^] 379411 379412 [^] 379413 [^] 479412 [^] 1279413 [^] 1379412 [^]
04 - 10 Titan and Armada SE Off Road	6 on 5 1/2	-	-	-	-	-	-	-
SUZUKI								
86 - 91 Samurai	5 on 5 1/2	158401 358401 458401 1258401 1358401	150401 350401 450401A 1250401 1350401	-	-	-	-	379402 479402
89 - 00 Sidekick	5 on 5 1/2	158401 358401 458401 1258401 1358401	-	-	-	-	-	379402 479402
TOYOTA								
95 - 10 RAV4	5 on 4 1/2	-	-	-	368421 468421 1268421	-	-	379421 479421
84 - 94 Pickup 2WD	5 on 4 1/2	158421 358421 458421 1258421 1358421	-	-	368421 468421 1268421	360421 460421	-	379421 479421
95 - 10 Tacoma 2WD - NON PreRunner & T100 Models (Fit Check Required)	5 on 4 1/2	158421 358421 458421 1258421 1358421	150421 350421 450421A 1250421 1350421	-	368421 468421 1268421	360421 460421	-	379421 479421
79 - 94 Pickup 4WD*** & up to 1996 4-Runner***	6 on 5 1/2	158411 358411 458411 1258411	150411 350411 450411A 1250411 1350411	352411	168412 [^] 368411 368412 [^] 468412 [^] 1268411 1268412 [^] 1368412 [^]	360411 360412 [^] 460412 [^]	361412 [^] 461412 [^]	179412 [^] 379411 379412 [^] 379413 [^] 479412 [^] 1279413 [^] 1379412 [^]

All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- [^] = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
TOYOTA								
95 - 04 Tacoma 4WD - Standard Cab 4cyl. Truck & T-10	6 on 5 1/2	158411 358411 458411 1258411	150411 350411 450411A 1250411 1350411	352411	168412 [^] 368411 368412 [^] 468412 [^] 1268411 1268412 [^] 1368412 [^]	360411 360412 [^] 460412 [^]	361412 [^] 461412 [^]	379412 [^] 479412 [^] 1379412 [^]
95 - 04 Tacoma 4WD - Extra-Cab 4cyl. & all 6cyl. including TRD & PreRunner (Fit Check Required)	6 on 5 1/2	-	-	-	168412 [^] 368412 [^] 468412 [^] 1268412 [^] 1368412 [^]	360412 [^] 460412 [^]	361412 [^] 461412 [^]	179412 [^] 379412 [^] 379413 [^] 479412 [^] 1279413 [^] 1379412 [^]
05 - 10 Tacoma 4WD - including TRD & PreRunner (Fit Check Required)	6 on 5 1/2	-	-	-	-	-	-	179412 [^] 379413 [^] 1279413 [^] 1379412 [^]
75 - 84 FJ40 Landcruiser***	6 on 5 1/2	158411 358411 458411 1258411	150411 350411 450411A 1250411 1350411	352411	368412 [^] 1268412 [^] 1368412 [^]	-	-	379412 [^] 479412 [^] 1379412 [^]
84 - 92 FJ60 Landcruiser***	6 on 5 1/2	158411 358411 458411 1258411	150411 350411 450411A 1250411 1350411	-	368412 [^] 468412 [^] 1268412 [^] 1368412 [^]	-	-	379412 [^] 479412 [^] 1379412 [^]
94 - 97 Landcruiser	6 on 5 1/2	-	-	-	368412 [^] 468412 [^] 1268412 [^] 1368412 [^]	-	-	379412 [^] 479412 [^] 1379412 [^]
98 - 07 Landcruiser 100 Series, 08 - 10 Landcruiser 200 Series	5X150	-	-	-	-	-	-	379403

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- [^] = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

Vehicle	Bolt Pattern	15x8	15x10	15x12	16x8	16x10	16x12	17x9
TOYOTA								
06 - 10 FJ Cruiser***	6 on 5 1/2	-	-	-	-	-	-	179412^ 379413^ 1279413^ 1379412^
00 - 06 Tundra	6 on 5 1/2	-	-	-	168412^ 368412^ 468412^ 1268412^ 1368412^	360412^ 460412^	361412^ 461412^	179412^ 379412^ 379413^ 479412^ 1279413^ 1379412^
07 - 10 Tundra	5X150	-	-	-	-	-	-	-
96 - 08 4-Runner	6 on 5 1/2	-	-	-	168412^ 368412^ 468412^ 1268412^ 1368412^	360412^ 460412^	-	179412^ 379413^ 1279413^ 1379412^
2010 4-Runner	6 on 5 1/2	-	-	-			-	179412^ 379413^ 1279413^ 1379412^

**All Mickey Thompson Wheels use acorn (conical seat) lug nuts.
Mickey Thompson Tires & Wheels recommends duplex acorns on vehicles with GVWR of 6500lbs or greater.**

Footnotes:

- * = Hub centric application - wheel includes fitment ring.
- ** = Hub centric factory recommended - wheel will be centered on lug nuts.
- *** = Caps included may not fit some Toyota Center Hubs

- ^ = Included hub centering ring is not needed for this application, please discard.
Included center cap will not work on manual hub applications.
- # = Some 3/4 ton and 1 ton vehicles use extra long center caps,
we recommend using the M/T optional aluminum caps (sold separately).

No extra long center caps are available for SideBiter, Classic II Black or Classic Lock Black Wheels.

NOTES



Mickey Thompson
Performance Tires & Wheels
4600 Prosper Drive, Stow, OH 44224
PH. (330) 928-9092 • FAX (330) 928-0503

www.mickeythompsontires.com

All specifications subject to change without notice. Not responsible for typographical errors.

PRINTED IN USA

M/T® 06/11