



**MICKEY THOMPSON**  
**M/T**

**TIRES & WHEELS**

**2026 PRODUCT CATALOG**



TABLE OF CONTENTS

LIGHT TRUCK TIRES

|                                                |    |
|------------------------------------------------|----|
| THE RIGHT TRUCK & SUV TIRE FOR EVERY LIFESTYLE | 3  |
| WHY MICKEY THOMPSON TIRES LEAD THE PACK        | 4  |
| BAJA BOSS® A/T                                 | 6  |
| BAJA LEGEND EXP™                               | 8  |
| BAJA BOSS® M/T                                 | 10 |
| BAJA LEGEND MTZ™                               | 12 |

EXTREME TERRAIN TIRES

|                         |    |
|-------------------------|----|
| ALL-NEW BAJA BELTED™ II | 16 |
| BAJA PRO® X             | 18 |
| BAJA PRO® XS            | 19 |
| BAJA BOSS® X            | 20 |
| BAJA BOSS® XS           | 21 |

DRAG TIRES

|                                         |    |
|-----------------------------------------|----|
| CHOOSE THE WINNING GRIP                 | 23 |
| HOW COMPOUND FORMULAS DRIVE PERFORMANCE | 24 |
| FROM CRUISING TO CORNERING              | 25 |
| ET DRAG®                                | 26 |
| ET DRAG® PRO DRAG RADIAL                | 28 |
| PRO BRACKET RADIAL                      | 29 |
| ET STREET® R BIAS                       | 30 |
| ET STREET® FRONT                        | 31 |
| ET STREET® R                            | 32 |
| ET STREET® RADIAL PRO                   | 33 |
| ET STREET® S/S                          | 34 |

DRAG TIRES CONTINUED

|                     |    |
|---------------------|----|
| ET FRONT™           | 35 |
| ET JR.®             | 36 |
| ET DRAG® MOTORCYCLE | 37 |
| RACING TUBES        | 36 |

STREET TIRES

|                  |    |
|------------------|----|
| STREET COMP™     | 40 |
| SPORTSMAN S/T™   | 41 |
| SPORTSMAN FRONT™ | 42 |
| SPORTSMAN S/R™   | 43 |

WHEELS

|                                 |    |
|---------------------------------|----|
| THE WHEEL DESIGN DIFFERENCE     | 46 |
| FORGED STRONG                   | 47 |
| ALL-NEW MT CLASSIC FORGED WHEEL | 48 |
| MT CLASSIC PRO WHEEL            | 50 |
| MT CANYON PRO WHEEL             | 52 |
| MT OPEN 5 WHEEL                 | 54 |
| MT CANYON WHEEL                 | 55 |
| CLASSIC III™ WHEEL              | 56 |
| SIDEBITER® II WHEEL             | 58 |
| CLASSIC BAJA LOCK™ WHEEL        | 59 |
| WHEEL CAPS                      | 60 |
| WARRANTY INFORMATION            | 62 |

# LIGHT TRUCK TIRES



A VAST RANGE OF FITMENTS FOR ALL OF YOUR ON AND OFF-ROAD NEEDS. FROM WEEKEND WARRIORS TO FULLY DECKED OUT OFF-ROAD RIGS, OUR LIGHT TRUCK TIRES ARE PURPOSE BUILT FOR EVERY TERRAIN AND EVERY ADVENTURE. SEE YOU OUT THERE!

# THE RIGHT TRUCK & SUV TIRE FOR EVERY LIFESTYLE

Whether it's competition-proven off-road traction, on-road comfort, or all-weather capability, the Mickey Thompson Baja Boss® and Baja Legend™ light truck and SUV tire lineups provide the perfect options for your needs.



| BAJA BOSS® A/T                                                                       | BAJA LEGEND EXP™                                                               | BAJA BOSS® M/T                                                                    | BAJA LEGEND MTZ™                                                                        |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| PREMIUM HYBRID A/T – R/T                                                             | HYBRID A/T – R/T                                                               | PREMIUM MUD TERRAIN                                                               | MUD TERRAIN                                                                             |
| Extreme off-road allure with a premium on-road experience in any weather or terrain. | Ample off-road traction and rugged looks with a dependable on-road experience. | Competition-proven, ultimate off-road experience coupled with aggressive styling. | Authentic mud-terrain styling and off-road performance blended with a comfortable ride. |

|                   | BAJA BOSS® A/T | BAJA LEGEND EXP™ | BAJA BOSS® M/T | BAJA LEGEND MTZ™ |
|-------------------|----------------|------------------|----------------|------------------|
| LOW NOISE*        | 9              | 9                | 7              | 6                |
| TREAD LIFE*       | 8              | 8                | 6              | 6                |
| RIDE COMFORT*     | 7              | 9                | 8              | 8                |
| AGGRESSIVE LOOKS* | 8              | 6                | 10             | 8                |
| SNOW TRACTION*    | 9              | 5                | 7              | 7                |
| MUD TRACTION*     | 6              | 5                | 8              | 10               |
| ROCK TRACTION*    | 8              | 6                | 10             | 9                |

\*ON A SCALE OF 1-10, 10 BEING THE MOST PREFERABLE PERFORMANCE.



TREAD DESIGN

While the distinctive asymmetric tread patterns are unique to Mickey Thompson's Baja Boss® family of tires, all Mickey Thompson Light Truck and Off-Road tires feature Sidebiters®, tread elements that extend onto the sidewall for added traction and protection. Whether you're cruising through weekend trails, showcasing your rig at the next big event or chasing a podium finish, Sidebiters® are engineered to help keep you moving forward with confidence!

| SIDEBITER® COMPARISON | BAJA PRO® X | BAJA PRO® XS | BAJA BELTED™ II | BAJA BOSS® X | BAJA BOSS® XS | BAJA BOSS® M/T | BAJA BOSS® A/T | BAJA LEGEND MTZ™ | BAJA LEGEND EXP™ |
|-----------------------|-------------|--------------|-----------------|--------------|---------------|----------------|----------------|------------------|------------------|
| STANDARD SIDEBITERS®  |             |              |                 |              |               |                |                |                  | X                |
| UP TO 75% DEEPER*     |             |              |                 |              |               |                |                | X                |                  |
| 150% DEEPER*          |             |              |                 | X            | X             | X              | X†             |                  |                  |
| 225% DEEPER*          |             |              | X               |              |               |                |                |                  |                  |
| 350% DEEPER*          | X           | X            |                 |              |               |                |                |                  |                  |

\*COMPARED TO STANDARD SIDEBITERS® †LT SIZES ONLY

COMPOUND

We engineer compounds for specific performance needs—from silica blends that improve wet braking and tread life to competition-grade formulas for rock crawling and desert racing. Each mix is tuned to deliver in its environment and outperform the competition.

| LT COMPOUND CODES |                                                                                                                                                                          | BAJA PRO® X | BAJA PRO® XS | BAJA BELTED™ II | BAJA BOSS® X | BAJA BOSS® XS | BAJA BOSS® M/T | BAJA BOSS® A/T | BAJA LEGEND MTZ™ | BAJA LEGEND EXP™ |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------|-----------------|--------------|---------------|----------------|----------------|------------------|------------------|
| S1                | Next-gen silica reinforced compound engineered to provide excellent wet handling/braking, lasting treadlife and cold/wet weather traction for lighter duty applications. |             |              |                 |              |               |                | X‡             |                  |                  |
| T1                | Next-gen silica reinforced compound engineered to provide excellent wet handling/braking, lasting treadlife and cold/wet weather traction for heavy-duty applications.   |             |              |                 |              |               |                | X*             |                  |                  |
| T4                | Silica reinforced tread compound engineered to provide excellent wet handling/braking performance, cut & chip resistance and lasting treadlife.                          |             |              |                 |              | X             | X              |                | X                | X                |
| X3                | Competition compound for long-distance, high-speed, and rock crawling competition. Equally at-home on a low powered/low-speed rock crawler. NOT FOR HIGHWAY USE.         |             |              |                 | X            |               |                |                |                  |                  |
| T5                | Extremely durable compound developed for on and off-road use.                                                                                                            |             | X            | X               |              |               |                |                |                  |                  |
| X1                | Competition compound developed for aggressive short-distance rock bouncing or low-speed rock crawling. NOT FOR HIGHWAY USE.                                              | X           |              |                 |              |               |                |                |                  |                  |

‡SUV SIZES ONLY †LT SIZES ONLY

CONSTRUCTION

Our proprietary PowerPly™ technologies reinforce radial tires with bias-ply strength, improving puncture resistance, steering response, and sidewall durability. It's a hybrid construction built for real-world abuse—on-road, off-road, or off-the-map.

| LT TIRE CONSTRUCTION  |                                                                                                              | BAJA PRO® X | BAJA PRO® XS | BAJA BELTED™ II | BAJA BOSS® X   | BAJA BOSS® XS | BAJA BOSS® M/T | BAJA BOSS® A/T | BAJA LEGEND MTZ™ | BAJA LEGEND EXP™ |
|-----------------------|--------------------------------------------------------------------------------------------------------------|-------------|--------------|-----------------|----------------|---------------|----------------|----------------|------------------|------------------|
| PREMIUM RADIAL        | Radial construction, engineered to provide a premium on-road experience.                                     |             |              | X <sup>II</sup> |                |               |                | X‡             |                  |                  |
| NEXT-GEN HIGH TENSILE | Radial construction which replaces the body plies used in "Premium Radial" with high tensile strength plies. |             |              |                 |                |               |                |                |                  | X <sup>III</sup> |
| POWERPLY™             | Unique radial construction utilizing two radial plies and one bias-ply.                                      |             |              |                 |                |               |                |                | X                |                  |
| POWERPLY™ XD          | Competition proven construction, adding 50% heavier denier cord to the third ply.                            |             |              |                 |                |               | X              | X*             |                  |                  |
| POWERPLY™ PRO         | Composed of two radial plies sandwiched between two heavy-duty bias plies with added sidewall rubber gauge.  |             |              |                 | X <sup>S</sup> | X             |                |                |                  |                  |
| PREMIUM BIAS          | Bias-ply construction, designed with four nylon body plies and two belts.                                    |             | X            | X <sup>II</sup> |                |               |                |                |                  |                  |
| PRO-TECH              | Bias-ply construction, the sidewall and bead areas have been reinforced.                                     | X           |              |                 |                |               |                |                |                  |                  |

<sup>II</sup>SELECT SIZES    <sup>‡</sup>SUV SIZES ONLY    <sup>III</sup>LOAD RANGES D, E, & F    <sup>\*</sup>LT SIZES ONLY    <sup>S</sup>37" SIZE USES POWERPLY™ XD

WHY MICKEY THOMPSON TIRES LEAD THE PACK



# BAJA BOSS® A/T

## PREMIUM HYBRID ALL-TERRAIN - R/T

 PREMIUM ON-ROAD  OFF-ROAD  SNOW



### TIRE FEATURES



**50K MILE (LT SIZES) and 60K MILE (SUV SIZES) LIMITED TREADWEAR WARRANTY\***  
instills confidence that the Baja Boss® A/T is built to last



**THREE-PEAK MOUNTAIN SNOWFLAKE DESIGNATION**  
on all sizes 12.50 (315) and narrower



**T1 COMPOUND (LT SIZES) and S1 COMPOUND (SUV SIZES)**  
provides excellent wet handling/braking, lasting tread life, and cold/wet weather traction



**POWERPLY™ XD**  
adds an extra thick denier cord to the angled third ply for better puncture resistance, quicker steering response, and greater stability (LT sizes only)



**EXTREME SIDEBITERS®**  
are 150% deeper than the Baja Legend EXP™ for a bold look and extreme off-road traction/protection (LT sizes only)



**ASYMMETRIC TREAD PATTERN**  
is optimized for reduced noise, off-road traction, and on-road handling

The **BAJA BOSS® A/T** is a premium hybrid all-terrain tire engineered for drivers who demand aggressive looks and all-weather capability without sacrificing on-road comfort. Its asymmetric tread pattern reduces noise while enhancing traction. A silica-reinforced compound improves wet braking and tread life, and PowerPly™ XD construction adds sidewall strength and steering response. With 50K-60K mileage warranties and 3PMS certification on select sizes, it's built to perform—and built to stand out.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE     | EQUIVALENT SIZE | LOAD RANGE | SIDE WALL | SERVICE DESC.* | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | MAX. INFL. PSI | MAX. LOAD LBS.* | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|---------------|-----------------|------------|-----------|----------------|-------------------------------------------|----------------|-----------------|-------------------------|----------------------|--------------------|-------------------|---------------------|
| 15"            | • 249344        | 340007003    | 235/75R15     | 29X9.00R15      | XL         | BLK       | 109T           | (6.5) 6.0-8.0                             | 50             | 2,271           | 28.8                    | 9.2                  | 6.7                | 16.0              | 36                  |
|                | • 247497        | 340001003    | 265/70R16     | 31X10.50R16     | STD        | BLK       | 112T           | (8.0) 7.0-9.0                             | 44             | 2,469           | 30.8                    | 10.5                 | 8.6                | 16.0              | 42                  |
|                | • 249345        | 340008003    | 265/75R16     | 32X10.50R16     | STD        | BLK       | 116T           | (7.5) 7.0-9.0                             | 44             | 2,756           | 31.7                    | 10.6                 | 7.7                | 16.0              | 42                  |
| 16"            | 247455          | 331004001    | LT265/75R16   | 32X10.50R16LT   | E          | BLK       | 123Q           | (7.5) 7.0-9.0                             | 80             | 3,415           | 32.0                    | 10.7                 | 8.2                | 18.5              | 57                  |
|                | 247464          | 331013001    | LT285/75R16   | 33X11.50R16LT   | E          | BLK       | 126Q           | (8.0) 7.5-9.5                             | 80             | 3,750           | 32.9                    | 11.7                 | 9.3                | 18.5              | 66                  |
|                | • 249346        | 340009003    | 245/65R17     | 30X9.50R17      | XL         | BLK       | 111T           | (7.0) 7.0-8.5                             | 50             | 2,403           | 29.8                    | 9.7                  | 7.7                | 16.0              | 38                  |
| 17"            | 247348          | 331001001    | LT265/65R17   | 31X10.50R17LT   | E          | BLK       | 120Q           | (8.0) 7.5-9.5                             | 80             | 3,085           | 30.5                    | 10.7                 | 8.7                | 18.5              | 57                  |
|                | • 247499        | 340016003    | 265/70R17     | 32X10.50R17     | XL         | BLK       | 116T           | (8.0) 7.0-9.0                             | 50             | 2,756           | 31.9                    | 10.4                 | 8.6                | 16.0              | 44                  |
|                | 247454          | 331003001    | LT265/70R17   | 32X10.50R17LT   | E          | BLK       | 121Q           | (8.0) 7.0-9.0                             | 80             | 3,195           | 31.9                    | 10.7                 | 8.7                | 18.5              | 57                  |
|                | • 247502        | 340020003    | 285/70R17     | 33X11.50R17     | STD        | BLK       | 116T           | (8.5) 7.5-9.5                             | 44             | 2,756           | 32.8                    | 11.6                 | 8.9                | 16.0              | 48                  |
|                | 272481          | 331285001    | LT285/70R17   | 33X11.50R17LT   | E          | BLK       | 121Q           | (8.5) 7.5-9.5                             | 80             | 3,195           | 33.0                    | 11.5                 | 9.3                | 18.5              | 63                  |
|                | • 247463        | 331012001    | 33X12.50R17LT | -               | D          | BLK       | 114Q           | (10.0) 8.5-11.0                           | 50             | 2,600           | 32.8                    | 12.0                 | 10.3               | 18.5              | 68                  |
|                | • 247462        | 331011001    | LT305/65R17   | 33X12.50R17LT   | E          | BLK       | 121Q           | (9.0) 8.5-11.0                            | 65             | 3,195           | 32.8                    | 12.0                 | 10.3               | 18.5              | 67                  |
|                | 247472          | 331021001    | LT295/70R17   | 34X12.00R17LT   | E          | BLK       | 121Q           | (8.5) 7.5-10.0                            | 80             | 3,195           | 33.7                    | 12.1                 | 10.2               | 18.5              | 72                  |
|                | 247480          | 331030001    | LT255/85R17   | 35X10.00R17LT   | E          | BLK       | 121Q           | (7.0) 6.5-8.0                             | 80             | 3,195           | 34.6                    | 10.1                 | 8.6                | 18.5              | 64                  |
|                | • 272568        | 331309001    | 35X12.50R17LT | -               | D          | BLK       | 119Q           | (10.0) 8.0-11.0                           | 50             | 3,000           | 34.5                    | 12.8                 | 10.3               | 18.5              | 69                  |
|                | • 272570        | 331311001    | LT315/70R17   | 35X12.50R17LT   | E          | BLK       | 121Q           | (9.5) 8.0-11.0                            | 65             | 3,195           | 34.5                    | 12.8                 | 10.3               | 18.5              | 71                  |
|                | 247490          | 331040001    | 37X12.50R17LT | -               | D          | BLK       | 124Q           | (10.0) 8.0-11.0                           | 50             | 3,525           | 36.7                    | 13.0                 | 10.3               | 18.5              | 80                  |
|                | • 247496        | 340014003    | 265/60R18     | 31X10.50R18     | XL         | BLK       | 114T           | (8.0) 7.5-9.5                             | 50             | 2,601           | 30.8                    | 10.6                 | 9.0                | 16.0              | 44                  |
|                | 247453          | 331002001    | LT265/60R18   | 31X10.50R18LT   | E          | BLK       | 119Q           | (8.0) 7.5-9.5                             | 80             | 3,000           | 30.8                    | 10.7                 | 8.6                | 18.5              | 57                  |
|                | • 247498        | 340015003    | 265/65R18     | 32X10.50R18     | XL         | BLK       | 116T           | (8.0) 7.5-9.5                             | 50             | 2,756           | 31.5                    | 10.7                 | 8.5                | 16.0              | 45                  |
| 18"            | • 249347        | 340010003    | 275/65R18     | 32X11.00R18     | STD        | BLK       | 116T           | (8.0) 7.5-9.5                             | 44             | 2,756           | 32.4                    | 10.9                 | 8.7                | 16.0              | 46                  |
|                | 247470          | 331019001    | LT275/70R18   | 33X11.00R18LT   | E          | BLK       | 125Q           | (8.0) 7.0-9.0                             | 80             | 3,640           | 33.4                    | 10.8                 | 9.6                | 18.5              | 66                  |
|                | 247467          | 331016001    | LT285/65R18   | 33X11.50R18LT   | E          | BLK       | 125Q           | (8.5) 8.0-10.0                            | 80             | 3,640           | 33.2                    | 10.9                 | 10.0               | 18.5              | 64                  |
|                | • 247459        | 331008001    | 33X12.50R18LT | -               | E          | BLK       | 118Q           | (10.0) 8.5-11.0                           | 65             | 2,910           | 32.6                    | 11.9                 | 10.3               | 18.5              | 67                  |
|                | • 247458        | 331007001    | LT305/60R18   | 33X12.50R18LT   | F          | BLK       | 126Q           | (9.0) 8.5-11.0                            | 80             | 3,750           | 32.6                    | 11.9                 | 10.3               | 18.5              | 68                  |
|                | 247479          | 331029001    | LT295/70R18   | 34X12.00R18LT   | E          | BLK       | 129Q           | (8.5) 7.5-10.0                            | 80             | 4,080           | 34.5                    | 11.7                 | 10.2               | 18.5              | 73                  |
|                | • 247483        | 331033001    | 35X12.50R18LT | -               | D          | BLK       | 118Q           | (10.0) 8.5-11.0                           | 50             | 2,910           | 34.6                    | 12.8                 | 10.3               | 18.5              | 73                  |
|                | • 247489        | 331039001    | LT305/70R18   | 35X12.50R18LT   | E          | BLK       | 126Q           | (9.0) 8.0-10.0                            | 65             | 3,750           | 35.3                    | 12.2                 | 10.3               | 18.5              | 75                  |
|                | • 247495        | 340013003    | 265/50R20     | 31X10.50R20     | XL         | BLK       | 111T           | (8.5) 7.5-9.5                             | 50             | 2,403           | 30.4                    | 10.7                 | 9.3                | 16.0              | 43                  |
| 20"            | • 247500        | 340018003    | 275/55R20     | 32X11.00R20     | XL         | BLK       | 117T           | (8.5) 7.5-9.5                             | 50             | 2,833           | 32.2                    | 11.1                 | 9.5                | 16.0              | 48                  |
|                | 247456          | 331005001    | LT275/55R20   | 32X11.00R20LT   | E          | BLK       | 120Q           | (8.5) 7.5-9.5                             | 80             | 3,085           | 32.2                    | 10.9                 | 10.0               | 18.5              | 63                  |
|                | • 249348        | 340011003    | 305/50R20     | 32X12.50R20     | XL         | BLK       | 120T           | (9.5) 8.5-11.0                            | 50             | 3,086           | 32.2                    | 12.0                 | 10.4               | 16.0              | 51                  |
|                | • 247503        | 340021003    | 275/60R20     | 33X11.00R20     | STD        | BLK       | 115T           | (8.0) 7.5-9.5                             | 44             | 2,679           | 33.4                    | 10.8                 | 9.2                | 16.0              | 47                  |
|                | 247469          | 331018001    | LT275/60R20   | 33X11.00R20LT   | E          | BLK       | 123Q           | (8.0) 7.5-9.5                             | 80             | 3,415           | 33.4                    | 10.8                 | 9.6                | 18.5              | 64                  |
|                | 272483          | 331294001    | LT285/55R20   | 33X11.50R20LT   | E          | BLK       | 122Q           | (9.0) 8.0-10.0                            | 80             | 3,305           | 32.7                    | 11.5                 | 9.7                | 18.5              | 62                  |
|                | 247468          | 331017001    | LT295/55R20   | 33X12.00R20LT   | E          | BLK       | 123Q           | (9.5) 8.0-10.5                            | 80             | 3,415           | 33.2                    | 12.0                 | 10.3               | 18.5              | 67                  |
|                | • 247461        | 331010001    | 33X12.50R20LT | -               | E          | BLK       | 114Q           | (10.0) 8.5-11.0                           | 65             | 2,600           | 32.8                    | 12.2                 | 10.3               | 18.5              | 68                  |
|                | • 247473        | 331022001    | LT305/55R20   | 33X12.50R20LT   | F          | BLK       | 125Q           | (9.5) 8.5-11.0                            | 80             | 3,640           | 33.7                    | 12.2                 | 10.3               | 18.5              | 70                  |
|                | • 247457        | 331006001    | 33X13.50R20LT | -               | F          | BLK       | 120Q           | (11.0) 9.5-12.0                           | 80             | 3,085           | 32.5                    | 13.5                 | 11.4               | 18.5              | 73                  |
|                | 247478          | 331028001    | LT275/65R20   | 34X11.00R20LT   | E          | BLK       | 126Q           | (8.0) 7.5-9.5                             | 80             | 3,750           | 34.5                    | 10.8                 | 9.6                | 18.5              | 65                  |
|                | 247471          | 331020001    | LT285/60R20   | 34X11.50R20LT   | E          | BLK       | 125Q           | (8.5) 8.0-10.0                            | 80             | 3,640           | 33.6                    | 11.3                 | 9.2                | 18.5              | 67                  |
|                | 247474          | 331023001    | LT295/60R20   | 34X12.00R20LT   | E          | BLK       | 126Q           | (8.5) 8.0-10.5                            | 80             | 3,750           | 34.3                    | 11.6                 | 10.2               | 18.5              | 69                  |
|                | 247482          | 331032001    | LT285/65R20   | 35X11.50R20LT   | E          | BLK       | 127Q           | (8.5) 8.0-10.0                            | 80             | 3,860           | 34.6                    | 11.5                 | 9.7                | 18.5              | 69                  |
|                | 247485          | 331035001    | 35X12.50R20LT | -               | F          | BLK       | 125Q           | (10.0) 8.5-11.0                           | 80             | 3,640           | 34.7                    | 12.4                 | 10.3               | 18.5              | 73                  |
|                | • 247477        | 331026001    | 35X13.50R20LT | -               | F          | BLK       | 126Q           | (11.0) 9.5-12.0                           | 80             | 3,750           | 34.5                    | 13.3                 | 11.4               | 18.5              | 80                  |
|                | • 247484        | 331034001    | 35X15.50R20LT | -               | F          | BLK       | 127Q           | (12.5) 11.0-14.0                          | 80             | 3,860           | 34.6                    | 15.4                 | 12.6               | 18.5              | 83                  |
|                | 247491          | 331041001    | 37X12.50R20LT | -               | E          | BLK       | 126Q           | (10.0) 8.5-11.0                           | 65             | 3,750           | 36.7                    | 12.6                 | 10.3               | 18.5              | 80                  |
|                | • 247492        | 331042001    | 37X13.50R20LT | -               | E          | BLK       | 127Q           | (11.0) 8.5-12.0                           | 65             | 3,860           | 36.7                    | 13.5                 | 11.1               | 18.5              | 87                  |
| 22"            | • 247501        | 340019003    | 285/45R22     | 32X11.50R22     | XL         | BLK       | 114T           | (9.5) 9.0-10.5                            | 50             | 2,601           | 32.3                    | 11.3                 | 9.9                | 16.0              | 49                  |
|                | • 249349        | 340012003    | 305/45R22     | 33X12.50R22     | XL         | BLK       | 118T           | (10.0) 9.5-11.5                           | 50             | 2,910           | 33.0                    | 11.9                 | 10.4               | 16.0              | 52                  |
|                | 247466          | 331015001    | 33X12.50R22LT | -               | F          | BLK       | 114Q           | (10.0) 8.5-11.0                           | 80             | 2,600           | 33.0                    | 12.0                 | 10.3               | 18.5              | 67                  |
|                | 247481          | 331031001    | LT285/55R22   | 35X11.50R22LT   | E          | BLK       | 124Q           | (9.0) 8.0-10.0                            | 80             | 3,525           | 34.6                    | 11.5                 | 9.7                | 18.5              | 68                  |
|                | 247487          | 331037001    | 35X12.50R22LT | -               | F          | BLK       | 121Q           | (10.0) 8.5-11.0                           | 80             | 3,195           | 34.9                    | 12.1                 | 10.3               | 18.5              | 75                  |
|                | • 247488        | 331038001    | LT325/50R22   | 35X13.00R22LT   | F          | BLK       | 127Q           | (10.0) 9.0-12.0                           | 80             | 3,860           | 35.0                    | 12.8                 | 11.9               | 18.5              | 80                  |
|                | • 247486        | 331036001    | 35X15.50R22LT | -               | F          | BLK       | 123Q           | (13.0) 12.5-14.5                          | 80             | 3,415           | 34.7                    | 15.2                 | 12.7               | 18.5              | 83                  |
| 24"            | • 247493        | 331043001    | 37X13.50R22LT | -               | F          | BLK       | 128Q           | (11.0) 8.5-12.0                           | 80             | 3,970           | 36.8                    | 13.3                 | 11.1               | 18.5              | 86                  |
|                | • 250092        | 331250001    | 35X15.50R24LT | -               | F          | BLK       | 117Q           | (14.0) 13.0-15.5                          | 80             | 2,835           | 34.7                    | 15.6                 | 12.7               | 18.5              | 81                  |
| 24"            | • 247494        | 331044001    | 37X13.50R24LT | -               | F          | BLK       | 124Q           | (11.0) 8.5-12.0                           | 80             | 3,525           | 36.8                    | 13.6                 | 11.1               | 18.5              | 86                  |

\*SERVICE DESCRIPTION AND MAX LOAD DATA LISTED IS FOR SINGLE REAR TIRE APPLICATIONS. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

• INCREASED-LOAD LT-METRIC OPTIONS FOR HEAVY DUTY APPLICATIONS.

• APPROVED FOR THE INCREASING POPULAR 12" AND/OR 14" WIDE WHEELS.

• LOWER-LOAD FLotation OPTIONS FOR JEEPS, 1/2-TONS & OFF-ROAD.

• SUV SIZES ARE A LIGHTER-DUTY ALTERNATIVE TO LT OFFERINGS.

# BAJA LEGEND EXP™

## HYBRID ALL-TERRAIN - R/T

 PREMIUM ON-ROAD  TRAIL



### TIRE FEATURES



**LIMITED TREADWEAR WARRANTY**  
instills confidence that the Baja Legend EXP™ is built to last



**LEGENDARY “BAJA INSPIRED” TREAD STYLING**  
with large surface area tread elements, wide voids for an aggressive appearance, and great on/off-road performance



**T4 SILICA-REINFORCED COMPOUND**  
provides excellent wet handling/braking performance, cut and chip resistance, and lasting treadlife



**NEXT-GEN LIGHTWEIGHT HIGH TENSILE BODY PLIES**  
provides a smooth ride and durability



**OPTIMIZED TREAD DESIGN AND GEOMETRY**  
help to reduce noise

The **BAJA LEGEND EXP™** is a rugged all-terrain tire built for trail leaders and daily drivers alike. Its bold tread styling and Sidebiters® deliver off-road traction and protection, while a silica-reinforced compound enhances wet handling and tread life. Lightweight high-tensile body plies provide a smooth ride and durability. Backed by a limited treadwear warranty, the EXP™ blends legendary Mickey Thompson design with modern performance.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE     | EQUIVALENT SIZE | LOAD RANGE | SIDE WALL | SERVICE DESC.* | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | MAX. INFL. PSI | MAX. LOAD LBS.* | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|---------------|-----------------|------------|-----------|----------------|-------------------------------------------|----------------|-----------------|-------------------------|----------------------|--------------------|-------------------|---------------------|
| 15"            | 247530          | 331055003    | 31X10.50R15LT | -               | C          | RWL       | 109Q           | (8.5) 7.0-9.0                             | 50             | 2,270           | 30.8                    | 10.9                 | 8.2                | 18.5              | 45                  |
|                | 247541          | 331066003    | 33X12.50R15LT | -               | C          | RWL       | 108Q           | (10.0) 8.0-11.0                           | 35             | 2,205           | 32.9                    | 12.1                 | 9.8                | 18.5              | 55                  |
|                | 247557          | 331082003    | 35X12.50R15LT | -               | C          | RWL       | 113Q           | (10.0) 8.0-11.0                           | 35             | 2,535           | 34.9                    | 12.2                 | 9.9                | 18.5              | 60                  |
| 16"            | 249404          | 331280003    | LT245/70R16   | 30X9.50R16LT    | E          | RWL       | 118Q           | (7.0) 6.5-8.0                             | 80             | 2,910           | 29.8                    | 9.8                  | 7.8                | 18.5              | 46                  |
|                | 249753          | 331228003    | LT265/70R16   | 31X10.50R16LT   | E          | RWL       | 121Q           | (8.0) 7.0-9.0                             | 80             | 3,195           | 30.9                    | 10.7                 | 8.6                | 18.5              | 50                  |
|                | 247533          | 331058003    | LT265/75R16   | 32X10.50R16LT   | E          | RWL       | 123Q           | (7.5) 7.0-9.0                             | 80             | 3,415           | 31.9                    | 10.1                 | 8.0                | 18.5              | 50                  |
|                | 247542          | 331067003    | LT285/75R16   | 33X11.50R16LT   | E          | RWL       | 126Q           | (8.0) 7.5-9.5                             | 80             | 3,750           | 33.0                    | 11.3                 | 8.6                | 18.5              | 57                  |
|                | 247545          | 331070003    | LT305/70R16   | 33X12.50R16LT   | E          | RWL       | 124Q           | (9.0) 8.0-10.0                            | 65             | 3,525           | 33.1                    | 12.0                 | 9.7                | 18.5              | 58                  |
|                | 247555          | 331080003    | LT315/75R16   | 35X12.50R16LT   | E          | RWL       | 127Q           | (8.5) 8.0-11.0                            | 65             | 3,860           | 34.8                    | 11.9                 | 9.8                | 18.5              | 64                  |
|                | 247531          | 331056003    | LT265/65R17   | 31X10.50R17LT   | E          | RWL       | 120Q           | (8.0) 7.5-9.5                             | 80             | 3,085           | 30.8                    | 10.6                 | 8.8                | 18.5              | 50                  |
| 17"            | 272485          | 331295003    | LT265/70R17   | 32X10.50R17LT   | E          | RWL       | 121Q           | (8.0) 7.0-9.0                             | 80             | 3,195           | 31.9                    | 10.8                 | 8.4                | 18.5              | 54                  |
|                | 272488          | 331296003    | LT275/70R17   | 32X11.00R17LT   | E          | RWL       | 121Q           | (8.0) 7.0-9.0                             | 80             | 3,195           | 32.5                    | 10.7                 | 8.8                | 18.5              | 55                  |
|                | 272490          | 331297003    | LT285/70R17   | 33X11.50R17LT   | E          | RWL       | 121Q           | (8.5) 7.5-9.5                             | 80             | 3,195           | 33.1                    | 11.5                 | 9.1                | 18.5              | 57                  |
|                | 247539          | 331064003    | LT305/65R17   | 33X12.50R17LT   | E          | RWL       | 121Q           | (9.0) 8.5-11.0                            | 65             | 3,195           | 32.9                    | 12.3                 | 9.9                | 18.5              | 60                  |
|                | 247548          | 331073003    | LT295/70R17   | 34X12.00R17LT   | E          | RWL       | 121Q           | (8.5) 7.5-10.0                            | 80             | 3,195           | 33.6                    | 11.8                 | 9.5                | 18.5              | 59                  |
|                | • 272404        | 331303003    | 35X12.50R17LT | -               | D          | RWL       | 119Q           | (10.0) 8.0-11.0                           | 50             | 3,000           | 34.5                    | 12.9                 | 10.0               | 18.5              | 64                  |
|                | • 272406        | 331304003    | LT315/70R17   | 35X12.50R17LT   | D          | RWL       | 121Q           | (9.5) 8.0-11.0                            | 50             | 3,195           | 34.6                    | 12.8                 | 10.0               | 18.5              | 62                  |
|                | 272524          | 331305002    | 37X12.50R17LT | -               | D          | BLK       | 124Q           | (10.0) 8.0-11.0                           | 50             | 3,525           | 36.4                    | 13.1                 | 10.0               | 18.5              | 70                  |
|                | 272564          | 331310002    | LT265/60R18   | 31X10.50R18LT   | E          | BLK       | 119Q           | (8.0) 7.5-9.5                             | 80             | 3,000           | 30.5                    | 10.7                 | 8.8                | 18.5              | 51                  |
|                | 247535          | 331060003    | LT275/65R18   | 32X11.00R18LT   | E          | RWL       | 123Q           | (8.0) 7.5-9.5                             | 80             | 3,415           | 32.3                    | 11.0                 | 8.8                | 18.5              | 53                  |
| 18"            | 247538          | 331063003    | LT265/70R18   | 33X10.50R18LT   | E          | RWL       | 124Q           | (8.0) 7.0-9.0                             | 80             | 3,525           | 32.9                    | 10.7                 | 8.9                | 18.5              | 54                  |
|                | 272492          | 331299003    | LT275/70R18   | 33X11.00R18LT   | E          | RWL       | 125Q           | (8.0) 7.0-9.0                             | 80             | 3,640           | 33.4                    | 11.0                 | 8.8                | 18.5              | 55                  |
|                | 247543          | 331068003    | LT285/65R18   | 33X11.50R18LT   | E          | RWL       | 125Q           | (8.5) 8.0-10.0                            | 80             | 3,640           | 33.0                    | 11.5                 | 9.2                | 18.5              | 58                  |
|                | 247536          | 331061003    | LT305/60R18   | 33X12.50R18LT   | F          | RWL       | 126Q           | (9.0) 8.5-11.0                            | 80             | 3,750           | 32.5                    | 12.1                 | 10.0               | 18.5              | 64                  |
|                | 247550          | 331075002    | LT295/70R18   | 34X12.00R18LT   | E          | BLK       | 129Q           | (8.5) 7.5-10.0                            | 80             | 4,080           | 34.4                    | 12.0                 | 9.5                | 18.5              | 61                  |
|                | • 247551        | 331076003    | 35X12.50R18LT | -               | D          | RWL       | 118Q           | (10.0) 8.5-11.0                           | 50             | 2,910           | 34.5                    | 12.6                 | 10.0               | 18.5              | 65                  |
|                | • 247558        | 331083003    | LT305/70R18   | 35X12.50R18LT   | E          | RWL       | 126Q           | (9.0) 8.0-10.0                            | 65             | 3,750           | 35.1                    | 12.5                 | 9.9                | 18.5              | 65                  |
|                | 272526          | 331306002    | LT275/55R20   | 32X11.00R20LT   | E          | BLK       | 120Q           | (8.5) 7.5-9.5                             | 80             | 3,085           | 32.3                    | 10.8                 | 8.9                | 18.5              | 57                  |
|                | 247540          | 331065002    | LT265/60R20   | 33X10.50R20LT   | E          | BLK       | 121Q           | (8.0) 7.5-9.5                             | 80             | 3,195           | 32.9                    | 10.6                 | 8.7                | 18.5              | 56                  |
|                | 272528          | 331307002    | LT275/60R20   | 33X11.00R20LT   | E          | BLK       | 123Q           | (8.0) 7.5-9.5                             | 80             | 3,415           | 32.9                    | 10.9                 | 9.0                | 18.5              | 59                  |
| 20"            | 272494          | 331300002    | LT285/55R20   | 33X11.50R20LT   | E          | BLK       | 122Q           | (9.0) 8.0-10.0                            | 80             | 3,305           | 32.6                    | 11.7                 | 10.3               | 18.5              | 59                  |
|                | 249354          | 331017002    | LT295/55R20   | 33X12.00R20LT   | E          | BLK       | 123Q           | (9.5) 8.0-10.5                            | 80             | 3,415           | 33.1                    | 11.7                 | 10.1               | 18.5              | 63                  |
|                | • 249355        | 331010002    | 33X12.50R20LT | -               | E          | BLK       | 114Q           | (10.0) 8.5-11.0                           | 65             | 2,600           | 32.8                    | 12.6                 | 10.6               | 18.5              | 63                  |
|                | • 247547        | 331072002    | LT305/55R20   | 33X12.50R20LT   | F          | BLK       | 125Q           | (9.5) 8.5-11.0                            | 80             | 3,640           | 33.4                    | 12.5                 | 10.1               | 18.5              | 64                  |
|                | 247554          | 331079002    | LT275/65R20   | 34X11.00R20LT   | E          | BLK       | 126Q           | (8.0) 7.5-9.5                             | 80             | 3,750           | 34.7                    | 11.5                 | 9.1                | 18.5              | 61                  |
|                | 247549          | 331074002    | LT285/60R20   | 34X11.50R20LT   | E          | BLK       | 125Q           | (8.5) 8.0-10.0                            | 80             | 3,640           | 33.9                    | 11.4                 | 9.6                | 18.5              | 62                  |
|                | 249351          | 331132002    | LT295/60R20   | 34X12.00R20LT   | E          | BLK       | 126Q           | (8.5) 8.0-10.5                            | 80             | 3,750           | 34.3                    | 11.6                 | 9.7                | 18.5              | 63                  |
|                | 249352          | 331144002    | LT295/65R20   | 35X12.00R20LT   | E          | BLK       | 129Q           | (8.5) 8.0-10.5                            | 80             | 4,080           | 35.4                    | 11.6                 | 9.7                | 18.5              | 66                  |
|                | 272496          | 331301002    | 35X12.50R20LT | -               | F          | BLK       | 125Q           | (10.0) 8.5-11.0                           | 80             | 3,640           | 34.8                    | 12.5                 | 9.9                | 18.5              | 65                  |
|                | 247560          | 331085002    | 37X12.50R20LT | -               | E          | BLK       | 126Q           | (10.0) 8.5-11.0                           | 65             | 3,750           | 36.5                    | 12.4                 | 9.8                | 18.5              | 68                  |
|                | • 272530        | 331308002    | 37X13.50R20LT | -               | E          | BLK       | 127Q           | (11.0) 8.5-12.0                           | 65             | 3,860           | 36.5                    | 13.3                 | 10.7               | 18.5              | 74                  |

\*SERVICE DESCRIPTION AND MAX LOAD DATA LISTED IS FOR SINGLE REAR TIRE APPLICATIONS. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

• INCREASED-LOAD LT-METRIC OPTIONS FOR HEAVY DUTY APPLICATIONS. • APPROVED FOR THE INCREASING POPULAR 12" AND/OR 14" WIDE WHEELS.

• LOWER-LOAD FLOTATION OPTIONS FOR JEEPS, 1/2-TONS & OFF-ROAD.

# BAJA BOSS® M/T

## PREMIUM EXTREME MUD-TERRAIN

-  ON-ROAD
-  EXTREME OFF-ROAD
-  COMPETITION



### TIRE FEATURES



**ASYMMETRIC TREAD PATTERN**  
is optimized for reduced noise, off-road traction, and on-road handling



**EXTRA LARGE FOUR-PITCH SIDEBITERS®**  
for enhanced off-road traction



**POWERPLY™ XD**  
adds an extra thick denier cord to the angled third ply for better puncture resistance, quicker steering response, and greater stability



**STONE EJECTOR RIBS**  
prevent gravel from being wedged into tread grooves



**T4 SILICA-REINFORCED COMPOUND**  
designed to provide excellent wet handling/braking performance, cut and chip resistance, and lasting treadlife

The **BAJA BOSS® M/T** is our most advanced mud-terrain tire, designed for serious off-roaders who won't compromise. Its asymmetric tread pattern delivers off-road grip with on-road refinement. Extreme Sidebiters® on the sidewall provide added traction and protection, while PowerPly™ XD construction enhances durability and handling. A silica-reinforced compound improves wet performance and treadwear. This is competition-proven technology for those who lead the pack.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE     | EQUIVALENT SIZE | LOAD RANGE | SIDE WALL | SERVICE DESC.* | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | MAX. INFL. PSI | MAX. LOAD LBS.* | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|---------------|-----------------|------------|-----------|----------------|-------------------------------------------|----------------|-----------------|-------------------------|----------------------|--------------------|-------------------|---------------------|
| 15"            | 247876          | 331091004    | 33X12.50R15LT | -               | C          | BLK       | 108Q           | (10.0) 8.0-11.0                           | 35             | 2,205           | 32.7                    | 12.2                 | 9.8                | 21.0              | 60                  |
|                | 247887          | 331102004    | 35X12.50R15LT | -               | C          | BLK       | 113Q           | (10.0) 8.0-11.0                           | 35             | 2,535           | 34.6                    | 13.1                 | 10.1               | 21.0              | 71                  |
| 16"            | 247879          | 331094004    | LT285/75R16   | 33X11.50R16LT   | E          | BLK       | 126Q           | (8.0) 7.5-9.5                             | 80             | 3,750           | 33.0                    | 11.2                 | 8.8                | 19.0              | 63                  |
|                | 247885          | 331100004    | LT315/75R16   | 35X12.50R16LT   | E          | BLK       | 127Q           | (8.5) 8.0-11.0                            | 65             | 3,860           | 34.5                    | 12.6                 | 9.7                | 20.5              | 73                  |
| 17"            | 247881          | 331096004    | LT285/70R17   | 33X11.50R17LT   | E          | BLK       | 121Q           | (8.5) 7.5-9.5                             | 80             | 3,195           | 33.0                    | 11.5                 | 9.0                | 19.0              | 63                  |
|                | • 247880        | 331095004    | 33X12.50R17LT | -               | D          | BLK       | 114Q           | (10.0) 8.5-11.0                           | 50             | 2,600           | 33.0                    | 12.3                 | 10.4               | 21.0              | 67                  |
|                | • 247874        | 331089004    | LT305/65R17   | 33X12.50R17LT   | E          | BLK       | 121Q           | (9.0) 8.5-11.0                            | 65             | 3,195           | 32.7                    | 12.3                 | 9.9                | 21.0              | 67                  |
|                | • 272562        | 331309004    | 35X12.50R17LT | -               | D          | BLK       | 119Q           | (10.0) 8.0-11.0                           | 50             | 3,000           | 34.8                    | 12.5                 | 10.0               | 21.0              | 71                  |
|                | • 272566        | 331311004    | LT315/70R17   | 35X12.50R17LT   | E          | BLK       | 121Q           | (9.5) 8.0-11.0                            | 65             | 3,195           | 34.6                    | 12.6                 | 10.0               | 21.0              | 70                  |
|                | 247896          | 331111004    | 37X12.50R17LT | -               | D          | BLK       | 124Q           | (10.0) 8.0-11.0                           | 50             | 3,525           | 36.8                    | 13.0                 | 10.2               | 22.0              | 79                  |
|                | 247903          | 331118004    | 40X13.50R17LT | -               | C          | BLK       | 121Q           | (11.0) 8.5-11.5                           | 35             | 3,195           | 39.8                    | 13.6                 | 11.0               | 22.0              | 92                  |
|                | 249341          | 331195004    | 42X13.50R17LT | -               | C          | BLK       | 126P           | (11.0) 9.0-11.5                           | 35             | 3,750           | 41.9                    | 14.2                 | 11.3               | 22.0              | 102                 |
| 18"            | 247883          | 331098004    | LT285/65R18   | 33X11.50R18LT   | E          | BLK       | 125Q           | (8.5) 8.0-10.0                            | 80             | 3,640           | 33.4                    | 11.2                 | 9.5                | 19.0              | 64                  |
|                | • 247875        | 331090004    | 33X12.50R18LT | -               | E          | BLK       | 118Q           | (10.0) 8.5-11.0                           | 65             | 2,910           | 32.7                    | 12.8                 | 10.6               | 21.0              | 67                  |
|                | • 247873        | 331088004    | LT305/60R18   | 33X12.50R18LT   | F          | BLK       | 126Q           | (9.0) 8.5-11.0                            | 80             | 3,750           | 32.7                    | 12.4                 | 10.1               | 21.0              | 68                  |
|                | 247891          | 331106004    | 35X12.50R18LT | -               | D          | BLK       | 118Q           | (10.0) 8.5-11.0                           | 50             | 2,910           | 34.8                    | 12.5                 | 10.1               | 21.0              | 73                  |
| 20"            | 272469          | 331294004    | LT285/55R20   | 33X11.50R20LT   | E          | BLK       | 122Q           | (9.0) 8.0-10.0                            | 80             | 3,305           | 32.6                    | 11.7                 | 9.3                | 18.5              | 63                  |
|                | 247882          | 331097004    | LT295/55R20   | 33X12.00R20LT   | E          | BLK       | 123Q           | (9.5) 8.0-10.5                            | 80             | 3,415           | 33.1                    | 12.3                 | 10.2               | 20.0              | 68                  |
|                | • 247877        | 331092004    | 33X12.50R20LT | -               | E          | BLK       | 114Q           | (10.0) 8.5-11.0                           | 65             | 2,600           | 32.7                    | 12.2                 | 10.7               | 21.0              | 68                  |
|                | • 247884        | 331099004    | LT305/55R20   | 33X12.50R20LT   | F          | BLK       | 125Q           | (9.5) 8.5-11.0                            | 80             | 3,640           | 33.5                    | 12.2                 | 10.4               | 20.5              | 70                  |
|                | • 247872        | 331087004    | 33X13.50R20LT | -               | F          | BLK       | 120Q           | (11.0) 9.5-12.0                           | 80             | 3,085           | 32.6                    | 13.3                 | 11.4               | 21.0              | 73                  |
|                | 247889          | 331104004    | 35X12.50R20LT | -               | F          | BLK       | 125Q           | (10.0) 8.5-11.0                           | 80             | 3,640           | 34.7                    | 12.4                 | 10.2               | 21.0              | 73                  |
|                | • 247888        | 331103004    | 35X13.50R20LT | -               | F          | BLK       | 126Q           | (11.0) 9.5-12.0                           | 80             | 3,750           | 34.6                    | 13.2                 | 11.1               | 21.0              | 81                  |
|                | 247895          | 331110004    | 37X12.50R20LT | -               | E          | BLK       | 126Q           | (10.0) 8.5-11.0                           | 65             | 3,750           | 36.7                    | 12.6                 | 10.3               | 21.0              | 79                  |
|                | • 247897        | 331112004    | 37X14.50R20LT | -               | E          | BLK       | 128Q           | (11.5) 10.0-13.0                          | 65             | 3,970           | 36.9                    | 14.5                 | 10.8               | 21.0              | 89                  |
|                | • 247901        | 331116004    | 38X15.50R20LT | -               | E          | BLK       | 128Q           | (12.5) 11.0-14.0                          | 65             | 3,970           | 37.8                    | 15.4                 | 12.3               | 21.0              | 95                  |
| 22"            | 249342          | 331197004    | 42X13.50R20LT | -               | D          | BLK       | 128Q           | (11.0) 9.0-11.5                           | 50             | 3,970           | 41.8                    | 13.8                 | 11.3               | 22.0              | 104                 |
|                | 249343          | 331199004    | 44X13.50R20LT | -               | C          | BLK       | 128Q           | (11.0) 9.0-11.5                           | 35             | 3,970           | 43.8                    | 13.8                 | 11.3               | 22.0              | 111                 |
|                | 247878          | 331093004    | 33X12.50R22LT | -               | F          | BLK       | 114Q           | (10.0) 8.5-11.0                           | 80             | 2,600           | 32.7                    | 12.3                 | 10.9               | 21.0              | 68                  |
|                | 247892          | 331107004    | 35X12.50R22LT | -               | F          | BLK       | 121Q           | (10.0) 8.5-11.0                           | 80             | 3,195           | 34.8                    | 12.3                 | 10.4               | 21.0              | 76                  |
|                | • 247894        | 331109004    | LT325/50R22   | 35X13.00R22LT   | F          | BLK       | 127Q           | (10.0) 9.0-12.0                           | 80             | 3,860           | 35.1                    | 12.9                 | 11.4               | 21.0              | 80                  |
| 24"            | • 247898        | 331113004    | 37X13.50R22LT | -               | F          | BLK       | 128Q           | (11.0) 8.5-12.0                           | 80             | 3,970           | 36.9                    | 13.4                 | 10.8               | 21.0              | 82                  |
|                | • 247900        | 331115004    | 38X15.50R22LT | -               | E          | BLK       | 128Q           | (12.5) 11.0-14.0                          | 65             | 3,970           | 37.8                    | 15.5                 | 12.3               | 21.0              | 94                  |
|                | • 247899        | 331114004    | 37X14.50R24LT | -               | F          | BLK       | 125Q           | (11.5) 10.0-13.0                          | 80             | 3,640           | 37.0                    | 14.1                 | 10.8               | 21.0              | 88                  |
|                | • 247902        | 331117004    | 38X15.50R24LT | -               | F          | BLK       | 128Q           | (12.5) 11.0-14.0                          | 80             | 3,970           | 38.0                    | 14.9                 | 12.3               | 21.0              | 95                  |

\*SERVICE DESCRIPTION AND MAX LOAD DATA LISTED IS FOR SINGLE REAR TIRE APPLICATIONS. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

• INCREASED-LOAD LT-METRIC OPTIONS FOR HEAVY DUTY APPLICATIONS. • APPROVED FOR THE INCREASING POPULAR 12" AND/OR 14" WIDE WHEELS.

• LOWER-LOAD FLOTATION OPTIONS FOR JEEPS, 1/2-TONS & OFF-ROAD.

# BAJA LEGEND MTZ™

## MUD TERRAIN

 ON-ROAD  EXTREME OFF-ROAD



### TIRE FEATURES



**POWERPLY™ 3-PLY SIDEWALL CONSTRUCTION**  
provides increased puncture resistance and more responsive handling



**VARIABLE LENGTH AND DEPTH  
FOUR-PITCH SIDEBITERS®**  
provides off-road traction and grip



**T4 SILICA-REINFORCED COMPOUND**  
designed to provide excellent wet handling/braking performance, cut and chip resistance, and lasting treadlife



**BOLD & PROVEN MTZ TREAD STYLING**  
for an aggressive appearance and great on/off-road performance



**OPTIMIZED TREAD DESIGN AND GEOMETRY**  
help to reduce noise

The **BAJA LEGEND MTZ™** is a versatile mud-terrain tire for those who want authentic off-road performance with everyday drivability. Featuring bold tread styling and variable-depth Sidebiters®, it delivers traction in mud, rocks, and loose terrain. PowerPly™ 3-ply sidewall construction improves steering response and puncture resistance, while a silica-reinforced compound enhances wet grip and treadwear. It's built for those who want to go further—and stand out while doing it.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE     | EQUIVALENT SIZE | LOAD RANGE | SIDE WALL | SERVICE DESC.* | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | MAX. INFL. PSI | MAX. LOAD LBS.* | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|---------------|-----------------|------------|-----------|----------------|-------------------------------------------|----------------|-----------------|-------------------------|----------------------|--------------------|-------------------|---------------------|
| 15"            | 247441          | 331119011    | 31X10.50R15LT | -               | C          | RWL       | 109Q           | (8.5) 7.0-9.0                             | 50             | 2,270           | 30.8                    | 10.7                 | 8.5                | 20.0              | 47                  |
|                | 249405          | 331186011    | 33X10.50R15LT | -               | C          | RWL       | 114Q           | (8.5) 7.0-9.0                             | 50             | 2,600           | 32.8                    | 11.2                 | 8.6                | 20.0              | 53                  |
|                | 247908          | 331124011    | 33X12.50R15LT | -               | C          | RWL       | 108Q           | (10.0) 8.0-11.0                           | 35             | 2,205           | 32.7                    | 12.2                 | 9.8                | 21.0              | 60                  |
|                | 247931          | 331137011    | 35X12.50R15LT | -               | C          | RWL       | 113Q           | (10.0) 8.0-11.0                           | 35             | 2,535           | 34.6                    | 13.1                 | 10.1               | 21.0              | 67                  |
| 16"            | 247904          | 331120011    | LT265/75R16   | 32X10.50R16LT   | E          | RWL       | 123Q           | (7.5) 7.0-9.0                             | 80             | 3,415           | 31.9                    | 10.7                 | 8.4                | 18.5              | 54                  |
|                | 247909          | 331125011    | LT285/75R16   | 33X11.50R16LT   | E          | RWL       | 126Q           | (8.0) 7.5-9.5                             | 80             | 3,750           | 33.0                    | 11.2                 | 8.8                | 19.0              | 60                  |
|                | 247910          | 331126011    | LT305/70R16   | 33X12.50R16LT   | E          | RWL       | 124Q           | (9.0) 8.0-10.0                            | 65             | 3,525           | 33.0                    | 12.3                 | 9.9                | 19.5              | 61                  |
|                | 247929          | 331135011    | LT315/75R16   | 35X12.50R16LT   | E          | RWL       | 127Q           | (8.5) 8.0-11.0                            | 65             | 3,860           | 34.5                    | 12.6                 | 9.7                | 20.5              | 68                  |
| 17"            | 247905          | 331121011    | LT265/70R17   | 32X10.50R17LT   | E          | RWL       | 121Q           | (8.0) 7.0-9.0                             | 80             | 3,195           | 31.9                    | 10.7                 | 8.5                | 18.5              | 54                  |
|                | 247921          | 331127011    | LT285/70R17   | 33X11.50R17LT   | E          | RWL       | 121Q           | (8.5) 7.5-9.5                             | 80             | 3,195           | 33.0                    | 11.5                 | 9.0                | 19.0              | 62                  |
|                | 247907          | 331123005    | LT305/65R17   | 33X12.50R17LT   | E          | BLK       | 121Q           | (9.0) 8.5-11.0                            | 65             | 3,195           | 32.7                    | 12.3                 | 9.9                | 21.0              | 64                  |
|                | 247924          | 331130011    | LT295/70R17   | 34X12.00R17LT   | E          | RWL       | 121Q           | (8.5) 7.5-10.0                            | 80             | 3,195           | 33.5                    | 12.0                 | 9.7                | 21.0              | 65                  |
|                | • 247933        | 331141005    | 35X12.50R17LT | -               | D          | BLK       | 119Q           | (10.0) 8.0-11.0                           | 50             | 3,000           | 34.8                    | 12.5                 | 10.0               | 21.0              | 65                  |
|                | • 272498        | 331278011    | LT315/70R17   | 35X12.50R17LT   | E          | RWL       | 121Q           | (9.5) 8.0-11.0                            | 65             | 3,195           | 34.6                    | 12.6                 | 10.0               | 21.0              | 67                  |
|                | 247939          | 331147005    | 37X12.50R17LT | -               | D          | BLK       | 124Q           | (10.0) 8.0-11.0                           | 50             | 3,525           | 36.8                    | 13.0                 | 10.2               | 22.0              | 80                  |
|                | 247940          | 331148005    | 37X13.50R17LT | -               | D          | BLK       | 121Q           | (11.0) 8.5-11.5                           | 50             | 3,195           | 36.8                    | 13.3                 | 11.0               | 22.0              | 81                  |
|                | 247959          | 331152005    | 40X13.50R17LT | -               | C          | BLK       | 121Q           | (11.0) 8.5-11.5                           | 35             | 3,195           | 39.8                    | 13.6                 | 11.0               | 22.0              | 91                  |
| 18"            | 272500          | 331302011    | LT275/70R18   | 33X11.00R18LT   | E          | RWL       | 125P           | (8.0) 7.0-9.0                             | 80             | 3,640           | 33.3                    | 11.3                 | 9.1                | 20.0              | 60                  |
|                | 247906          | 331122011    | LT305/60R18   | 33X12.50R18LT   | F          | RWL       | 126Q           | (9.0) 8.5-11.0                            | 80             | 3,750           | 32.7                    | 12.0                 | 10.1               | 21.0              | 66                  |
|                | 247928          | 331134011    | LT295/70R18   | 34X12.00R18LT   | E          | RWL       | 129P           | (8.5) 7.5-10.0                            | 80             | 4,080           | 34.5                    | 12.0                 | 9.7                | 21.0              | 68                  |
|                | • 247934        | 331142005    | 35X12.50R18LT | -               | D          | BLK       | 118Q           | (10.0) 8.5-11.0                           | 50             | 2,910           | 34.8                    | 12.5                 | 10.1               | 21.0              | 70                  |
|                | • 247935        | 331143011    | LT305/70R18   | 35X12.50R18LT   | E          | RWL       | 126Q           | (9.0) 8.0-10.0                            | 65             | 3,750           | 35.1                    | 12.4                 | 9.9                | 21.0              | 70                  |
|                | 247941          | 331149005    | 37X13.50R18LT | -               | D          | BLK       | 124Q           | (11.0) 8.5-11.5                           | 50             | 3,525           | 36.8                    | 13.3                 | 11.0               | 22.0              | 82                  |
| 20"            | 247922          | 331128005    | LT295/55R20   | 33X12.00R20LT   | E          | BLK       | 123Q           | (9.5) 8.0-10.5                            | 80             | 3,415           | 33.1                    | 12.3                 | 10.2               | 20.0              | 64                  |
|                | • 249356        | 331010005    | 33X12.50R20LT | -               | E          | BLK       | 114Q           | (10.0) 8.5-11.0                           | 65             | 2,600           | 32.8                    | 12.5                 | 10.3               | 21.0              | 65                  |
|                | • 247925        | 331131005    | LT305/55R20   | 33X12.50R20LT   | F          | BLK       | 125Q           | (9.5) 8.5-11.0                            | 80             | 3,640           | 33.5                    | 12.2                 | 10.4               | 20.5              | 68                  |
|                | 247927          | 331133005    | LT275/65R20   | 34X11.00R20LT   | E          | BLK       | 126Q           | (8.0) 7.5-9.5                             | 80             | 3,750           | 34.5                    | 10.9                 | 9.1                | 19.5              | 63                  |
|                | 247926          | 331132005    | LT295/60R20   | 34X12.00R20LT   | E          | BLK       | 126Q           | (8.5) 8.0-10.5                            | 80             | 3,750           | 34.3                    | 11.5                 | 9.7                | 19.5              | 66                  |
|                | 247936          | 331144005    | LT295/65R20   | 35X12.00R20LT   | E          | BLK       | 129Q           | (8.5) 8.0-10.5                            | 80             | 4,080           | 35.4                    | 11.7                 | 9.7                | 19.5              | 69                  |
|                | 247932          | 331140005    | 35X12.50R20LT | -               | F          | BLK       | 125Q           | (10.0) 8.5-11.0                           | 80             | 3,640           | 34.7                    | 12.4                 | 10.2               | 21.0              | 70                  |
|                | • 247937        | 331145005    | 36X15.50R20LT | -               | E          | BLK       | 126Q           | (12.5) 11.0-14.0                          | 65             | 3,750           | 36.4                    | 15.4                 | 12.3               | 21.0              | 90                  |
|                | 247938          | 331146005    | 37X12.50R20LT | -               | E          | BLK       | 126Q           | (10.0) 8.5-11.0                           | 65             | 3,750           | 36.7                    | 12.6                 | 10.3               | 21.0              | 77                  |
|                | • 247942        | 331150005    | 37X13.50R20LT | -               | E          | BLK       | 127Q           | (11.0) 8.5-12.0                           | 65             | 3,860           | 36.9                    | 13.3                 | 10.8               | 21.0              | 82                  |
|                | • 247958        | 331151005    | 38X15.50R20LT | -               | E          | BLK       | 128Q           | (12.5) 11.0-14.0                          | 65             | 3,970           | 37.8                    | 15.4                 | 12.3               | 21.0              | 94                  |
|                | • 247960        | 331153005    | 40X14.50R20LT | -               | D          | BLK       | 128Q           | (11.5) 10.0-13.0                          | 50             | 3,970           | 39.8                    | 14.4                 | 11.6               | 22.0              | 94                  |

\*SERVICE DESCRIPTION AND MAX LOAD DATA LISTED IS FOR SINGLE REAR TIRE APPLICATIONS. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

- INCREASED-LOAD LT-METRIC OPTIONS FOR HEAVY DUTY APPLICATIONS.
- APPROVED FOR THE INCREASING POPULAR 12" AND/OR 14" WIDE WHEELS .
- LOWER-LOAD FLOTATION OPTIONS FOR JEEPS, 1/2-TONS & OFF-ROAD.



# EXTREME TERRAIN TIRES

FROM EAST TO WEST AND EVERYWHERE IN BETWEEN, MICKEY THOMPSON'S EXTREME TIRE LINEUP DELIVERS PLENTY OF hardcore performance features to meet the demands of enthusiasts and competitors.

ALL-NEW

# BAJA BELTED™ II

PREMIUM EXTREME TERRAIN

 EXTREME OFF-ROAD



| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE     | LOAD RANGE | SIDE WALL | SERVICE DESC. | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | MAX INFL. PSI | MAX LOAD LBS. | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|---------------|------------|-----------|---------------|-------------------------------------------|---------------|---------------|-------------------------|----------------------|--------------------|-------------------|---------------------|
| 15"            | 276341          | 331314050    | 33X15.50R15LT | D          | OWL       | 120P          | (12.5) 11.0 - 14.0                        | 50            | 3,085         | 32.8                    | 15.5                 | TBD                | 18.5              | TBD                 |
|                | 276342          | 331315050    | 17/36R15LT    | C          | OWL       | 120P          | (13.5) 12.0 - 15.5                        | 35            | 3,085         | 35.8                    | 17.0                 | TBD                | 18.5              | TBD                 |
|                | 276343          | 331316050    | 18.5/39R15LT  | C          | OWL       | 120P          | (15.0) 13.0 - 16.5                        | 35            | 3,085         | 38.8                    | 18.6                 | TBD                | 21.0              | TBD                 |
| 16"            | 276344          | 331317050    | 33X15.50R16LT | E          | OWL       | 124P          | (12.5) 11.0 - 14.0                        | 65            | 3,525         | 32.8                    | 15.5                 | TBD                | 18.5              | TBD                 |
|                | 276345          | 331318050    | 17/36R16LT    | D          | OWL       | 123P          | (13.5) 12.0 - 15.5                        | 50            | 3,415         | 35.8                    | 17.0                 | TBD                | 18.5              | TBD                 |
|                | 276346          | 331319050    | 18.5/39R16LT  | C          | OWL       | 123P          | (15.0) 13.0 - 16.5                        | 35            | 3,415         | 38.8                    | 18.6                 | TBD                | 21.0              | TBD                 |
| 17"            | 276347          | 331320050    | 33X15.50R17LT | F          | OWL       | 127P          | (12.5) 11.0 - 14.0                        | 80            | 3,860         | 32.8                    | 15.5                 | TBD                | 18.5              | TBD                 |
|                | 276348          | 331321050    | 17/36R17LT    | D          | OWL       | 125P          | (13.5) 12.0 - 15.5                        | 50            | 3,640         | 35.8                    | 17.0                 | TBD                | 18.5              | TBD                 |
|                | 276349          | 331322050    | 18.5/39R17LT  | C          | OWL       | 125P          | (15.0) 13.0 - 16.5                        | 35            | 3,640         | 38.8                    | 18.6                 | TBD                | 21.0              | TBD                 |
|                | 276351          | 331324052    | 20/44-17LT    | C          | OWL       | 126P          | (16.0) 13.0 - 17.0                        | 30            | 3,750         | 43.8                    | 20.0                 | TBD                | 21.0              | TBD                 |
| 20"            | 276350          | 331323051    | 18.5/39R20LT  | D          | BLK       | 126P          | (15.0) 13.0 - 16.5                        | 50            | 3,750         | 38.8                    | 18.6                 | TBD                | 21.0              | TBD                 |
|                | 276352          | 331325053    | 20/44-20LT    | C          | BLK       | 126P          | (16.0) 14.0 - 18.0                        | 30            | 3,750         | 43.8                    | 20.0                 | TBD                | 21.0              | TBD                 |
| 26"            | 276353          | 331326053    | 18.5/39-26LT  | F          | BLK       | 126P          | (16.5) 15.5 - 18.5                        | 75            | 3,750         | 38.8                    | 18.4                 | TBD                | 21.0              | TBD                 |
| 30"            | 276354          | 331327053    | 19/44-30LT    | D          | BLK       | 125P          | (17.0) 16.0 - 19.0                        | 45            | 3,640         | 43.8                    | 19.0                 | TBD                | 21.0              | TBD                 |

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.  
SIZING AVAILABILITY SUBJECT TO CHANGE.

Born from the deserts and reimagined for today, the Mickey Thompson **BAJA BELTED™ II** is here. A modern evolution of an off-road legend, the BAJA BELTED™ II captures the aggressive style of the 1980s lifted 4x4 era, now engineered for today's demands. Available in wide fitments for 15" and 16" wheels, innovative 17" sizes to clear modern brake systems, and unrivaled sizing for 26" and 30" wheels, the BAJA BELTED™ II brings iconic attitude to both vintage rigs and modern show builds. With its unmistakable styling and extreme sizing, it delivers a look that ensures your truck or SUV stands out from the crowd.

## TIRE FEATURES



**STEEL-BELTED RADIAL CONSTRUCTION\***  
engineered to minimize flat-spotting and enhance ride quality  
\*Select sizes



**PRECISION-TUNED TREAD PATTERN**  
designed for a smooth ride, longer wear, and reduced road noise



**DEEP, VARIABLE-DEPTH SIDEBITER®**  
elements for superior off-road traction and sidewall protection



**CLASSIC WHITE-OUTLINED LETTERS**  
on one sidewall of 15", 16", and 17" sizes for authentic vintage style



**WIDE FOOTPRINT**  
designed to maximize flotation and performance over loose terrain



**NON-DIRECTIONAL TREAD PATTERN**  
allows for easy cross-rotation to help extend tire life



# BAJA PRO® X

PREMIUM COMPETITION EXTREME TERRAIN

EXTREME OFF-ROAD COMPETITION



## TIRE FEATURES

- STICKY MICKEY**  
provides ultimate grip on hard surfaces
- PRO-TECH CONSTRUCTION™**  
with nylon bias plies to enhance off-road durability and flexibility to conform to uneven surfaces
- DUAL DECOUPLING GROOVES™**  
for flexibility on irregular surfaces
- TREAD BITER™ CLEATS**  
for added traction in soft terrain
- MASSIVE SIDEBITERS® AND ANGLED SHOULDER SCALLOPS**  
engineered for ultimate traction and grip
- SYMMETRIC DIRECTIONAL TREAD PATTERN**  
designed to provide excellent traction and cleaning power

# BAJA PRO® XS

PREMIUM EXTREME TERRAIN

EXTREME OFF-ROAD



## TIRE FEATURES

- 4-PLY**  
**FOUR-PLY NYLON SIDEWALL CONSTRUCTION**  
offers enhanced stability and durability
- DUAL DECOUPLING GROOVES™**  
for flexibility on irregular surfaces
- MUD SCOOPS**  
for added cleaning power
- MASSIVE SIDEBITERS® AND ANGLED SHOULDER SCALLOPS**  
engineered for ultimate traction and grip
- SYMMETRIC DIRECTIONAL TREAD PATTERN**  
designed to provide excellent traction and cleaning power
- D.O.T. CERTIFIED**  
for light or occasional highway use

The **BAJA PRO® X** and **BAJA PRO® X (SXS)** are the ultimate tires for rock bouncing, rock crawling, mud bogging or just showing off! With enhanced off-road durability, the BAJA PRO® X and BAJA PRO® X (SXS) help you tackle terrain with confidence.

### BAJA PRO® X

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE     | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|---------------|-------------------------------------------|-------------------------|----------------------|--------------------|-------------------|---------------------|
| 17"            | 250117          | 331274019    | 43X14.50-17LT | (8.5) 8.5-11.0                            | 42.0                    | 16.9                 | 15.0               | 27.0              | 114                 |

### BAJA PRO® X (SXS)

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE   | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|-------------|-------------------------------------------|-------------------------|----------------------|--------------------|-------------------|---------------------|
| 14"            | 250116          | 331273019    | 30X10.00-14 | (8.0) 7.0-8.5                             | 30.3                    | 10.3                 | 9.5                | 27.0              | 46                  |
|                | 250115          | 331272019    | 32X10.00-14 | (8.0) 7.0-8.5                             | 31.9                    | 10.7                 | 9.7                | 27.0              | 49                  |
|                | 250114          | 331271019    | 35X10.00-14 | (8.0) 7.0-8.5                             | 34.6                    | 12.0                 | 9.9                | 27.0              | 63                  |
| 15"            | 250111          | 331268019    | 30X10.00-15 | (8.0) 7.0-8.5                             | 30.2                    | 10.0                 | 9.4                | 27.0              | 49                  |
|                | 250110          | 331267019    | 32X10.00-15 | (8.0) 7.0-8.5                             | 32.0                    | 10.8                 | 9.8                | 27.0              | 52                  |
|                | 250109          | 331266019    | 35X10.00-15 | (8.0) 7.0-8.5                             | 34.3                    | 11.7                 | 9.9                | 27.0              | 64                  |

THESE TIRES ARE NOT D.O.T. CERTIFIED.  
ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

The **BAJA PRO® XS** is a D.O.T. approved tire designed for on and off-road rigs. With a tough 4-ply nylon sidewall construction, this tire can handle any terrain.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE     | LOAD RANGE | SIDE WALL | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | MAX. INFL. PSI | MAX. LOAD LBS. | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|---------------|------------|-----------|-------------------------------------------|----------------|----------------|-------------------------|----------------------|--------------------|-------------------|---------------------|
| 16"            | 250099          | 331256018    | 19.5/46-16LT  | C          | BLK       | (14.0) 12.0-16.0                          | 40             | 3,970          | 46.4                    | 21.1                 | 16.5               | 27.0              | 149                 |
|                | 250096          | 331253018    | 35X13.50-17LT | C          | BLK       | (11.0) 9.5-12.0                           | 30             | 2,470          | 34.6                    | 14.0                 | 11.5               | 27.0              | 74                  |
| 17"            | 250095          | 331252018    | 38X13.50-17LT | D          | BLK       | (11.0) 9.0-11.5                           | 55             | 3,195          | 37.9                    | 15.3                 | 11.8               | 27.0              | 90                  |
|                | 250094          | 331251018    | 40X13.50-17LT | C          | BLK       | (11.0) 9.0-11.5                           | 40             | 3,195          | 39.6                    | 15.5                 | 11.7               | 27.0              | 99                  |
|                | 250097          | 331254018    | 15/43-17LT    | C          | BLK       | (11.5) 9.5-12.5                           | 40             | 3,195          | 42.3                    | 18.3                 | 13.9               | 27.0              | 125                 |
| 20"            | 250098          | 331255018    | 15/43-20LT    | C          | BLK       | (11.5) 9.5-12.5                           | 40             | 3,935          | 42.6                    | 18.0                 | 14.2               | 27.0              | 131                 |
|                | 250100          | 331257018    | 19.5/46-20LT  | C          | BLK       | (14.0) 12.0-16.0                          | 40             | 3,970          | 46.3                    | 19.9                 | 16.1               | 27.0              | 149                 |
|                | 250101          | 331258018    | 17/49-20LT    | C          | BLK       | (13.0) 11.0-14.0                          | 40             | 3,970          | 47.5                    | 19.9                 | 14.1               | 27.0              | 162                 |
|                | 250102          | 331259018    | 19.5/54-20LT  | C          | BLK       | (12.0) 12.0-16.0                          | 40             | 3,970          | 53.7                    | 21.6                 | 16.9               | 27.0              | 194                 |
| 24"            | 250103          | 331260018    | 21/58-24LT    | C          | BLK       | (16.5) 13.5-17.5                          | 40             | 3,970          | 57.8                    | 22.8                 | 17.6               | 27.0              | 233                 |

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.



# BAJA BOSS® X

COMPETITION PROVEN EXTREME TERRAIN

 EXTREME OFF-ROAD  COMPETITION



## TIRE FEATURES

-  **STICKY X3 COMPOUND**  
provides ultimate grip on hard surfaces
-  **POWERPLY™ PRO**  
innovative 4-ply sidewall construction for increased puncture resistance
-  **EXTRA LARGE FOUR-PITCH SIDEBITERS®**  
for enhanced off-road traction
-  **STONE EJECTOR RIBS**  
prevent gravel from being wedged into tread grooves

The **BAJA BOSS® X** is a no-compromise, competition-centered tire featuring our sticky competition compound. PowerPly™ PRO construction offers better durability, stability, and steering response, while the extra large, four-pitch Sidebiters® maximize off-road traction. The addition of our Stone Ejector Ribs prevents debris from becoming wedged into the tread grooves, maintaining consistent traction and longevity.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE     | LOAD RANGE | SIDE WALL | SERVICE DESC. | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | MAX. INFL. PSI | MAX. LOAD LBS. | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|---------------|------------|-----------|---------------|-------------------------------------------|----------------|----------------|-------------------------|----------------------|--------------------|-------------------|---------------------|
| 17"            | 250091          | 331249021    | 37X12.50R17LT | C          | BLK       | 116F          | (10.0) 8.0-11.0                           | 35             | 2,755          | 36.8                    | 13.0                 | 10.2               | 22.0              | 80                  |
|                | 250090          | 331238021    | 40X13.50R17LT | B          | BLK       | 115F          | (11.0) 8.5-11.5                           | 25             | 2,680          | 39.8                    | 13.6                 | 11.0               | 22.0              | 103                 |
|                | 261757          | 331312021    | 42X13.50R17LT | B          | BLK       | 119F          | (11.0) 9.0-11.5                           | 25             | 3,000          | 41.7                    | 14.6                 | 11.3               | 22.0              | 104                 |
| 20"            | 261758          | 331313021    | 42X13.50R20LT | C          | BLK       | 124F          | (11.0) 9.0-11.5                           | 35             | 3,525          | 41.7                    | 14.4                 | 11.3               | 22.0              | 106                 |

THIS TIRE IS NOT D.O.T. CERTIFIED.  
ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.  
• 37X12.50R17LT USES POWERPLY™ XD CONSTRUCTION.



# BAJA BOSS® XS

COMPETITION PROVEN EXTREME TERRAIN

 EXTREME OFF-ROAD  COMPETITION



## TIRE FEATURES

-  **POWERPLY™ PRO**  
innovative 4-ply sidewall construction for increased puncture resistance
-  **EXTRA LARGE FOUR-PITCH SIDEBITERS®**  
for enhanced off-road traction
-  **FUNCTIONAL ASYMMETRIC PATTERN**  
and a silica-reinforced compound provides off-road traction
-  **D.O.T. CERTIFIED**  
for highway use

The **BAJA BOSS® XS** blends the functional technology that revolutionized the mud terrain market in 2019 from the Baja Boss® M/T with the competition-proven durability of the Baja Boss® X. Extreme Sidebiters® with a silica-reinforced compound provide excellent traction and durability in off-road conditions. Paired with our innovative 4-ply PowerPly™ PRO sidewall technology, the Baja Boss® XS provides purpose-built traction for the varied and sometimes unpredictable terrain of competition-style rock crawling, endurance desert racing and short course style racing.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE     | LOAD RANGE | SIDE WALL | SERVICE DESC. | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | MAX. INFL. PSI | MAX. LOAD LBS. | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|---------------|------------|-----------|---------------|-------------------------------------------|----------------|----------------|-------------------------|----------------------|--------------------|-------------------|---------------------|
| 17"            | 261886          | 331277013    | 35X12.50R17LT | C          | BLK       | 111Q          | (10.0) 8.0-11.0                           | 35             | 2,405          | 34.8                    | 12.5                 | 10.0               | 22.0              | 76                  |
|                | 261885          | 331276013    | 37X12.50R17LT | C          | BLK       | 116Q          | (10.0) 8.0-11.0                           | 35             | 2,755          | 36.8                    | 13.0                 | 10.2               | 22.0              | 86                  |
|                | 261884          | 331275013    | 40X13.50R17LT | B          | BLK       | 115Q          | (11.0) 8.5-11.5                           | 25             | 2,680          | 39.8                    | 13.6                 | 11.0               | 22.0              | 100                 |
|                |                 |              |               |            |           |               |                                           |                |                |                         |                      |                    |                   |                     |

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

# DRAG TIRES

BUILT FOR THE BOLD. PROVEN BY CHAMPIONS. FOR OVER 60 YEARS, MICKEY THOMPSON HAS PUSHED THE LIMITS OF TIRE INNOVATION—ON THE STRIP, ON THE STREET, AND EVERYWHERE IN BETWEEN. OUR DRAG AND PERFORMANCE TIRES ARE ENGINEERED FOR THOSE WHO LEAD, NOT FOLLOW. FROM COMPOUND SCIENCE TO CONSTRUCTION, EVERY TIRE IS PURPOSE-BUILT TO DELIVER TRACTION, CONSISTENCY, AND CONTROL AT THE MOMENT IT MATTERS MOST. BECAUSE WHEN THE LIGHTS DROP AND THE PRESSURE'S ON, OUR TIRES ARE BUILT TO CARRY YOU TO YOUR NEXT PODIUM FINISH.



# CHOOSE THE WINNING GRIP

Our drag and street tires can be used for various race and performance applications. Use the guide below to understand which set of tires to use for the right situation.

|                                                                                                                             | APPLICATION                                                                                                      | HORSEPOWER                                                                                                         | APPEARANCE                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
|                                                                                                                             | Race classes and vehicle types the tire is engineered for—whether bracket, index, heads-up, or street/strip use. | Typical horsepower ranges the tire is built to handle, from street-level torque to high-output competition builds. | The tread design, siping, and sidewall styling all contribute to the vehicle's overall stance and attitude. |
| <br>ET DRAG®                             | BRACKET, INDEX, HEADS UP                                                                                         | 500HP+                                                                                                             | WHITE M/T LOGO, NO PATTERN                                                                                  |
| <br>ET STREET® RADIAL PRO                | HEADS UP                                                                                                         | 500-4000HP                                                                                                         | BLACK SIDEWALL, MIN. PATTERN                                                                                |
| <br>ET DRAG® PRO DRAG RADIAL           | HEADS UP                                                                                                         | 500-3000HP                                                                                                         | WHITE M/T LOGO, NO PATTERN                                                                                  |
| <br>PRO BRACKET RADIAL                 | BRACKET, INDEX                                                                                                   | 500-3000HP                                                                                                         | BLACK SIDEWALL, NO PATTERN                                                                                  |
| <br>ET STREET® R                       | BRACKET, INDEX, STREET                                                                                           | 500-3000HP                                                                                                         | BLACK SIDEWALL, MINIMAL PATTERN                                                                             |
| <br>ET STREET® S/S                     | BRACKET, INDEX, STREET                                                                                           | 300-1000HP                                                                                                         | BLACK SIDEWALL, UHP PATTERN                                                                                 |
| <br>STREET COMP™                       | UHP, STREET                                                                                                      | 300-600HP                                                                                                          | BLACK SIDEWALL, UHP PATTERN                                                                                 |
| <br>SPORTSMAN ST™*<br>SPORTSMAN SR™*** | COSMETIC PERFORMANCE                                                                                             | 200-600HP                                                                                                          | RWL*<br>"FLAME PATTERN"***                                                                                  |

# HOW COMPOUND FORMULAS DRIVE PERFORMANCE

Tire compound isn't just chemistry—it's strategy. Mickey Thompson develops purpose-built formulas for specific racing and performance conditions, with temperature playing a critical role. Cooler-running compounds are ideal for bracket racing and consistent ETs, while softer blends are tuned for maximum grip under high horsepower and heat. Whether you're launching off the line or driving to the track, our compounds are engineered to deliver the right balance of traction, durability, and control—because performance isn't one-size-fits-all.

## STREET & STRIP



These compounds are designed for use on both the street and track. Perfect for enthusiasts who desire race-inspired grip on the track and dependability on the road.

## COMPETITION



These compounds are designed for competition use, with variations for horsepower, track temperature, and vehicle application. Choosing the right compound is crucial in getting you closer to the top of the podium.

## DRAG TIRE CONSTRUCTION

- ST** Suggested for manual transmissions (medium compound)
- W** Extra tread width (please note actual tread and section width on spec sheet)
- S** Stiff sidewall construction, aids in quicker reaction time due to less tire distortion. Also good in high horsepower applications and for heavy cars (Over 3,000 lbs)
- R** Radial Construction



# FROM CRUISING TO CORNERING

Our street tire lineup offers something for every driver, whether you're after relaxed cruising or the thrill of spirited driving. For those who demand daily performance, the Street Comp™ is engineered with a tread design built for high-speed handling and sharp cornering, paired with a compound that delivers dependable dry and wet performance. On the other hand, drivers who want to turn heads while cruising will appreciate options like the Sportsman S/T™, which features classic raised white sidewall lettering, enhanced tread life, and comes in fitments tailored for vintage muscle cars. From performance-focused to style-driven, Mickey Thompson delivers a street tire lineup that covers it all.



## SPORTSMAN S/R™

- Classic Hot-Rod Style
- Matching Skinny Front and Rear Tires
- Custom Hot-Rod Fitments



## SPORTSMAN S/T™

- Classic Low-Profile Style
- Classic Muscle Car Fitments



## STREET COMP™

- Ultra-High Performance
- Excellent Wet and Dry Performance
- Modern Muscle Car Fitments

# ET DRAG®

## COMPETITION DRAG SLICK

COMPETITION



### TIRE FEATURES



**MULTIPLE COMPOUNDS AND SIZES**  
for a variety of drag race applications  
achieving maximum traction



**REQUIRES LITTLE OR NO BURNOUT**  
for easier drag racing performance



**ENGINEERED**  
for consistent build quality and tested  
performance results

**ET DRAG®** slicks are engineered for maximum traction and consistent elapsed times in heads-up and bracket racing. With multiple compounds and sizes tailored to specific race setups, these bias-ply tires deliver predictable launches, minimal distortion, and proven performance across a wide range of track conditions. Trusted by champions, built for competitors.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | PART NUMBER | TIRE SIZE      | MEASURED RIM WIDTH INCHES | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | CIRC. INCHES | COMPOUND | SUGGESTED TUBE | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|-------------|----------------|---------------------------|-------------------------|----------------------|--------------------|--------------|----------|----------------|---------------------|
| 13"            | 250841          | 365037011    | 30161       | 24.5/9.0-13    | 7.0                       | 24.5                    | 10.9                 | 8.8                | 77           | X8       | 248923         | 16                  |
|                | 250861          | 365047011    | 3015        | 24.5/8.0-15    | 8.0                       | 24.5                    | 9.6                  | 7.7                | 77           | L8       | 248923         | 17                  |
|                | 250847          | 365043011    | 3052        | 26.0/8.5-15    | 8.0                       | 25.9                    | 9.9                  | 8.1                | 81           | L8       | 248923         | 19                  |
|                | 250297          | 365001011    | 3053        | 26.0/10.0-15   | 10.0                      | 26.0                    | 11.6                 | 9.6                | 82           | L8       | 248923         | 22                  |
|                | • 255257        | 365096011    | 3053S       | 26.0/10.0-15S  | 10.0                      | 26.5                    | 11.5                 | 9.8                | 83           | M5       | 248923         | 24                  |
|                | 250846          | 365042011    | 3054        | 28.0/9.0-15    | 8.0                       | 27.3                    | 10.8                 | 8.6                | 86           | L8       | 248923         | 22                  |
|                | 255283          | 365098011    | 3054ST      | 28.0/9.0-15    | 8.0                       | 27.3                    | 10.8                 | 8.6                | 86           | M5       | 248923         | 22                  |
|                | 250845          | 365041011    | 3055        | 28.0/10.5-15   | 10.0                      | 28.1                    | 12.5                 | 10.0               | 88           | M5       | 248923         | 23                  |
|                | 250838          | 365034011    | 30554       | 28.0/10.5-15   | 10.0                      | 28.1                    | 12.4                 | 10.0               | 88           | L4       | 248923         | 24                  |
|                | 250812          | 365090011    | 30558       | 28.0/10.5-15   | 10.0                      | 28.1                    | 12.5                 | 10.0               | 88           | L8       | 248923         | 24                  |
|                | • 255255        | 365094011    | 3055S       | 28.0/10.5-15S  | 10.0                      | 28.1                    | 12.5                 | 10.0               | 88           | M5       | 248923         | 24                  |
|                | • 255258        | 365097011    | 30559       | 28.0/10.5-15S  | 10.0                      | 28.1                    | 12.4                 | 10.0               | 88           | L8       | 248923         | 24                  |
|                | 255254          | 365093011    | 3055W       | 28.0/10.5-15W  | 10.0                      | 28.1                    | 13.1                 | 10.9               | 88           | M5       | 250997         | 26                  |
|                | • 255259        | 365099011    | 30551       | 28.0/10.5-15W  | 10.0                      | 28.1                    | 13.1                 | 10.9               | 88           | M5       | 250997         | 27                  |
|                | 255284          | 365103011    | 3056ST      | 29.5/9.0-15ST  | 8.0                       | 29.3                    | 11.4                 | 8.9                | 92           | M5       | 248923         | 22                  |
|                | 250836          | 365032011    | 3062        | 29.5/10.5-15   | 10.0                      | 29.9                    | 13.1                 | 10.2               | 94           | M5       | 250997         | 25                  |
|                | • 255253        | 365092011    | 3062S       | 29.5/10.5-15S  | 10.0                      | 29.9                    | 13.2                 | 10.2               | 94           | M5       | 250997         | 27                  |
|                | • 255251        | 365091011    | 3062W       | 29.5/10.5-15W  | 10.0                      | 29.6                    | 13.6                 | 11.2               | 93           | M5       | 250997         | 30                  |
| 15"            | 250834          | 365030011    | 3065        | 29.5/13.5-15   | 12.0                      | 30.2                    | 16.0                 | 13.1               | 95           | M5       | 250997         | 29                  |
|                | • 255282        | 365102011    | 3068W       | 31.0/10.5-15W  | 10.0                      | 31.3                    | 14.5                 | 10.8               | 98           | M5       | 250997         | 33                  |
|                | 250833          | 365029011    | 3072        | 31.0/13.0-15   | 12.0                      | 31.0                    | 15.7                 | 13.0               | 97           | M5       | 250998         | 32                  |
|                | 250300          | 365089011    | 3073W       | 31.25/12.2-15W | 12.0                      | 31.5                    | 15.8                 | 13.2               | 99           | L8       | 250998         | 29                  |
|                | 250832          | 365028011    | 3074        | 32.0/14.0-15   | 14.0                      | 31.8                    | 17.2                 | 14.2               | 100          | L8       | 250998         | 33                  |
|                | • 255260        | 365100011    | 3074S       | 32.0/14.0-15S  | 14.0                      | 32.2                    | 17.1                 | 14.2               | 101          | L8       | 250998         | 35                  |
|                | • 250811        | 365018011    | 3074ST      | 32.0/14.0-15ST | 14.0                      | 32.2                    | 17.1                 | 14.2               | 101          | M5       | 250998         | 36                  |
|                | 250831          | 365027011    | 30751       | 14.5/32.0-15   | 14.0                      | 33.0                    | 17.4                 | 14.5               | 104          | L8       | 250998         | 38                  |
|                | • 250527        | 365105011    | 30771       | 32.0/16.0-15S  | 15.0                      | 32.0                    | 18.5                 | 15.8               | 101          | X8       | 250998         | 42                  |
|                | • 255281        | 365101011    | 3069W       | 33.0/10.5-15W  | 10.0                      | 32.9                    | 14.5                 | 11.2               | 103          | M5       | 250998         | 33                  |
|                | • 250526        | 365104011    | 3080        | 33.0/15.0-15S  | 14.0                      | 33.6                    | 18.1                 | 14.8               | 106          | X8       | 250998         | 37                  |
|                | • 250962        | 365109011    | 3084S       | 33.0/16.5-15S  | 15.0                      | 33.5                    | 20.0                 | 16.7               | 105          | L8       | 250998         | 41                  |
|                | 250961          | 365108011    | 3169W       | 33.0/10.5-16W  | 15.0                      | 33.0                    | 16.8                 | 11.3               | 104          | M5       | 250998         | 34                  |
|                | • 250817        | 365023011    | 3183        | 33.5/16.5-16   | 16.0                      | 33.7                    | 20.8                 | 16.5               | 106          | X8       | 250998         | 41                  |
|                | • 250529        | 365107011    | 3190W       | 34.0/13.5-16W  | 16.0                      | 34.5                    | 18.3                 | 14.0               | 109          | X5       | -              | 39                  |
|                | • 250528        | 365106011    | 3191W       | 34.0/13.5-16W  | 16.0                      | 34.5                    | 18.3                 | 14.0               | 109          | X8       | -              | 39                  |
|                | • 250816        | 365022011    | 3195        | 35.0/15.0-16   | 16.0                      | 35.2                    | 18.6                 | 14.5               | 111          | X5       | -              | 41                  |
|                | • 250839        | 365035011    | 3197        | 35.0/15.0-16   | 16.0                      | 35.2                    | 18.6                 | 14.5               | 111          | L6       | -              | 41                  |
| 16"            |                 |              |             |                |                           |                         |                      |                    |              |          |                |                     |
|                |                 |              |             |                |                           |                         |                      |                    |              |          |                |                     |
|                |                 |              |             |                |                           |                         |                      |                    |              |          |                |                     |
|                |                 |              |             |                |                           |                         |                      |                    |              |          |                |                     |
|                |                 |              |             |                |                           |                         |                      |                    |              |          |                |                     |
|                |                 |              |             |                |                           |                         |                      |                    |              |          |                |                     |

ACCEPTABLE PRACTICE FOR RIM WIDTH IS TREAD WIDTH PLUS OR MINUS 1 INCH. SEE PAGE 24 FOR COMPOUND CONSTRUCTION DATA.  
IMPORTANT: ALL BIAS DRAG DRIVE TIRES MUST BE MATCHED TO BE WITHIN 1/2 INCH ROLL OUT.  
NOTE: BESIDES BEING REQUIRED FOR AIR RETENTION, M/T TUBES WILL ENHANCE REACTION TIME AND REDUCE SIDEWALL SHOCK AND DEFLECTION WHEN LAUNCHING.  
WARNING: DO NOT USE ON DYNO.  
ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.  
NOT FOR STREET USE.

• HIGH GROWTH SIDEWALL. • STIFF SIDEWALL.

# ET DRAG® PRO DRAG RADIAL

## COMPETITION DRAG RADIAL



### TIRE FEATURES



**RADIAL CONSTRUCTION**  
for lower rolling resistance



**ZERO GROWTH**  
for predicable gear ratios



**COMPOUNDED**  
designed to achieve max traction



**AUTO TRANS OPTIMIZATION**  
for excellent drag racing performance

# PRO BRACKET RADIAL


## COMPETITION “BRACKET” RADIAL



### TIRE FEATURES



**LOW ROLLING RESISTANCE**  
allows the tire to be quicker than bias-ply counterparts



**CONSISTENT ROLLOUTS**  
are always the same, no need to “match” tires



**CONSISTENT PERFORMANCE**  
for excellent bracket racing reliability



**TUBELESS CONSTRUCTION**  
provides a leak-free seal without the expense and hassle of tubes

The fastest radial drag tire on the strip. The **ET DRAG® PRO DRAG RADIAL** provides low rolling resistance through a radial construction for quicker ETs and minimal distortion under high horsepower.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | PART NUMBER | TIRE SIZE    | MEASURED RIM WIDTH INCHES | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | CIRC. INCHES | COMPOUND | SUGGESTED TUBE | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|-------------|--------------|---------------------------|-------------------------|----------------------|--------------------|--------------|----------|----------------|---------------------|
| 15"            | 250856          | 315050007    | 3052R       | 26.0/8.5R15  | 8.0                       | 26.4                    | 9.9                  | 8.5                | 83           | R1       | TUBELESS       | 24                  |
|                | 250855          | 315049007    | 3058R       | 29.5/9.0R15  | 10.0                      | 29.5                    | 11.2                 | 8.5                | 93           | R1       | TUBELESS       | 24                  |
|                | 250828          | 315037007    | 3062R       | 29.5/10.5R15 | 10.0                      | 30.0                    | 12.7                 | 10.2               | 94           | R1       | TUBELESS       | 31                  |
|                | 250821          | 315021007    | 3060R       | 30.0/9.0R15  | 10.0                      | 29.7                    | 12.5                 | 9.0                | 93           | R1       | TUBELESS       | 23                  |
|                | 250822          | 315022007    | 3063R       | 30.0/9.0R15  | 10.0                      | 29.9                    | 11.8                 | 9.2                | 94           | R1       | TUBELESS       | 23                  |
|                | 250851          | 315040007    | 3076R       | 32.0/14.0R15 | 14.0                      | 32.5                    | 17.4                 | 14.0               | 102          | R1       | TUBELESS       | 32                  |

ACCEPTABLE PRACTICE FOR RIM WIDTH IS TREAD WIDTH PLUS OR MINUS 1 INCH. SEE PAGE 24 FOR COMPOUND CONSTRUCTION DATA.  
WARNING: NEVER USE RIM SCREWS ON RADIAL DRAG TIRES. DO NOT USE ON DYNO.  
ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.  
NOT FOR STREET USE.

Engineered for Sportsman racers who demand consistency. The **PRO BRACKET RADIAL** delivers reliable rollout, minimal burnout requirements, and leak-free tubeless construction—ideal for bracket and index racing where precision matters.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | PART NUMBER | TIRE SIZE    | MEASURED RIM WIDTH INCHES | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | CIRC. INCHES | COMPOUND | SUGGESTED TUBE | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|-------------|--------------|---------------------------|-------------------------|----------------------|--------------------|--------------|----------|----------------|---------------------|
| 15"            | 250658          | 315030006    | 3354R       | 28.0/9.0R15  | 8.0                       | 28.0                    | 10.7                 | 9.0                | 88           | X5       | TUBELESS       | 26                  |
|                | 250798          | 315058006    | 3355R       | 28.0/10.5R15 | 10.0                      | 28.0                    | 12.2                 | 10.2               | 88           | X5       | TUBELESS       | 29                  |
|                | 250797          | 315037006    | 3362R       | 29.5/10.5R15 | 10.0                      | 30.0                    | 12.5                 | 10.2               | 94           | X5       | TUBELESS       | 31                  |
|                | 250795          | 315019006    | 3373R       | 31.0/13.5R15 | 14.0                      | 31.9                    | 16.3                 | 13.5               | 100          | X5       | TUBELESS       | 41                  |
|                | 250796          | 315035006    | 3374R       | 32.0/14.0R15 | 14.0                      | 32.6                    | 16.5                 | 14.1               | 102          | X5       | TUBELESS       | 42                  |
|                | 250656          | 315075006    | 3317R       | 26.0/10.0R17 | 10.0                      | 26.0                    | 10.9                 | 10.0               | 82           | X5       | TUBELESS       | 27                  |
| 17"            | 250657          | 315029006    | 3327R       | 27.0/10.5R17 | 10.0                      | 27.0                    | 11.0                 | 10.2               | 85           | X5       | TUBELESS       | 28                  |
|                | 250803          | 315028006    | 3337R       | 28.0/10.5R17 | 10.0                      | 28.0                    | 11.7                 | 10.3               | 88           | X5       | TUBELESS       | 30                  |
|                | 250802          | 315073006    | 3347R       | 29.5/10.5R17 | 10.0                      | 29.5                    | 12.7                 | 10.6               | 93           | X5       | TUBELESS       | 35                  |
| 18"            | 250801          | 315072006    | 3348R       | 29.0/10.5R18 | 10.0                      | 28.9                    | 11.9                 | 10.5               | 91           | X5       | TUBELESS       | 32                  |
| 20"            | 250800          | 315074006    | 3340R       | 29.0/11.5R20 | 10.0                      | 28.7                    | 12.0                 | 10.4               | 90           | X5       | TUBELESS       | 34                  |

ACCEPTABLE PRACTICE FOR RIM WIDTH IS TREAD WIDTH PLUS OR MINUS 1 INCH. SEE PAGE 24 FOR COMPOUND CONSTRUCTION DATA.  
WARNING: NEVER USE RIM SCREWS ON RADIAL DRAG TIRES. DO NOT USE ON DYNO.  
ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.  
NOT FOR STREET USE.



# ET STREET® R BIAS

BIAS-PLY STREET LEGAL DRAG TIRE

 STREET  COMPETITION



## TIRE FEATURES

-  **LATEST ET DRAG® TECHNOLOGY**  
provides the ultimate traction for clutch applications
-  **MINIMAL TREAD VOID**  
to promote excellent dry traction
-  **D.O.T. CERTIFIED**  
for street use

A D.O.T. approved bias-ply drag tire that's street-legal. The **ET STREET® R BIAS** uses proven race compounds and minimal tread void to maximize dry traction and deliver serious off-the-line grip for high-powered builds.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | PART NUMBER | TIRE SIZE     | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | CIRC. INCHES | COMPOUND | SUGGESTED TUBE | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|-------------|---------------|-------------------------------------------|-------------------------|----------------------|--------------------|--------------|----------|----------------|---------------------|
| 15"            | 250970          | 365120004    | 3554        | 28X11.50-15LT | (8.0) 8.0-10.0                            | 28.2                    | 11.1                 | 8.8                | 89           | M5       | 248923         | 22                  |
|                | 250960          | 365115004    | 3561        | 28X12.50-15LT | (10.0) 9.0-11.0                           | 28.0                    | 12.6                 | 10.1               | 88           | M5       | 250997         | 24                  |
|                | 250969          | 365119004    | 3556        | 31X16.50-15LT | (12.0) 11.0-14.0                          | 31.9                    | 16.0                 | 13.4               | 100          | M5       | 250998         | 34                  |
|                | 250968          | 365117004    | 3557        | 32X17.50-15LT | (14.0) 12.0-15.0                          | 32.2                    | 17.9                 | 14.4               | 101          | M5       | 250998         | 35                  |
| 17"            | 250974          | 365121004    | 3579        | 27X10.50-17LT | (8.0) 7.0-9.0                             | 26.8                    | 10.7                 | 9.0                | 84           | M5       | TUBELESS       | 27                  |
|                | 250975          | 364116004    | 3574        | 28X11.50-17LT | (9.0) 8.5-10.5                            | 28.5                    | 11.1                 | 9.5                | 90           | M5       | TUBELESS       | 27                  |

PROPER SIZE AND TYPE OF TUBE MUST BE USED WITH ALL D.O.T. TUBE TYPE TIRES. SEE PAGE 24 FOR COMPOUND CONSTRUCTION DATA.  
CAUTION: IT IS NOT RECOMMENDED THAT RADIAL AND NON-RADIAL TIRES BE MIXED ON THE SAME VEHICLE.  
IMPORTANT: ALL BIAS ET STREET R TIRES MUST BE MATCHED TO BE WITHIN 1/2 INCH ROLL OUT. DO NOT USE ON DYNO.  
ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.


# ET STREET® FRONT

COMPLIMENTS THE ET STREET® DRAG RADIAL TIRE LINES

 STREET  COMPETITION



## TIRE FEATURES

-  **RADIAL CONSTRUCTION**  
for lower rolling resistance
-  **GREAT PAIRING**  
with our popular ET Street® R, ET Street® S/S, and ET Street® Radial Pro lines
-  **LIGHTWEIGHT CONSTRUCTION**  
unlocks the potential for quicker ETs
-  **D.O.T. CERTIFIED**  
for street use

A street-legal front tire designed to complement Mickey Thompson's drag drive tires. The **ET STREET® FRONT** is available in sizes for early and late-model muscle cars, hot rods, and dragsters, with radial construction and lightweight design for reduced rolling resistance.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | PART NUMBER | TIRE SIZE    | LOAD RANGE | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | MAX. INFL. PSI | MAX. LOAD LBS. | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | CIRC. INCHES | APPROX. WEIGHT LBS |
|----------------|-----------------|--------------|-------------|--------------|------------|-------------------------------------------|----------------|----------------|-------------------------|----------------------|--------------------|--------------|--------------------|
| 15"            | 250738          | 315055010    | 3850        | 26X6.00R15LT | B          | (4.0) 3.5-5.0                             | 35             | 990            | 25.8                    | 6.1                  | 4.8                | 81           | 16                 |
|                | 250736          | 315053010    | 3851        | 27X6.00R15LT | B          | (4.0) 3.5-5.0                             | 35             | 990            | 26.8                    | 6.2                  | 4.5                | 84           | 16                 |
| 17"            | 250737          | 315054010    | 3870        | 26X6.00R17LT | C          | (4.5) 4.0-5.0                             | 50             | 1,025          | 25.9                    | 6.0                  | 4.4                | 81           | 15                 |
|                | 250735          | 315052010    | 3871        | 27X6.00R17LT | C          | (4.5) 4.0-5.0                             | 50             | 1,100          | 26.9                    | 6.1                  | 4.4                | 84           | 16                 |
| 18"            | 250734          | 315046010    | 3880        | 28X6.00R18LT | C          | (4.5) 4.0-5.0                             | 50             | 1,140          | 27.9                    | 6.1                  | 4.7                | 88           | 18                 |

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

# ET STREET® R

D.O.T. CERTIFIED FOR STREET USE

 STREET  COMPETITION



## TIRE FEATURES



**MINIMAL TREAD VOID**  
to promote excellent tread contact



**TUBELESS CONSTRUCTION**  
provides leak-free seal without the expense and hassle of tubes



**D.O.T. CERTIFIED**  
for street use



**UTQG 000 CC**  
for competition use

A D.O.T. approved radial drag tire built for maximum traction and street-legal performance. The **ET STREET® R** uses Mickey Thompson's proven race compound and minimal tread void to deliver serious grip at launch, with radial construction for reduced rolling resistance and consistent performance. Ideal for high-horsepower builds that need to hook hard and drive home.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | PART NUMBER | TIRE SIZE  | EQUIVALENT SIZE | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | CIRC. INCHES | COMPOUND | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|-------------|------------|-----------------|-------------------------------------------|-------------------------|----------------------|--------------------|--------------|----------|---------------------|
| 15"            | 255597          | 315091004    | 3550        | P225/50R15 | 24X9.50R15      | (7.0) 6.0-8.0                             | 24.1                    | 9.1                  | 7.8                | 76           | R2       | 21                  |
|                | 255600          | 315094004    | 3552        | P275/50R15 | 26X11.50R15     | (8.5) 7.5-9.5                             | 26.3                    | 11.2                 | 10.1               | 83           | R2       | 28                  |
|                | 255599          | 315093004    | 3553        | P255/60R15 | 27X10.50R15     | (7.5) 7.0-9.0                             | 27.5                    | 10.3                 | 8.8                | 87           | R2       | 26                  |
|                | 254479          | 315085004    | 3559        | P275/60R15 | 28X11.50R15     | (8.0) 7.5-9.5                             | 28.2                    | 11.1                 | 9.5                | 89           | R2       | 30                  |
|                | 255598          | 315092004    | 3555        | P325/50R15 | 28X13.50R15     | (10.0) 9.0-11.5                           | 28.3                    | 13.0                 | 11.3               | 89           | R2       | 33                  |
|                | 254478          | 315084004    | 3558        | P295/65R15 | 30X12.50R15     | (8.5) 8.0-10.5                            | 30.2                    | 12.1                 | 10.5               | 95           | R2       | 34                  |
|                | 254477          | 315083004    | 3563        | P315/60R15 | 30X13.50R15     | (9.5) 8.5-11.0                            | 30.1                    | 13.3                 | 11.7               | 95           | R2       | 37                  |
| 17"            | 255591          | 315087004    | 3573        | P275/40R17 | 26X11.50R17     | (9.5) 9.0-11.0                            | 26.1                    | 10.9                 | 10.2               | 82           | R2       | 27                  |
|                | 255601          | 315095004    | 3571        | P315/35R17 | 26X12.50R17     | (11.0) 10.5-12.5                          | 25.9                    | 12.4                 | 11.3               | 81           | R2       | 30                  |
|                | 255604          | 315098004    | 3577        | P285/45R17 | 27X11.50R17     | (9.5) 9.0-10.5                            | 27.2                    | 11.1                 | 9.7                | 85           | R2       | 28                  |
|                | 255595          | 315090004    | 3572        | P305/45R17 | 28X12.50R17     | (10.0) 9.5-11.5                           | 28.1                    | 11.7                 | 10.5               | 88           | R2       | 31                  |
|                | 254476          | 315082004    | 3576        | P315/50R17 | 30X13.50R17     | (10.0) 8.5-11.0                           | 29.4                    | 12.7                 | 11.2               | 92           | R2       | 35                  |
|                | 254475          | 315081004    | 3578        | P315/55R17 | 31X12.50R17     | (10.0) 8.5-11.0                           | 30.6                    | 12.8                 | 11.0               | 96           | R2       | 38                  |
| 18"            | 255593          | 315088004    | 3581        | P325/35R18 | 27X13.50R18     | (11.0) 10.0-12.0                          | 27.0                    | 13.1                 | 12.1               | 85           | R2       | 33                  |
|                | 255594          | 315089004    | 3580        | P305/45R18 | 29X12.50R18     | (10.0) 9.5-11.5                           | 29.0                    | 11.8                 | 10.7               | 91           | R2       | 32                  |
| 20"            | 255603          | 315097004    | 3502        | P305/35R20 | 29X12.50R20     | (11.0) 10.0-12.0                          | 28.9                    | 11.8                 | 10.7               | 91           | R2       | 33                  |

SEE PAGE 24 FOR COMPOUND CONSTRUCTION DATA. WARNING: NEVER USE RIM SCREWS ON RADIAL DRAG TIRES. DO NOT USE ON DYNO. CAUTION: IT IS NOT RECOMMENDED THAT RADIAL AND NON-RADIAL TIRES BE MIXED ON THE SAME VEHICLE. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.



# ET STREET® RADIAL PRO

WORLD'S FASTEST D.O.T. RADIAL DRAG TIRE

 COMPETITION



## TIRE FEATURES



**REDUCED TREAD PATTERN**  
for maximum traction



**NEXT-GENERATION CONSTRUCTION**  
designed to take more power for better launches



**RACE USE ONLY**  
NOT for street use

The **ET STREET® RADIAL PRO** is a purpose built race tire for classes requiring a P275/60R15 or P315/60R15 D.O.T. approved radial.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | PART NUMBER | TIRE SIZE  | EQUIVALENT SIZE | MEASURED RIM WIDTH INCHES | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | CIRC. INCHES | COMPOUND | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|-------------|------------|-----------------|---------------------------|-------------------------|----------------------|--------------------|--------------|----------|---------------------|
| 15"            | 250350          | 315002005    | 3754X       | P275/60R15 | 28X11.50R15     | 8.0                       | 28.2                    | 11.4                 | 9.8                | 89           | R2       | 32                  |
|                | 250739          | 315018015    | 3763X       | P315/60R15 | 30X13.50R15     | 9.5                       | 30.3                    | 13.2                 | 11.5               | 95           | R2       | 39                  |

SEE PAGE 24 FOR COMPOUND CONSTRUCTION DATA.  
WARNING: RACE ONLY. NOT FOR STREET USE. NEVER USE RIM SCREWS ON RADIAL DRAG TIRES. DO NOT USE ON DYNO.  
CAUTION: IT IS NOT RECOMMENDED THAT RADIAL AND NON-RADIAL TIRES BE MIXED ON THE SAME VEHICLE.  
ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

# ET STREET® S/S

STREET TIRE FOR THE STRIP

 PREMIUM ON-ROAD  COMPETITION



## TIRE FEATURES



**OUR PROVEN R2 COMPOUND**  
for improved traction at the strip  
with little to no burnout required



**REDISTRIBUTED TREAD VOID**  
for improved tread contact and  
excellent dry traction



**TUBELESS CONSTRUCTION**  
provides leak-free seal without  
the expense and hassle of tubes



**D.O.T. CERTIFIED**  
for street use

# ET FRONT™

ULTRA LIGHT FRONT RUNNER

 COMPETITION



## TIRE FEATURES




**ULTRA-LIGHTWEIGHT DESIGN**  
reduces rolling resistance



**HIGH-SPEED USE\***  
designed for high-speed performance



**TUBELESS CONSTRUCTION**  
provides leak-free seal without the  
expense and hassle of tubes



**AVAILABLE IN POPULAR SIZES**  
for a variety of fitments

A high-performance street-to-strip radial designed for modern muscle cars. **ET STREET® S/S** features a reduced tread void for maximum contact, a proven R2 compound for serious grip, and D.O.T. certification for street use. It's the ideal tire for drivers who want race-inspired traction without sacrificing street legality.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | PART NUMBER | TIRE SIZE  | EQUIVALENT SIZE | LOAD RANGE | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | CIRC. INCHES | COMPOUND | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|-------------|------------|-----------------|------------|-------------------------------------------|-------------------------|----------------------|--------------------|--------------|----------|---------------------|
| 15"            | 255613          | 315108003    | 3450        | P235/60R15 | 26X9.50R15      | STD        | (7.0) 6.0-8.0                             | 26.2                    | 9.4                  | 8.3                | 82           | R2       | 29                  |
|                | 255612          | 315107003    | 3451        | P275/50R15 | 26X11.50R15     | STD        | (8.5) 7.5-9.5                             | 26.4                    | 11.1                 | 10.2               | 83           | R2       | 31                  |
|                | 255611          | 315106003    | 3452        | P255/60R15 | 27X10.50R15     | STD        | (7.5) 7.5-9.5                             | 27.3                    | 10.1                 | 8.8                | 86           | R2       | 31                  |
|                | 255510          | 315105003    | 3453        | P275/60R15 | 28X11.50R15     | STD        | (8.0) 7.0-9.0                             | 28.2                    | 11.1                 | 9.3                | 89           | R2       | 32                  |
|                | 255509          | 315104003    | 3454        | P295/55R15 | 28X12.50R15     | STD        | (9.5) 8.5-10.5                            | 28.0                    | 11.9                 | 10.6               | 88           | R2       | 34                  |
|                | 255508          | 315113003    | 3455        | P295/65R15 | 30X12.50R15     | STD        | (8.5) 8.5-10.5                            | 30.3                    | 12.0                 | 10.6               | 95           | R2       | 41                  |
| 16"            | 255507          | 315103003    | 3460        | P255/50R16 | 26X10.50R16     | STD        | (8.0) 7.0-9.0                             | 26.4                    | 10.4                 | 9.4                | 83           | R2       | 29                  |
| 17"            | 255506          | 315102003    | 3470        | P275/40R17 | 26X11.50R17     | STD        | (9.5) 9.5-11.5                            | 26.0                    | 10.8                 | 10.3               | 82           | R2       | 31                  |
|                | 255607          | 315101003    | 3471        | P315/35R17 | 26X12.50R17     | STD        | (11.0) 10.5-12.5                          | 25.9                    | 12.3                 | 11.4               | 81           | R2       | 32                  |
|                | 250792          | 315016003    | 3472        | P305/45R17 | 28X12.50R17     | STD        | (10.0) 9.0-11.0                           | 27.9                    | 11.9                 | 10.6               | 88           | R2       | 36                  |
| 18"            | 255615          | 315110003    | 3480        | P305/35R18 | 26X12.50R18     | LL         | (11.0) 10.0-12.0                          | 26.6                    | 12.2                 | 11.2               | 84           | R2       | 33                  |
|                | 250597          | 315013003    | 3481        | P285/40R18 | 27X11.50R18     | LL         | (10.0) 9.5-11.0                           | 26.9                    | 11.3                 | 10.5               | 85           | R2       | 29                  |
|                | 250791          | 315015003    | 3484        | P275/45R18 | 28X11.50R18     | STD        | (9.0) 8.0-10.0                            | 27.8                    | 11.3                 | 10.0               | 87           | R2       | 32                  |
|                | 250794          | 315071003    | 3482        | P305/40R18 | 25X12.50R18     | STD        | (11.0) 10.0-12.0                          | 28.0                    | 12.2                 | 11.1               | 88           | R2       | 33                  |
|                | 255614          | 315109003    | 3483        | P345/35R18 | 28X13.50R18     | LL         | (12.0) 11.0-13.0                          | 27.8                    | 13.5                 | 12.4               | 87           | R2       | 38                  |
|                | 250594          | 315006003    | 3492        | P285/35R19 | 27X11.50R19     | STD        | (10.0) 9.0-11.0                           | 27.0                    | 11.6                 | 11.2               | 85           | R2       | 32                  |
| 19"            | 255606          | 315100003    | 3491        | P305/35R19 | 27X12.50R19     | STD        | (11.0) 10.0-12.0                          | 27.2                    | 12.9                 | 11.5               | 86           | R2       | 38                  |
|                | 250596          | 315012003    | 3490        | P325/30R19 | 27X13.50R19     | LL         | (11.5) 11.0-12.0                          | 27.0                    | 12.9                 | 12.0               | 85           | R2       | 36                  |
| 20"            | 250592          | 315004003    | 3404        | P315/30R20 | 28X12.50R20     | XL         | (11.0) 10.5-11.5                          | 27.8                    | 12.0                 | 11.1               | 87           | R2       | 34                  |
|                | 250595          | 315010003    | 3401        | P275/40R20 | 29X11.50R20     | XL         | (9.5) 9.5-11.5                            | 29.0                    | 10.8                 | 9.9                | 91           | R2       | 33                  |
|                | 255605          | 315099003    | 3402        | P305/35R20 | 29X12.50R20     | STD        | (11.0) 10.0-12.0                          | 28.7                    | 12.0                 | 11.0               | 90           | R2       | 34                  |
|                | 250591          | 315001003    | 3405        | P305/45R20 | 31X12.50R20     | STD        | (10.0) 9.0-11.0                           | 31.1                    | 11.9                 | 10.3               | 98           | R2       | 42                  |
|                | 250740          | 315014003    | 3406        | P325/45R20 | 32X12.50R20     | STD        | (11.0) 10.0-12.0                          | 31.9                    | 12.6                 | 11.0               | 100          | R2       | 44                  |

SEE PAGE 24 FOR COMPOUND CONSTRUCTION DATA. WARNING: NEVER USE RIM SCREWS ON RADIAL DRAG TIRES. DO NOT USE ON DYNO. CAUTION: IT IS NOT RECOMMENDED THAT RADIAL AND NON-RADIAL TIRES BE MIXED ON THE SAME VEHICLE. WARNING: STREET RACING IS ILLEGAL, DANGEROUS, AND MAY PUT LIVES AT RISK. MICKEY THOMPSON TIRES & WHEELS DOES NOT CONDONE NOR PROMOTE RACING ANY MOTOR VEHICLES ON PUBLIC ROADWAYS. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.



A lightweight, bias-ply front tire engineered for dragsters, muscle cars, and street rods. The **ET FRONT™** complements our drag tire lineup, and provides reduced rolling resistance, consistent performance, and sizing for both early and late-model applications.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | PART NUMBER | TIRE SIZE   | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | CIRC. INCHES | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|-------------|-------------|-------------------------------------------|-------------------------|----------------------|--------------------|--------------|---------------------|
| 15"            | 250931          | 365075020    | 3005        | 22.5/4.5-15 | (4.0) 3.5-5.0                             | 22.5                    | 5.1                  | 4.1                | 71           | 11                  |
|                | 250926          | 365070020    | 30061       | 24.0/4.5-15 | (4.0) 3.5-4.0                             | 24.2                    | 5.8                  | 4.3                | 76           | 11                  |
|                | 250934          | 365078020    | 3001        | 25.0/4.5-15 | (4.0) 3.5-4.0                             | 25.0                    | 6.5                  | 4.5                | 79           | 11                  |
|                | 250925          | 365069020    | 30071       | 26.0/4.0-15 | (3.5) 3.5-4.0                             | 26.1                    | 6.2                  | 4.5                | 82           | 12                  |
|                | 250924          | 365068020    | 30091       | 27.5/4.0-15 | (3.5) 3.5-4.0                             | 27.3                    | 6.8                  | 4.6                | 86           | 12                  |
|                | 250933*         | 365077020    | 3002        | 28.0/4.5-15 | (4.0) 3.5-4.5                             | 28.0                    | 7.2                  | 5.1                | 88           | 13                  |
|                | 250909*         | 365063020    | 30081       | 29.0/4.5-15 | (4.0) 3.5-5.0                             | 28.7                    | 7.3                  | 4.5                | 90           | 13                  |
| 17"            | 250910          | 365064020    | 30045       | 22.0/2.5-17 | (2.5) 2.5-2.5                             | 22.0                    | 2.7                  | 1.5                | 69           | 4                   |
|                | 250923          | 365067020    | 30073       | 26.0/4.0-17 | (3.5) 3.5-4.0                             | 26.5                    | 5.4                  | 4.5                | 83           | 11                  |
|                | 250922          | 365066020    | 30093       | 27.5/4.0-17 | (3.5) 3.5-4.0                             | 27.8                    | 5.8                  | 4.5                | 87           | 12                  |

\*MATERIAL #250933 AND #250909 NOT ACCEPTABLE FOR LAND SPEED RECORD USE. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. NOT FOR STREET USE.

ET JR.®

ULTIMATE JR. DRAG TIRE

COMPETITION



TIRE FEATURES



COMPOUNDED  
to achieve maximum traction



REQUIRES LITTLE OR NO BURNOUT  
for easier drag racing performance



ENGINEERED  
for consistent performance

Purpose-built for Jr. Dragster competition, **ET JR.®** slicks deliver consistent ETs and maximum traction for young racers. Engineered with Mickey Thompson’s race-proven construction and compounds, these tires are trusted by champions across the country.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | PART NUMBER | TIRE SIZE   | MEASURED RIM WIDTH INCHES | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | CIRC. INCHES | COMPOUND | APPROX. WEIGHT LBS |
|----------------|-----------------|--------------|-------------|-------------|---------------------------|-------------------------|----------------------|--------------------|--------------|----------|--------------------|
| 8"             | 250935          | 365085019    | 3625        | 18.0/8.0-8  | 8.0                       | 18.0                    | 10.5                 | 7.3                | 57           | L2       | 6                  |
|                | 250939          | 365084019    | 3627        | 18.0/8.5-8  | 8.0                       | 18.1                    | 10.8                 | 8.1                | 57           | L2       | 6                  |
| 10"            | 250940          | 365062019    | 3645        | 19.0/8.0-10 | 8.0                       | 19.5                    | 9.5                  | 7.2                | 61           | L2       | 8                  |

ACCEPTABLE PRACTICE FOR RIM WIDTH IS TREAD WIDTH PLUS OR MINUS 1 INCH. IMPORTANT: ALL BIAS DRAG DRIVE TIRES MUST BE MATCHED TO BE WITHIN 1/2 INCH ROLL OUT. SEE PAGE 24 FOR COMPOUND CONSTRUCTION DATA. WARNING: RACE ONLY. NOT FOR STREET USE. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

ET DRAG® MOTORCYCLE

MOTORCYCLE DRAG RACING TIRE

COMPETITION



TIRE FEATURES



COMPOUNDED  
to achieve maximum traction



REQUIRES LITTLE OR NO BURNOUT  
for easier drag racing performance



ENGINEERED  
for consistent performance



RACE USE ONLY  
NOT for street use.

The **ET DRAG® MOTORCYCLE** tire is consistently setting records and winning races. Mickey Thompson is number one in Motorcycle Drag Racing and racers ask for our tires by name.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | PART NUMBER | TIRE SIZE     | MEASURED RIM WIDTH INCHES | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | CIRC. INCHES | COMPOUND | APPROX. WEIGHT LBS |
|----------------|-----------------|--------------|-------------|---------------|---------------------------|-------------------------|----------------------|--------------------|--------------|----------|--------------------|
| 15"            | 250967          | 365110001    | 3053M       | 26.0-10.0-15M | 9.0                       | 26.0                    | 11.0                 | 9.8                | 82           | L7       | 19                 |
|                | 250907          | 365015017    | 3073M       | 31.0/14.0-15M | 13.0                      | 31.0                    | 16.8                 | 13.6               | 97           | L7       | 34                 |
| 16"            | 250906          | 365014017    | 3158M       | 27.0/10.0-16M | 9.0                       | 27.0                    | 11.6                 | 10.0               | 85           | L7       | 20                 |
| 17"            | 250901          | 365008017    | 3221        | 26.0/7.0-17   | 6.5                       | 25.7                    | 7.4                  | 6.5                | 81           | M5       | 13                 |
| 18"            | 250903          | 365010017    | 3210        | 25.0/2.75-18  | 3.0                       | 23.5                    | 3.1                  | 1.7                | 74           | -        | 6                  |
|                | 250900          | 365007017    | 3222        | 25.0/7.0-18   | 6.5                       | 25.9                    | 7.2                  | 6.6                | 81           | L7       | 12                 |

SEE PAGE 24 FOR COMPOUND CONSTRUCTION DATA. WARNING: RACE ONLY. NOT FOR STREET USE. WARNING: 17-INCH AND 18-INCH MOTORCYCLE TIRES SHOULD NEVER BE MOUNTED ON AUTOMOTIVE RIMS. SERIOUS INJURY OR DEATH CAN OCCUR IF MOTORCYCLE TIRES ARE MOUNTED ON AUTOMOTIVE RIMS OR VICE VERSA. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

RACING TUBES

100% NATURAL RUBBER



TIRE FEATURES



100% NATURAL RUBBER



VALVE CLAMPS TO WHEEL



AIRCRAFT-TYPE REMOVABLE  
VALVE STEM



EXTREMELY LIGHTWEIGHT  
AND DURABLE

Made specifically for high performance racing applications. 100% natural rubber tubes with an aircraft style removable valve stem that clamps to the wheel. Extremely light weight and durable, these tubes are a must for racing applications.

| MATERIAL NUMBER | PRODUCT CODE | PART NUMBER | SIZE        | APPROX. WEIGHT LBS | DESCRIPTION                                    |
|-----------------|--------------|-------------|-------------|--------------------|------------------------------------------------|
| 248923          | 191050010    | 9553        | 9.50-15/16  | 4.1                | 24.5" to 28" Diameter with 8.0" to 10.5" Tread |
| 250997          | 191050011    | 9555        | 11.50-15    | 5.6                | 28" to 31" Diameter with 10.5" to 11.5" Tread  |
| 250998          | 191050012    | 9558        | 15.00-15/16 | 8.1                | 31" to 33.5" Diameter with 12.0" to 17" Tread  |

SEE PAGE 24 FOR COMPOUND CONSTRUCTION DATA. WARNING: NEVER USE RIM SCREWS ON RADIAL DRAG TIRES. DO NOT USE ON DYNO. CAUTION: IT IS NOT RECOMMENDED THAT RADIAL AND NON-RADIAL TIRES BE MIXED ON THE SAME VEHICLE. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



# STREET TIRES

OUR STREET TIRES ARE BUILT TO TURN HEADS AND DELIVER PERFORMANCE THAT COMMANDS ATTENTION. WHETHER IT'S A HOT ROD, MUSCLE CAR, OR SOMETHING UNIQUELY YOUR OWN, OUR STREET TIRES COMBINE BOLD DESIGN, PREMIUM QUALITY, AND AMERICAN INGENUITY. IF YOU'VE POURED YOUR SOUL INTO YOUR BUILD, MICKEY THOMPSON HELPS YOU – AND YOUR RIDE – STAND OUT FROM THE CROWD.




# STREET COMP™

ULTRA-HIGH PERFORMANCE STREET TIRE

 PREMIUM ON-ROAD



## TIRE FEATURES

- **ASYMMETRIC TREAD**  
designed for high-speed handling and cornering ability
- **SUPERIOR WET AND DRY PERFORMANCE**  
engineered for optimal traction and responsiveness
- **AGGRESSIVE STEERING RESPONSE**  
for excellent handling
- **UTQG 300 AAA A**

An ultra-high-performance summer tire designed for modern muscle and pro-touring builds. The **STREET COMP™** delivers sharp handling, aggressive cornering, and confident wet and dry traction. Engineered for drivers who expect more from every drive.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE | EQUIVALENT SIZE | LOAD RANGE | SERVICE DESC. | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | MAX. INFL. PSI | MAX. LOAD LBS. | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|-----------|-----------------|------------|---------------|-------------------------------------------|----------------|----------------|-------------------------|----------------------|--------------------|-------------------|---------------------|
| 17"            | 248240          | 321009002    | 245/45R17 | 26X9.50R17      | STD        | 95Y           | (8.0) 7.5-9.0                             | 51             | 1,521          | 25.6                    | 9.5                  | 8.6                | 10.0              | 27                  |
|                | 248816          | 321010002    | 275/40R17 | 26X11.50R17     | STD        | 98W           | (9.5) 9.0-11.0                            | 51             | 1,653          | 25.6                    | 10.9                 | 9.9                | 10.0              | 29                  |
|                | 248817          | 321011002    | 315/35R17 | 26X12.50R17     | STD        | 102W          | (11.0) 10.5-12.5                          | 51             | 1,874          | 25.6                    | 12.5                 | 11.2               | 10.0              | 32                  |
| 18"            | 248818          | 321012002    | 245/40R18 | 26X9.50R18      | XL         | 97Y           | (8.5) 8.0-9.5                             | 50             | 1,609          | 25.7                    | 9.8                  | 8.8                | 10.0              | 27                  |
|                | 248819          | 321013002    | 295/35R18 | 26X12.00R18     | STD        | 99Y           | (10.5) 10.0-11.5                          | 51             | 1,709          | 26.1                    | 11.9                 | 10.1               | 10.0              | 32                  |
|                | 248824          | 321018002    | 255/45R18 | 27X10.50R18     | XL         | 103W          | (8.5) 8.0-10.0                            | 50             | 1,929          | 27.1                    | 10.1                 | 9.1                | 10.0              | 30                  |
|                | 248820          | 321014002    | 275/40R18 | 27X11.50R18     | STD        | 99Y           | (9.5) 9.0-11.0                            | 51             | 1,709          | 26.6                    | 10.9                 | 9.9                | 10.0              | 31                  |
| 19"            | 248823          | 321017002    | 255/40R19 | 27X10.50R19     | XL         | 100Y          | (9.0) 8.5-10.0                            | 50             | 1,764          | 27.0                    | 10.2                 | 9.3                | 10.0              | 29                  |
|                | 248821          | 321015002    | 285/35R19 | 27X11.50R19     | STD        | 99Y           | (10.0) 9.5-11.0                           | 51             | 1,709          | 26.9                    | 11.3                 | 10.1               | 10.0              | 31                  |
| 20"            | 248822          | 321016002    | 255/35R20 | 27X10.50R20     | XL         | 97W           | (9.0) 8.5-10.0                            | 50             | 1,609          | 27.0                    | 10.2                 | 9.1                | 10.0              | 29                  |
|                | 248825          | 321019002    | 275/35R20 | 27X11.50R20     | XL         | 102W          | (9.5) 9.0-11.0                            | 50             | 1,874          | 27.6                    | 10.7                 | 9.7                | 10.0              | 31                  |
|                | 248828          | 321022002    | 245/45R20 | 28X9.50R20      | XL         | 103Y          | (8.0) 7.5-9.0                             | 50             | 1,929          | 28.7                    | 9.5                  | 8.6                | 10.0              | 31                  |
|                | 248827          | 321021002    | 275/40R20 | 28X11.50R20     | XL         | 106Y          | (9.5) 9.0-11.0                            | 50             | 2,094          | 28.6                    | 10.9                 | 9.9                | 10.0              | 34                  |
|                | 248826          | 321020002    | 305/35R20 | 28X12.00R20     | XL         | 107Y          | (11.0) 10.0-12.0                          | 50             | 2,149          | 28.4                    | 12.3                 | 10.6               | 10.0              | 36                  |

WARNING: STREET RACING IS ILLEGAL, DANGEROUS, AND MAY PUT LIVES AT RISK. MICKEY THOMPSON TIRES & WHEELS DOES NOT CONDONE NOR PROMOTE RACING ANY MOTOR VEHICLES ON PUBLIC ROADWAYS. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.




# SPORTSMAN S/T™

CLASSIC MUSCLE CAR STREET TIRE

 PREMIUM ON-ROAD



## TIRE FEATURES

- **POPULAR SIZES**  
for muscle car applications
- **FLAT TREAD PROFILE**  
for both handling and long tread life
- **RADIAL CONSTRUCTION**  
for smooth ride and long mileage
- **UTQG 440 A B**  
440 A C for material number 249395

A classic street tire built for muscle car owners who value style and performance. The **SPORTSMAN S/T™** features a low-profile look, optional raised white letters, and radial construction for a smooth ride and long tread life.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE  | SERVICE DESC. | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | MAX. INFL. PSI | MAX. LOAD LBS. | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|------------|---------------|-------------------------------------------|----------------|----------------|-------------------------|----------------------|--------------------|-------------------|---------------------|
| 15"            | 249391          | 321001001    | P235/60R15 | 98T           | (7.0) 6.5-8.5                             | 44             | 1,642          | 26.1                    | 9.2                  | 7.6                | 10.5              | 26                  |
|                | 249392          | 321002001    | P245/60R15 | 100T          | (7.0) 7.0-8.5                             | 44             | 1,753          | 1,753                   | 9.5                  | 8.0                | 10.5              | 27                  |
|                | 249123          | 321003001    | P215/70R15 | 97T           | (6.5) 5.5-7.0                             | 44             | 1,620          | 1,620                   | 8.7                  | 7.0                | 10.5              | 26                  |
|                | 249395          | 321004001    | P295/50R15 | 105S          | (9.5) 8.0-10.0                            | 44             | 2,061          | 2,061                   | 12.2                 | 10.1               | 10.5              | 32                  |
|                | 249393          | 321006001    | P255/60R15 | 102T          | (7.5) 7.0-9.0                             | 44             | 1,885          | 1,885                   | 10.2                 | 8.2                | 10.5              | 27                  |
|                | 249390          | 321007001    | P225/70R15 | 100T          | (6.5) 6.0-7.5                             | 44             | 1,753          | 1,753                   | 9.1                  | 7.2                | 10.5              | 26                  |
|                | 249394          | 321008001    | P275/60R15 | 107T          | (8.0) 7.5-9.5                             | 44             | 2,149          | 2,149                   | 10.7                 | 8.9                | 10.5              | 31                  |

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

# SPORTSMAN FRONT™

BIAS-PLY D.O.T. APPROVED TIRE



PREMIUM ON-ROAD



COMPETITION



## TIRE FEATURES



**D.O.T. CERTIFIED**  
for street use



**DRAG RACING FRONT DESIGN**  
suitable for front tire drag racing applications



**BIAS-PLY CONSTRUCTION**



**TUBELESS CONSTRUCTION**  
provides leak-free seal without the expense and hassle of tubes

A street-legal front tire designed for hot rods, T-buckets, and muscle cars. The **SPORTSMAN FRONT™** pairs bias-ply construction with a narrow profile to complement staggered rear setups and deliver dependable performance on the street.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE    | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | MAX. INFL. PSI | MAX. LOAD LBS. | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | SUGGESTED TUBE | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|--------------|-------------------------------------------|----------------|----------------|-------------------------|----------------------|--------------------|-------------------|----------------|---------------------|
| 15"            | 255670          | 321027005    | 26X7.50-15LT | (4.0) 3.5-6.5                             | 30             | 1,000          | 26.0                    | 6.3                  | 4.8                | 8.0               | TUBELESS       | 16                  |
|                | 255667          | 321024005    | 26X7.50-15LT | (4.0) 3.5-6.5                             | 60             | 1,450          | 26.0                    | 6.3                  | 4.8                | 8.0               | TUBELESS       | 19                  |
|                | 255669          | 321026005    | 28X7.50-15LT | (4.0) 3.5-6.5                             | 30             | 1,100          | 28.0                    | 6.9                  | 5.5                | 8.0               | TUBELESS       | 20                  |
|                |                 |              |              |                                           |                |                |                         |                      |                    |                   |                |                     |

CAUTION: IT IS NOT RECOMMENDED THAT RADIAL AND NON-RADIAL TIRES BE MIXED ON THE SAME VEHICLE. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

• LOAD RANGE D, FRONT TIRE FOR CARS AND TRUCKS OVER 3,000 LBS.

# SPORTSMAN S/R™

ULTIMATE STREET ROD TIRE



PREMIUM ON-ROAD



COMPETITION



## TIRE FEATURES



**RADIAL CONSTRUCTION**  
for smooth ride and long mileage



**UNIQUE “FLAMED” TREAD PATTERN**  
provides improved wet traction



**MATCHING FRONT AND REAR TREAD PATTERN**  
for staggered fitments



**CUSTOM SIZES**  
for street rods and muscle cars

The undisputed hot rod tire. The **SPORTSMAN S/R™** combines a unique flamed tread pattern with radial construction and custom sizing for staggered fitments. Built for street rods and muscle cars that demand attention and deliver performance.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | TIRE SIZE     | SERVICE DESC. | (MEAS. RIM WIDTH) APPVD. RIM WIDTH INCHES | MAX. INFL. PSI | MAX. LOAD LBS. | OVERALL DIAMETER INCHES | SECTION WIDTH INCHES | TREAD WIDTH INCHES | TREAD DEPTH 32NDS | APPROX. WEIGHT LBS. |
|----------------|-----------------|--------------|---------------|---------------|-------------------------------------------|----------------|----------------|-------------------------|----------------------|--------------------|-------------------|---------------------|
| 15"            | 255648          | 321055004    | 24X5.00R15LT  | 76H           | (4.0) 3.5-4.5                             | 50             | 900            | 24.0                    | 5.8                  | 4.5                | 8.0               | 15                  |
|                | 255632          | 321039004    | 26X6.00R15LT  | 80H           | (4.0) 3.5-5.0                             | 35             | 990            | 26.0                    | 6.5                  | 5.7                | 8.0               | 20                  |
|                | 255649          | 321056004    | 26X8.00R15LT  | 80H           | (6.0) 5.0-7.0                             | 35             | 1,000          | 26.1                    | 8.5                  | 7.0                | 8.0               | 21                  |
|                | 255653          | 321061004    | 27X6.00R15LT  | -             | (5.0) 3.0-5.0                             | 35             | 990            | 27.0                    | 6.4                  | 5.4                | 8.0               | 19                  |
|                | 255654          | 321064004    | 28X6.00R15LT  | -             | (4.5) 3.5-5.0                             | 35             | 1,040          | 28.0                    | 6.9                  | 4.8                | 8.0               | 21                  |
|                | 255634          | 321041004    | 28X10.00R15LT | 90H           | (8.0) 7.0-8.5                             | 35             | 1,335          | 28.0                    | 10.3                 | 8.7                | 8.0               | 27                  |
|                | 255650          | 321057004    | 28X12.00R15LT | 93H           | (10.0) 8.5-10.0                           | 35             | 1,435          | 28.0                    | 12.1                 | 10.4               | 8.0               | 31                  |
|                | 255657          | 321067004    | 29X15.00R15LT | 98H           | (12.0) 10.0-13.0                          | 25             | 1,325          | 29.0                    | 15.0                 | 13.0               | 8.0               | 42                  |
|                | 255656          | 321066004    | 29X18.00R15LT | 94H           | (14.0) 14.0-16.0                          | 25             | 1,500          | 29.0                    | 17.3                 | 15.8               | 8.0               | 49                  |
|                | 255633          | 321040004    | 30X12.00R15LT | 99H           | (10.0) 8.5-10.0                           | 35             | 1,740          | 30.0                    | 12.6                 | 10.2               | 8.0               | 36                  |
|                | 255672          | 321059004    | 31X16.00R15LT | 105H          | (12.0) 12.0-14.0                          | 35             | 2,080          | 31.0                    | 16.0                 | 13.9               | 8.0               | 47                  |
|                | 255655          | 321065004    | 31X18.00R15LT | 99H           | (14.0) 14.0-16.0                          | 25             | 1,720          | 31.0                    | 17.9                 | 15.7               | 8.0               | 50                  |
|                | 255671          | 321037004    | 33X22.00R15LT | 107H          | (15.0) 15.0-18.0                          | 25             | 2,200          | 32.0                    | 20.0                 | 17.8               | 8.0               | 59                  |
|                |                 |              |               |               |                                           |                |                |                         |                      |                    |                   |                     |
| 17"            | 255643          | 321050004    | 26X6.00R17LT  | -             | (4.5) 4.0-5.0                             | 50             | 1,025          | 26.1                    | 6.3                  | 5.7                | 8.0               | 18                  |
|                | 255641          | 321048004    | 27X6.00R17LT  | -             | (4.5) 4.0-5.0                             | 50             | 1,100          | 27.0                    | 6.2                  | 5.4                | 8.0               | 21                  |
|                | 255642          | 321049004    | 28X6.00R17LT  | -             | (4.5) 4.0-5.0                             | 50             | 1,175          | 28.0                    | 6.6                  | 5.7                | 8.0               | 25                  |
| 18"            | 255644          | 321051004    | 26X6.00R18LT  | 79H           | (5.0) 4.5-5.5                             | 50             | 980            | 26.0                    | 6.3                  | 5.7                | 8.0               | 18                  |
|                | 255638          | 321045004    | 28X6.00R18LT  | -             | (4.5) 4.0-5.0                             | 95             | 1,650          | 28.0                    | 6.6                  | 5.7                | 8.0               | 25                  |
| 20"            | 255651          | 321058004    | 29X15.00R20LT | 93H           | (14.0) 13.0-14.0                          | 50             | 1,460          | 29.0                    | 14.7                 | 13.0               | 8.0               | 41                  |
|                | 255637          | 321044004    | 29X18.00R20LT | 80H           | (16.0) 15.0-16.0                          | 35             | 1,000          | 29.0                    | 17.2                 | 15.5               | 8.0               | 46                  |
|                | 255636          | 321043004    | 31X18.00R20LT | 94H           | (16.0) 15.0-16.0                          | 25             | 1,500          | 31.1                    | 17.3                 | 15.7               | 8.0               | 50                  |
|                | 255635          | 321042004    | 33X22.00R20LT | 97H           | (17.0) 16.0-18.0                          | 25             | 1,650          | 32.0                    | 18.9                 | 17.8               | 8.0               | 58                  |

SPORTSMAN S/R® TIRES CAN BE USED WITH THE PRO DRAG RADIAL, PRO BRACKET RADIAL, ET STREET® RADIAL PRO, ET STREET® R (RADIAL SIZES), AND ET STREET® S/S TIRES. CAUTION: IT IS NOT RECOMMENDED THAT RADIAL AND NON-RADIAL TIRES BE MIXED ON THE SAME VEHICLE. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. • LOAD RANGE F

# WHEELS

MICKEY THOMPSON WHEELS ARE BUILT FOR DRIVERS WHO DON'T WANT TO BLEND IN. INSPIRED BY OUR RACING HERITAGE AND ENGINEERED FOR MODERN PERFORMANCE, OUR WHEELS COMBINE CLASSIC STYLING WITH CUTTING-EDGE FITMENTS FOR TODAY'S TRUCKS, JEEPS, AND SUVS. WHETHER YOU'RE CHASING ADVENTURE OR TURNING HEADS ON THE STREET, OUR LINEUP DELIVERS THE STRENGTH, STANCE, AND STYLE TO MATCH YOUR BUILD. FROM FORGED PERFORMANCE TO CAST VERSATILITY, MICKEY THOMPSON WHEELS ARE MADE TO STAND OUT—JUST LIKE THE PEOPLE WHO RUN THEM.



# THE WHEEL DESIGN DIFFERENCE

Our cast aluminum wheels combine eye-catching style with proven strength. Precision casting allows for complex, head-turning designs that keep weight in check without sacrificing durability. Match your truck or SUV's personality further with Satin Bronze, Satin Black, or Polished finishes. Make a statement wherever you roll with a set of Mickey Thompson wheels.

## THE CASTING PROCESS

- 1. MELTING THE ALUMINUM ALLOY**  
Molten aluminum alloy is poured into the wheel cast die.
- 2. FILLING THE MOLD**  
The mold is filled using low pressure, feeding the molten metal into the mold cavity from below.
- 3. SOLIDIFYING THE METAL**  
The metal is solidified under continued low pressure to increase density and structural integrity.
- 4. THE END RESULT**  
The cooled wheel is removed from its mold cavity, flashing is precisely milled away, hubs/bolt patterns are drilled, and an exquisite finish is applied.

### SIMULATED BEADLOCK

Simulated beadlock style with genuine 5/8" Zinc bolts for a bold, aggressive look.

### FINISHES

Most of our wheels are available in Satin Bronze, Satin Black, and Polished finishes.

### WHEEL CAP

Modern low profile cap design.

### FITMENT

Fitments for a variety of modern trucks, Jeeps, and SUVs



For those who demand uncompromising quality, durability, and finish brilliance, forged aluminum wheels deliver unmatched value. Engineered through advanced manufacturing processes, they offer superior strength, reduced weight, and precision performance that elevate the driving experience. Set your classic and modern builds up right with Mickey Thompson forged wheels.

## GRAIN STRUCTURE



CAST GRAIN STRUCTURE



FORGED GRAIN STRUCTURE

Forged and cast wheels differ in how the metal is formed—and in the level of performance they deliver. Casting pours molten aluminum into a mold, creating a uniform grain structure that allows for versatile design and dependable strength. More than a product—a performance upgrade.

# FORGED STRONG

- **1. BILLET**  
Wheel production begins with a solid block of billet 6061-T6 aluminum, forming the wheel's foundation.
- **2. PRESSING**  
10,000 tons of pressure shapes the billet and aligns the metal's grain for strength.
- **3. RIM FORGING**  
The outer rim is shaped under high pressure, ensuring consistent thickness and strength.
- **4. FINAL FORGING**  
The wheel undergoes a final high-pressure press to achieve its exact dimensions and structural integrity.
- **5. CNC AND FINISHING**  
The wheel is machined to perfection, polished to a bright white finish, and thoroughly inspected for strength and quality.

ALL-NEW

# MT CLASSIC FORGED

FINISHES: POLISHED



SHOWN: POLISHED FINISH

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | SIZE  | BOLT CIRCLE | BACK SPACE INCHES | OFFSET MM | HUB BORE MM | MAX LOAD LBS | REPLACEMENT CAP | APPROX. WT. LBS. |
|----------------|-----------------|--------------|-------|-------------|-------------------|-----------|-------------|--------------|-----------------|------------------|
| 17"            | TBD             | TBD          | 17X14 | 5X5.5       | 3.500             | -101      | 108.10      | 2,500        | TBD             | 30               |
|                | TBD             | TBD          | 17X14 | 6X5.5       | 3.500             | -101      | 108.10      | 2,500        | TBD             | 30               |
|                | TBD             | TBD          | 17X14 | 8X6.5       | 3.500             | -101      | 125.20      | 4,000        | TBD             | 32               |
|                | TBD             | TBD          | 17X14 | 8X170       | 3.500             | -101      | 125.20      | 4,000        | TBD             | 32               |
|                | TBD             | TBD          | 17X14 | 8X180       | 3.500             | -101      | 125.20      | 4,000        | TBD             | 32               |
|                | TBD             | TBD          | 17X16 | 5X5.5       | 3.500             | -127      | 108.10      | 2,500        | TBD             | 32               |
|                | TBD             | TBD          | 17X16 | 6X5.5       | 3.500             | -127      | 108.10      | 2,500        | TBD             | 32               |
|                | TBD             | TBD          | 17X16 | 8X6.5       | 3.500             | -127      | 125.20      | 4,000        | TBD             | 34               |
|                | TBD             | TBD          | 17X16 | 8X170       | 3.500             | -127      | 125.20      | 4,000        | TBD             | 34               |
|                | TBD             | TBD          | 17X16 | 8X180       | 3.500             | -127      | 125.20      | 4,000        | TBD             | 34               |

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.  
REQUIRES 60-DEGREE BULGE ACORN SEAT LUGS—NOT INCLUDED.

The all-new **MT CLASSIC FORGED** wheel takes the iconic Classic 8-hole wheel design to the next level with modern enhancements. Monoblock forged construction with 6061-T6 aircraft aluminum is utilized for superior strength, lighter weight, and enhanced performance compared to traditional die-cast wheels. Showcased in a brilliant white Polished finish, this wheel is available in extreme 14" and 16" widths and aggressive 3.5" backspacing. Backed by a Lifetime Limited Structural Warranty, the MT Classic Forged wheel is the perfect choice for both classic and modern builds.

## WHEEL FEATURES



**MONOBLOCK FORGED WHEEL**  
for enhanced light weight performance and strength compared to die-cast wheels



**6061-T6 AIRCRAFT ALUMINUM**  
for high corrosion resistance and improved durability



**CLASSIC 8-HOLE FACE DESIGN**  
with a step lip and deep barrel



**14" AND 16" WIDTHS**  
with 3.5" backspacing



**AVAILABLE IN A 17" WHEEL DIAMETER**



**LIFETIME LIMITED STRUCTURAL WARRANTY**

# MT CLASSIC PRO

FINISHES: SATIN BRONZE • SATIN BLACK • POLISHED



SHOWN: POLISHED FINISH

## WHEEL FEATURES



**SIMULATED BEADLOCK STYLE**  
with genuine 5/8" Zinc bolts for a classic and commanding look



**VALVE STEM NICHE CUT OUT**  
for easy access



**MODERN LOW PROFILE CAP DESIGN**



**VAST FITMENTS**  
for most modern trucks, Jeeps, and SUVs



**AVAILABLE IN POPULAR 17", 18", 20" WHEEL DIAMETERS**

## WHEEL FINISHES



SATIN BRONZE



SATIN BLACK



POLISHED

The **MT CLASSIC PRO** blends timeless style with modern road-ready performance. Featuring an 8-hole design inspired by the Mickey Thompson Classic III and a street-style simulated beadlock. Available in Polished, Satin Black, and Satin Bronze.

| WHEEL DIAMETER                       | MATERIAL NUMBER | PRODUCT CODE | SIZE | BOLT CIRCLE | BACK SPACE INCHES | OFFSET MM | HUB BORE MM | MAX LOAD LBS | REPLACEMENT CAP | APPROX. WT. LBS. |
|--------------------------------------|-----------------|--------------|------|-------------|-------------------|-----------|-------------|--------------|-----------------|------------------|
| MT CLASSIC PRO - POLISHED FINISH     |                 |              |      |             |                   |           |             |              |                 |                  |
| 17"                                  | 274477          | 226100305    | 17X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274579          | 28               |
|                                      | 274240          | 226100306    | 17X9 | 5X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274580          | 28               |
|                                      | 274551          | 226100307    | 17X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274601          | 26               |
|                                      | 274553          | 226100309    | 17X9 | 6X135       | 4.530             | -12       | 87.10       | 2,500        | 274602          | 28               |
|                                      | 274554          | 226100310    | 17X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274603          | 26               |
|                                      | 274555          | 226100311    | 17X9 | 6X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274603          | 28               |
|                                      | 274556          | 226100312    | 17X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,500        | 274604          | 29               |
| 18"                                  | 274557          | 226100313    | 17X9 | 8X170       | 5.000             | 0         | 125.20      | 3,500        | 274604          | 29               |
|                                      | 274558          | 226100314    | 18X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274579          | 28               |
|                                      | 274559          | 226100315    | 18X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274580          | 28               |
|                                      | 274560          | 226100316    | 18X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274580          | 28               |
|                                      | 274561          | 226100317    | 18X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274601          | 28               |
|                                      | 274582          | 226100318    | 18X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274602          | 28               |
|                                      | 274583          | 226100319    | 18X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274603          | 28               |
| 20"                                  | 274584          | 226100320    | 18X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,750        | 274604          | 30               |
|                                      | 274585          | 226100321    | 18X9 | 8X170       | 5.000             | 0         | 125.20      | 3,750        | 274604          | 30               |
|                                      | 274586          | 226100322    | 18X9 | 8X180       | 5.000             | 0         | 125.20      | 3,750        | 274605          | 30               |
|                                      | 274587          | 226100323    | 20X9 | 5X5         | 5.000             | 0         | 71.60       | 2,500        | 274579          | 35               |
|                                      | 274588          | 226100324    | 20X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274580          | 35               |
|                                      | 274589          | 226100325    | 20X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274580          | 35               |
|                                      | 274590          | 226100326    | 20X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274602          | 35               |
| MT CLASSIC PRO - SATIN BLACK FINISH  | 274591          | 226100327    | 20X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274603          | 35               |
|                                      | 274430          | 226100328    | 20X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,750        | 274604          | 36               |
|                                      | 274592          | 226100329    | 20X9 | 8X170       | 5.000             | 0         | 125.20      | 3,750        | 274604          | 36               |
|                                      | 274593          | 226100330    | 20X9 | 8X180       | 5.000             | 0         | 125.20      | 3,750        | 274605          | 36               |
|                                      | 274239          | 226100331    | 17X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274693          | 28               |
|                                      | 274463          | 226100332    | 17X9 | 5X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274694          | 28               |
|                                      | 274464          | 226100333    | 17X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274695          | 26               |
| 17"                                  | 274466          | 226100335    | 17X9 | 6X135       | 4.530             | -12       | 87.10       | 2,500        | 274696          | 28               |
|                                      | 274467          | 226100336    | 17X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274697          | 26               |
|                                      | 274468          | 226100337    | 17X9 | 6X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274697          | 28               |
|                                      | 274469          | 226100338    | 17X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,500        | 274698          | 29               |
|                                      | 274470          | 226100339    | 17X9 | 8X170       | 5.000             | 0         | 125.20      | 3,500        | 274698          | 29               |
|                                      | 274521          | 226100340    | 18X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274693          | 28               |
|                                      | 274668          | 226100341    | 18X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274694          | 28               |
| 18"                                  | 274606          | 226100342    | 18X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274694          | 28               |
|                                      | 274607          | 226100343    | 18X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274695          | 28               |
|                                      | 274608          | 226100344    | 18X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274696          | 28               |
|                                      | 274609          | 226100345    | 18X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274697          | 28               |
|                                      | 274610          | 226100346    | 18X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,750        | 274698          | 30               |
|                                      | 274701          | 226100347    | 18X9 | 8X170       | 5.000             | 0         | 125.20      | 3,750        | 274698          | 30               |
|                                      | 274702          | 226100348    | 18X9 | 8X180       | 5.000             | 0         | 125.20      | 3,750        | 274699          | 30               |
| 20"                                  | 274704          | 226100350    | 20X9 | 5X5         | 5.000             | 0         | 71.60       | 2,500        | 274693          | 35               |
|                                      | 274705          | 226100351    | 20X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274694          | 35               |
|                                      | 274703          | 226100349    | 20X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274694          | 35               |
|                                      | 274706          | 226100352    | 20X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274696          | 35               |
|                                      | 274707          | 226100353    | 20X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274697          | 35               |
|                                      | 274708          | 226100354    | 20X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,750        | 274698          | 36               |
|                                      | 274709          | 226100355    | 20X9 | 8X170       | 5.000             | 0         | 125.20      | 3,750        | 274698          | 36               |
| MT CLASSIC PRO - SATIN BRONZE FINISH | 274710          | 226100356    | 20X9 | 8X180       | 5.000             | 0         | 125.20      | 3,750        | 274699          | 36               |
|                                      | 274478          | 226100357    | 17X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274595          | 28               |
|                                      | 274479          | 226100358    | 17X9 | 5X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274596          | 28               |
|                                      | 274480          | 226100359    | 17X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274597          | 26               |
|                                      | 274492          | 226100361    | 17X9 | 6X135       | 4.530             | -12       | 87.10       | 2,500        | 274598          | 28               |
|                                      | 274493          | 226100362    | 17X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274599          | 26               |
|                                      | 274494          | 226100363    | 17X9 | 6X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274599          | 28               |
| 18"                                  | 274495          | 226100364    | 17X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,500        | 274600          | 29               |
|                                      | 274496          | 226100365    | 17X9 | 8X170       | 5.000             | 0         | 125.20      | 3,500        | 274600          | 29               |
|                                      | 274497          | 226100366    | 18X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274595          | 28               |
|                                      | 274498          | 226100367    | 18X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274596          | 28               |
|                                      | 274499          | 226100368    | 18X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274596          | 28               |
|                                      | 274500          | 226100369    | 18X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274597          | 28               |
|                                      | 274501          | 226100370    | 18X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274598          | 28               |
| 20"                                  | 274502          | 226100371    | 18X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274599          | 28               |
|                                      | 274503          | 226100372    | 18X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,750        | 274600          | 30               |
|                                      | 274504          | 226100373    | 18X9 | 8X170       | 5.000             | 0         | 125.20      | 3,750        | 274600          | 30               |
|                                      | 274505          | 226100374    | 18X9 | 8X180       | 5.000             | 0         | 125.20      | 3,750        | 274611          | 30               |
|                                      | 274506          | 226100375    | 20X9 | 5X5         | 5.000             | 0         | 71.60       | 2,500        | 274595          | 35               |
|                                      | 274507          | 226100376    | 20X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274596          | 35               |
|                                      | 274508          | 226100377    | 20X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274596          | 35               |
|                                      | 274509          | 226100378    | 20X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274598          | 35               |
|                                      | 274510          | 226100379    | 20X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274599          | 35               |
|                                      | 274511          | 226100380    | 20X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,750        | 274600          | 36               |
|                                      | 274512          | 226100381    | 20X9 | 8X170       | 5.000             | 0         | 125.20      | 3,750        | 274600          | 36               |
|                                      | 274513          | 226100382    | 20X9 | 8X180       | 5.000             | 0         | 125.20      | 3,750        | 274611          | 36               |

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

# MT CANYON PRO

FINISHES: SATIN BRONZE • SATIN BLACK • POLISHED



SHOWN: POLISHED FINISH

## WHEEL FEATURES



**SIMULATED BEADLOCK STYLE**  
with genuine 5/8" Zinc bolts delivers a bold, aggressive look



**MODERN LOW PROFILE CAP DESIGN**



**VAST FITMENTS**  
for most modern trucks, Jeeps, and SUVs



**AVAILABLE IN POPULAR 17", 18", 20" WHEEL DIAMETERS**

## WHEEL FINISHES



SATIN BRONZE



SATIN BLACK



POLISHED

The **MT CANYON PRO** is a truck and SUV wheel blending modern race-inspired looks with street-ready style. It features a classic 5-hole slot design and a simulated bead lock. Available in three finishes: Polished, Satin Black, and Satin Bronze.

| WHEEL DIAMETER                      | MATERIAL NUMBER | PRODUCT CODE | SIZE | BOLT CIRCLE | BACK SPACE INCHES | OFFSET MM | HUB BORE MM | MAX LOAD LBS | REPLACEMENT CAP | APPROX. WT. LBS. |
|-------------------------------------|-----------------|--------------|------|-------------|-------------------|-----------|-------------|--------------|-----------------|------------------|
| MT CANYON PRO - POLISHED FINISH     |                 |              |      |             |                   |           |             |              |                 |                  |
| 17"                                 | 274642          | 226100427    | 17X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274579          | 27               |
|                                     | 274643          | 226100428    | 17X9 | 5X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274580          | 27               |
|                                     | 274644          | 226100429    | 17X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274601          | 27               |
|                                     | 274646          | 226100431    | 17X9 | 6X135       | 4.530             | -12       | 87.10       | 2,500        | 274602          | 27               |
|                                     | 274647          | 226100432    | 17X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274603          | 27               |
|                                     | 274648          | 226100433    | 17X9 | 6X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274603          | 27               |
|                                     | 274649          | 226100434    | 17X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,500        | 274604          | 28               |
| 18"                                 | 274650          | 226100435    | 17X9 | 8X170       | 5.000             | 0         | 125.20      | 3,500        | 274604          | 28               |
|                                     | 274651          | 226100436    | 18X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274579          | 30               |
|                                     | 274652          | 226100437    | 18X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274580          | 29               |
|                                     | 274653          | 226100438    | 18X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274580          | 29               |
|                                     | 274654          | 226100439    | 18X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274601          | 29               |
|                                     | 274655          | 226100440    | 18X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274602          | 29               |
|                                     | 274656          | 226100441    | 18X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274603          | 29               |
|                                     | 274657          | 226100442    | 18X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,750        | 274604          | 30               |
|                                     | 274658          | 226100443    | 18X9 | 8X170       | 5.000             | 0         | 125.20      | 3,750        | 274604          | 30               |
| 20"                                 | 274659          | 226100444    | 18X9 | 8X180       | 5.000             | 0         | 125.20      | 3,750        | 274605          | 30               |
|                                     | 274660          | 226100445    | 20X9 | 5X5         | 5.000             | 0         | 71.60       | 2,500        | 274579          | 35               |
|                                     | 274661          | 226100447    | 20X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274580          | 35               |
|                                     | 274662          | 226100448    | 20X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274580          | 35               |
|                                     | 274663          | 226100449    | 20X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274602          | 35               |
|                                     | 274664          | 226100450    | 20X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274603          | 35               |
|                                     | 274665          | 226100451    | 20X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,750        | 274604          | 37               |
| MT CANYON PRO - SATIN BLACK FINISH  | 274666          | 226100452    | 20X9 | 8X170       | 5.000             | 0         | 125.20      | 3,750        | 274604          | 37               |
|                                     | 274667          | 226100453    | 20X9 | 8X180       | 5.000             | 0         | 125.20      | 3,750        | 274605          | 37               |
|                                     |                 |              |      |             |                   |           |             |              |                 |                  |
| 17"                                 | 274522          | 226100568    | 17X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274693          | 27               |
|                                     | 274523          | 226100569    | 17X9 | 5X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274694          | 27               |
|                                     | 274524          | 226100570    | 17X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274695          | 27               |
|                                     | 274526          | 226100572    | 17X9 | 6X135       | 4.530             | -12       | 87.10       | 2,500        | 274696          | 27               |
|                                     | 274527          | 226100573    | 17X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274697          | 27               |
|                                     | 274528          | 226100574    | 17X9 | 6X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274697          | 27               |
|                                     | 274529          | 226100575    | 17X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,500        | 274698          | 28               |
| 18"                                 | 274530          | 226100576    | 17X9 | 8X170       | 5.000             | 0         | 125.20      | 3,500        | 274698          | 28               |
|                                     | 274561          | 226100577    | 18X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274693          | 30               |
|                                     | 274562          | 226100578    | 18X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274694          | 29               |
|                                     | 274563          | 226100579    | 18X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274694          | 29               |
|                                     | 274564          | 226100580    | 18X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274695          | 29               |
|                                     | 274565          | 226100581    | 18X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274696          | 29               |
|                                     | 274566          | 226100582    | 18X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274697          | 29               |
|                                     | 274567          | 226100583    | 18X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,750        | 274698          | 30               |
|                                     | 274568          | 226100584    | 18X9 | 8X170       | 5.000             | 0         | 125.20      | 3,750        | 274698          | 30               |
| 20"                                 | 274569          | 226100585    | 18X9 | 8X180       | 5.000             | 0         | 125.20      | 3,750        | 274699          | 30               |
|                                     | 274570          | 226100586    | 20X9 | 5X5         | 5.000             | 0         | 71.60       | 2,500        | 274693          | 35               |
|                                     | 274571          | 226100587    | 20X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274694          | 35               |
|                                     | 274572          | 226100588    | 20X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274694          | 35               |
|                                     | 274573          | 226100589    | 20X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274696          | 35               |
|                                     | 274574          | 226100590    | 20X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274697          | 35               |
|                                     | 274575          | 226100591    | 20X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,750        | 274698          | 37               |
| MT CANYON PRO - SATIN BRONZE FINISH | 274576          | 226100592    | 20X9 | 8X170       | 5.000             | 0         | 125.20      | 3,750        | 274698          | 37               |
|                                     | 274577          | 226100593    | 20X9 | 8X180       | 5.000             | 0         | 125.20      | 3,750        | 274699          | 37               |
|                                     |                 |              |      |             |                   |           |             |              |                 |                  |
| 17"                                 | 274613          | 226100594    | 17X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274595          | 27               |
|                                     | 274614          | 226100595    | 17X9 | 5X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274596          | 27               |
|                                     | 274615          | 226100596    | 17X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274597          | 27               |
|                                     | 274617          | 226100598    | 17X9 | 6X135       | 4.530             | -12       | 87.10       | 2,500        | 274598          | 27               |
|                                     | 274618          | 226100599    | 17X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274599          | 27               |
|                                     | 274619          | 226100600    | 17X9 | 6X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274599          | 27               |
|                                     | 274620          | 226100601    | 17X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,500        | 274600          | 28               |
| 18"                                 | 274671          | 226100602    | 17X9 | 8X170       | 5.000             | 0         | 125.20      | 3,500        | 274600          | 28               |
|                                     | 274672          | 226100603    | 18X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274595          | 30               |
|                                     | 274673          | 226100604    | 18X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274596          | 29               |
|                                     | 274674          | 226100605    | 18X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274596          | 29               |
|                                     | 274675          | 226100606    | 18X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274597          | 29               |
|                                     | 274676          | 226100607    | 18X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274598          | 29               |
|                                     | 274677          | 226100608    | 18X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274599          | 29               |
|                                     | 274678          | 226100609    | 18X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,750        | 274600          | 30               |
|                                     | 274679          | 226100610    | 18X9 | 8X170       | 5.000             | 0         | 125.20      | 3,750        | 274600          | 30               |
| 20"                                 | 274680          | 226100611    | 18X9 | 8X180       | 5.000             | 0         | 125.20      | 3,750        | 274611          | 30               |
|                                     | 274681          | 226100612    | 20X9 | 5X5         | 5.000             | 0         | 71.60       | 2,500        | 274595          | 35               |
|                                     | 274682          | 226100613    | 20X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274596          | 35               |
|                                     | 274683          | 226100614    | 20X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274596          | 35               |
|                                     | 274684          | 226100615    | 20X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274598          | 35               |
|                                     | 274685          | 226100616    | 20X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274599          | 35               |
|                                     | 274686          | 226100617    | 20X9 | 8X6.5       | 5.000             | 0         | 125.20      | 3,750        | 274600          | 37               |
|                                     | 274687          | 226100618    | 20X9 | 8X170       | 5.000             | 0         | 125.20      | 3,750        | 274600          | 37               |
|                                     | 274688          | 226100619    | 20X9 | 8X180       | 5.000             | 0         | 125.20      | 3,750        | 274611          | 37               |

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

# MT OPEN 5

FINISH: SATIN BLACK



SHOWN: SATIN BLACK FINISH

## WHEEL FEATURES



A SHARP, BOLD, AND MODERN 5-SPOKE DESIGN



MODERN M/T TREAD PRESS-IN CAP



AVAILABLE IN POPULAR 17", 18", 20" WHEEL DIAMETERS

# MT CANYON

FINISH: POLISHED



SHOWN: POLISHED FINISH

## WHEEL FEATURES




A REIMAGINED 1960'S MICKEY THOMPSON WHEEL STYLE for today's modern rigs



CLASSIC STEP LIP DESIGN



FITMENTS for classic and modern trucks and SUVs



15", 16", AND 17" DIAMETER OPTIONS with unique widths for optimal stance enhancement

The **MT OPEN 5** is a wheel designed for trucks and SUVs, perfect for adventurers who want to stand out. Featuring a modern 5-spoke design, a 2-step lip, and a Satin Black finish for a bold and clean look.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | SIZE | BOLT CIRCLE | BACK SPACE INCHES | OFFSET MM | HUB BORE MM | MAX LOAD LBS | REPLACEMENT CAP | APPROX. WT. LBS. |
|----------------|-----------------|--------------|------|-------------|-------------------|-----------|-------------|--------------|-----------------|------------------|
| 17"            | 274270          | 226100383    | 17X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274690          | 23               |
|                | 274531          | 226100384    | 17X9 | 5X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274689          | 23               |
|                | 274532          | 226100385    | 17X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274691          | 23               |
|                | 274534          | 226100387    | 17X9 | 6X135       | 4.530             | -12       | 87.10       | 2,500        | 274690          | 23               |
|                | 274535          | 226100388    | 17X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274689          | 23               |
|                | 274536          | 226100389    | 17X9 | 6X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274689          | 23               |
| 18"            | 274537          | 226100390    | 18X9 | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274690          | 24               |
|                | 274538          | 226100391    | 18X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274689          | 24               |
|                | 274539          | 226100392    | 18X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274689          | 24               |
|                | 274540          | 226100393    | 18X9 | 6X120       | 4.800             | -5        | 67.00       | 2,500        | 274691          | 24               |
|                | 274541          | 226100394    | 18X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274690          | 24               |
|                | 274542          | 226100395    | 18X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274689          | 24               |
| 20"            | 274543          | 226100396    | 20X9 | 5X5         | 5.000             | 0         | 71.60       | 2,500        | 274690          | 29               |
|                | 274544          | 226100397    | 20X9 | 5X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274689          | 29               |
|                | 274545          | 226100398    | 20X9 | 5X150       | 5.000             | 0         | 110.10      | 2,500        | 274689          | 29               |
|                | 274546          | 226100399    | 20X9 | 6X135       | 5.000             | 0         | 87.10       | 2,500        | 274690          | 29               |
|                | 274547          | 226100400    | 20X9 | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274689          | 29               |

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

The **MT CANYON** combines vintage Medallion-inspired design with modern engineering in a new truck and SUV wheel. A 2-step lip updates the classic 5-hole slot for a tough, aggressive look. Available in a Polished finish.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | SIZE  | BOLT CIRCLE | BACK SPACE INCHES | OFFSET MM | HUB BORE MM | MAX LOAD LBS | REPLACEMENT PRO CAP | APPROX. WT. LBS. |
|----------------|-----------------|--------------|-------|-------------|-------------------|-----------|-------------|--------------|---------------------|------------------|
| 15"            | 274516          | 226100401    | 15X8  | 5X4.5       | 3.630             | -22       | 78.10       | 2,500        | 274578              | 17               |
|                | 274517          | 226100402    | 15X8  | 5X5.5       | 3.630             | -22       | 108.10      | 2,500        | 274580              | 17               |
|                | 274518          | 226100403    | 15X8  | 6X5.5       | 3.630             | -22       | 108.10      | 2,500        | 274603              | 17               |
|                | 274519          | 226100404    | 15X10 | 5X4.5       | 3.730             | -45       | 78.10       | 2,500        | 274578              | 17               |
|                | 274520          | 226100405    | 15X10 | 5X5.5       | 3.730             | -45       | 108.10      | 2,500        | 274580              | 17               |
|                | 274621          | 226100406    | 15X10 | 6X5.5       | 3.730             | -45       | 108.10      | 2,500        | 274603              | 17               |
|                | 274622          | 226100407    | 15X12 | 5X4.5       | 3.630             | -73       | 78.10       | 2,500        | 274578              | 21               |
|                | 274623          | 226100408    | 15X12 | 5X5.5       | 3.630             | -73       | 108.10      | 2,500        | 274580              | 21               |
|                | 274624          | 226100409    | 15X12 | 6X5.5       | 3.630             | -73       | 108.10      | 2,500        | 274603              | 21               |
|                | 274625          | 226100410    | 16X8  | 5X4.5       | 4.500             | 0         | 78.10       | 2,500        | 274578              | 19               |
| 16"            | 274626          | 226100411    | 16X8  | 5X5.5       | 4.030             | -12       | 108.10      | 2,500        | 274580              | 19               |
|                | 274627          | 226100412    | 16X8  | 6X5.5       | 4.500             | 0         | 108.10      | 2,500        | 274603              | 19               |
|                | 274628          | 226100413    | 16X8  | 6X5.5       | 4.030             | -12       | 108.10      | 2,500        | 274603              | 19               |
|                | 274629          | 226100414    | 16X10 | 6X5.5       | 4.520             | -25       | 108.10      | 2,500        | 274603              | 20               |
|                | 274630          | 226100415    | 16X10 | 8X6.5       | 4.520             | -25       | 125.20      | 3,500        | 274604              | 22               |
|                | 274631          | 226100416    | 16X12 | 6X5.5       | 4.530             | -50       | 108.10      | 2,500        | 274603              | 22               |
|                | 274632          | 226100417    | 16X12 | 8X6.5       | 4.530             | -50       | 125.20      | 3,500        | 274604              | 23               |
|                | 274633          | 226100418    | 17X9  | 5X5         | 4.530             | -12       | 71.60       | 2,500        | 274579              | 23               |
| 17"            | 274634          | 226100419    | 17X9  | 5X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274580              | 23               |
|                | 274635          | 226100420    | 17X9  | 6X120       | 4.760             | -6        | 67.00       | 2,500        | 274601              | 21               |
|                | 274637          | 226100422    | 17X9  | 6X135       | 4.530             | -12       | 87.10       | 2,500        | 274602              | 23               |
|                | 274638          | 226100423    | 17X9  | 6X5.5       | 5.000             | 0         | 108.10      | 2,500        | 274603              | 21               |
|                | 274639          | 226100424    | 17X9  | 6X5.5       | 4.530             | -12       | 108.10      | 2,500        | 274603              | 23               |
|                | 274640          | 226100425    | 17X9  | 8X6.5       | 5.000             | 0         | 125.20      | 3,500        | 274604              | 23               |
|                | 274641          | 226100426    | 17X9  | 8X170       | 5.000             | 0         | 125.20      | 3,500        | 274604              | 23               |
|                | 276991          | 226100455    | 17X12 | 5X5         | 4.250             | -58       | 78.10       | 2,500        | 274579              | 24               |
|                | 276928          | 226100457    | 17X12 | 5X5.5       | 3.600             | -74       | 108.10      | 2,500        | 274580              | 25               |
|                | 276929          | 226100458    | 17X12 | 6X5.5       | 3.600             | -74       | 108.10      | 2,500        | 274603              | 25               |
|                | 276930          | 226100459    | 17X12 | 6X5.5       | 4.250             | -58       | 108.10      | 2,500        | 274603              | 24               |
|                | 277001          | 226100460    | 17X12 | 8X6.5       | 3.600             | -74       | 125.20      | 3,500        | 274604              | 25               |
|                | 277002          | 226100461    | 17X12 | 8X6.5       | 4.250             | -58       | 125.20      | 3,500        | 274604              | 24               |
|                | 277003          | 226100462    | 17X12 | 8X170       | 4.250             | -58       | 125.20      | 3,500        | 274604              | 24               |
|                | 277004          | 226100463    | 17X12 | 8X180       | 4.250             | -58       | 125.20      | 3,500        | 274605              | 24               |

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.




# CLASSIC III™

FINISHES: POLISHED • SATIN BLACK



SHOWN: POLISHED FINISH

## WHEEL FEATURES



**UNIQUE SIZING**  
includes 15x12 and 16x12,  
for Polished finish only



**NON-CORROSIVE**  
screw-on center cap



**LIFETIME LIMITED WARRANTY**  
against structural defects



**1-YEAR FINISH WARRANTY**  
for Satin Black finish only

## WHEEL FINISHES



POLISHED



SATIN BLACK

The Mickey Thompson **CLASSIC III™** wheel features the Classic 8-Hole design in a highly polished finish that includes matching polished hand holes. The debossed M/T logo is our assurance of quality, strength and dependability. Available in a Polished finish and a Satin Black finish.

| WHEEL DIAMETER             | MATERIAL NUMBER | PRODUCT CODE | SIZE  | BOLT CIRCLE | BACK SPACE INCHES | OFFSET MM | HUB BORE MM | MAX LOAD LBS | REPLACEMENT CAP | APPROX. WT. LBS. |
|----------------------------|-----------------|--------------|-------|-------------|-------------------|-----------|-------------|--------------|-----------------|------------------|
| CLASSIC III™ - POLISHED    |                 |              |       |             |                   |           |             |              |                 |                  |
| 15"                        | 250325          | 226100036    | 15X8  | 5X4.5       | 3.625             | -22       | 81.48       | 1,900        | 250367          | 19               |
|                            | 250326          | 226100037    | 15X8  | 5X5.5       | 3.625             | -22       | 106.50      | 1,900        | 250368          | 18               |
|                            | 250328          | 226100039    | 15X8  | 6X5.5       | 3.625             | -22       | 106.10      | 1,900        | 250369          | 18               |
|                            | 250329          | 226100040    | 15X10 | 5X4.5       | 3.625             | -45       | 81.48       | 1,900        | 250367          | 22               |
|                            | 250330          | 226100041    | 15X10 | 5X5.5       | 3.625             | -45       | 106.50      | 2,500        | 250368          | 21               |
|                            | 250331          | 226100042    | 15X10 | 6X5.5       | 3.625             | -45       | 106.10      | 2,500        | 250369          | 22               |
|                            | 250332          | 226100043    | 15X12 | 5X5.5       | 3.625             | -73       | 106.50      | 2,500        | 250368          | 24               |
|                            | 250333          | 226100044    | 15X12 | 6X5.5       | 3.625             | -73       | 106.10      | 2,500        | 250369          | 24               |
| 16"                        | 250336          | 226100047    | 16X8  | 5X4.5       | 4.500             | 0         | 81.48       | 1,900        | 250367          | 23               |
|                            | 250337          | 226100048    | 16X8  | 5X5.5       | 4.500             | 0         | 106.50      | 2,500        | 250368          | 23               |
|                            | 250338          | 226100049    | 16X8  | 6X5.5       | 4.500             | 0         | 106.10      | 2,500        | 250369          | 23               |
|                            | 250339          | 226100050    | 16X8  | 6X5.5       | 3.625             | -22       | 106.10      | 2,500        | 250369          | 25               |
|                            | 250340          | 226100051    | 16X8  | 8X6.5       | 4.000             | -12       | 125.20      | 3,250        | 250370          | 25               |
|                            | 250341          | 226100052    | 16X8  | 8X170       | 4.000             | -12       | 125.20      | 3,500        | 250372          | 25               |
|                            | 250342          | 226100053    | 16X10 | 6X5.5       | 4.500             | -25       | 106.10      | 2,500        | 250369          | 26               |
|                            | 250343          | 226100054    | 16X10 | 8X6.5       | 4.500             | -25       | 125.20      | 3,250        | 250370          | 27               |
|                            | 250344          | 226100055    | 16X10 | 8X170       | 4.500             | -25       | 125.20      | 3,500        | 250372          | 27               |
|                            | 250345          | 226100056    | 16X12 | 8X6.5       | 4.500             | -50       | 125.20      | 3,250        | 250370          | 29               |
| 17"                        | 250346          | 226100057    | 16X12 | 8X170       | 4.500             | -50       | 125.20      | 3,500        | 250372          | 30               |
|                            | 250347          | 226100058    | 17X9  | 17X9        | 4.500             | -12       | 78.08       | 2,500        | 250367          | 30               |
|                            | 250348          | 226100059    | 17X9  | 5X5.5       | 4.500             | -12       | 106.50      | 2,500        | 250368          | 29               |
|                            | 250290          | 226100061    | 17X9  | 6X5.5       | 4.500             | -12       | 106.10      | 2,500        | 250369          | 29               |
|                            | 250431          | 226100062    | 17X9  | 8X6.5       | 5.000             | 0         | 125.20      | 3,250        | 250370          | 27               |
|                            | 250432          | 226100063    | 17X9  | 8X170       | 5.000             | 0         | 125.20      | 3,500        | 250372          | 27               |
|                            | 277005          | 226100471    | 17X12 | 5X5         | 4.250             | -58       | 78.10       | 2,500        | 250367          | 24               |
|                            | 277006          | 226100472    | 17X12 | 5X5.5       | 3.600             | -74       | 108.10      | 2,500        | 250368          | 25               |
|                            | 277007          | 226100473    | 17X12 | 6X5.5       | 3.600             | -74       | 108.10      | 2,500        | 250369          | 25               |
|                            | 277008          | 226100474    | 17X12 | 6X5.5       | 4.250             | -58       | 108.10      | 2,500        | 250369          | 25               |
|                            | 277009          | 226100475    | 17X12 | 8X6.5       | 3.600             | -74       | 125.20      | 3,500        | 250370          | 26               |
|                            | 277010          | 226100476    | 17X12 | 8X6.5       | 4.250             | -58       | 125.20      | 3,500        | 250370          | 25               |
|                            | 277011          | 226100477    | 17X12 | 8X170       | 4.250             | -58       | 125.20      | 3,500        | 250372          | 25               |
|                            | 277012          | 226100478    | 17X12 | 8X180       | 4.250             | -58       | 125.20      | 3,500        | 250370          | 25               |
| CLASSIC III™ - SATIN BLACK |                 |              |       |             |                   |           |             |              |                 |                  |
| 15"                        | 250439          | 226100069    | 15X8  | 5X4.5       | 3.625             | -22       | 81.48       | 1,900        | 250358          | 19               |
|                            | 250440          | 226100070    | 15X8  | 5X5.5       | 3.625             | -22       | 106.50      | 1,900        | 250359          | 19               |
|                            | 250441          | 226100071    | 15X8  | 6X5.5       | 3.625             | -22       | 106.10      | 1,900        | 250360          | 19               |
|                            | 250442          | 226100072    | 15X10 | 5X4.5       | 3.625             | -45       | 81.48       | 1,900        | 250358          | 22               |
|                            | 250443          | 226100073    | 15X10 | 5X5.5       | 3.625             | -45       | 106.50      | 2,500        | 250359          | 21               |
| 16"                        | 250444          | 226100074    | 16X8  | 6X5.5       | 4.500             | 0         | 106.10      | 2,500        | 250360          | 23               |
|                            | 250445          | 226100075    | 16X8  | 8X6.5       | 4.000             | -12       | 125.20      | 3,250        | 250365          | 25               |
| 17"                        | 250446          | 226100076    | 17X9  | 5X5         | 4.500             | -12       | 78.08       | 2,500        | 250358          | 30               |
|                            | 250447          | 226100077    | 17X9  | 5X5.5       | 4.500             | -12       | 106.50      | 2,500        | 250359          | 29               |
|                            | 250448          | 226100078    | 17X9  | 6X5.5       | 4.500             | -12       | 106.10      | 2,500        | 250360          | 29               |
|                            | 250449          | 226100079    | 17X9  | 8X6.5       | 5.000             | 0         | 125.20      | 3,250        | 250365          | 27               |

OPTIONAL OPEN CAPS AVAILABLE FOR 5X5.5, 6X5.5 & 8X6.5 BOLT CIRCLES. FOR ALL 6X5.5 BOLT CIRCLE WHEELS: HUB CENTERING RING INCLUDED FOR LATE MODEL CHEVROLET/GMC APPLICATIONS. CLASSIC SERIES WHEELS ARE NOT COMPATIBLE WITH 1986 AND EARLIER JEEP® CJ MODELS.(60-DEGREE) BULGE ACORN (CONE BULGE) SEAT LUG NUTS REQUIRED. MICKEY THOMPSON RECOMMENDS DUPLEX BULGE ACORN LUG NUTS ON VEHICLES OF GVWR OF 6,500 LBS. OR GREATER. CENTER CAPS ARE NOT AVAILABLE FOR CERTAIN APPLICATIONS INCLUDING 1997 & EARLIER FORD 3/4 & 1-TON PICKUPS, 2002 & EARLIER DODGE/RAM 3/4 & 1-TON PICKUPS, 1986 & EARLIER JEEP® CJ MODELS & EARLIER TOYOTA LAND CRUISER MODELS. NOT APPROVED FOR USE ON 2022 AND NEWER TOYOTA TUNDRA AND 2023 AND NEWER TOYOTA SEQUOIA. SEE PAGE 52 FOR CAP INFORMATION. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

# SIDEBITER® II

FINISH: SATIN BLACK



SHOWN: SATIN BLACK FINISH

## WHEEL FEATURES



**CENTER CAP**  
provides easy access to locking hubs



**NON-CORROSIVE**  
screw-on center cap



**LIFETIME LIMITED WARRANTY**  
against structural defects



**1-YEAR FINISH WARRANTY**

# CLASSIC BAJA LOCK™

FINISH: SATIN BLACK



SHOWN: SATIN BLACK FINISH

## WHEEL FEATURES



**CENTER CAP**  
provides easy access to locking hubs



**NON-CORROSIVE**  
screw-on center cap



**LIFETIME LIMITED WARRANTY**  
against structural defects



**1-YEAR FINISH WARRANTY**

The Mickey Thompson **SIDEBITER® II** is styled after the revolutionary “tread-on-the-sidewall” Mickey Thompson Sidebiter® tire design.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | SIZE  | BOLT CIRCLE | BACK SPACE INCHES | OFFSET MM | HUB BORE MM | MAX LOAD LBS | REPLACEMENT CAP | APPROX. WT. LBS. |
|----------------|-----------------|--------------|-------|-------------|-------------------|-----------|-------------|--------------|-----------------|------------------|
| 15"            | 250539          | 226100125    | 15X8  | 5X4.5       | 3.625             | -22       | 81.51       | 2,000        | 250398          | 23               |
|                | 250542          | 226100128    | 15X10 | 5X4.5       | 3.625             | -48       | 81.51       | 2,000        | 250398          | 28               |
| 16"            | 250545          | 226100131    | 16X8  | 6X5.5       | 4.500             | 0         | 106.10      | 2,600        | 250395          | 26               |
|                | 250546          | 226100132    | 16X8  | 8X6.5       | 4.500             | 0         | 125.20      | 3,640        | 250396          | 28               |
| 17"            | 250548          | 226100134    | 17X9  | 5X5         | 4.500             | -12       | 78.11       | 2,600        | 250398          | 33               |
|                | 250551          | 226100137    | 17X9  | 6X5.5       | 5.000             | 0         | 106.10      | 2,600        | 250395          | 31               |

FOR ALL 6X5.5 BOLT CIRCLE WHEELS: HUB CENTERING RING INCLUDED FOR LATE MODEL CHEVROLET/GMC APPLICATIONS. CLASSIC SERIES WHEELS ARE NOT COMPATIBLE WITH 1986 AND EARLIER JEEP® CJ MODELS.(60-DEGREE) BULGE ACORN (CONE BULGE) SEAT LUG NUTS REQUIRED. MICKEY THOMPSON RECOMMENDS DUPLEX BULGE ACORN LUG NUTS ON VEHICLES OF GVWR OF 6,500 LBS. OR GREATER. CENTER CAPS ARE NOT AVAILABLE FOR CERTAIN APPLICATIONS INCLUDING 1997 & EARLIER FORD 3/4 & 1-TON PICKUPS, 2002 & EARLIER DODGE/RAM 3/4 & 1-TON PICKUPS, 1986 & EARLIER JEEP® CJ MODELS & EARLIER TOYOTA LAND CRUISER MODELS. NOT APPROVED FOR USE ON 2022 AND NEWER TOYOTA TUNDRA AND 2023 AND NEWER TOYOTA SEQUOIA. SEE PAGE 52 FOR CAP INFORMATION. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

The Mickey Thompson **CLASSIC BAJA LOCK™** wheel features the Classic 8-hole design in a matte black finish with a protective clear coat.

| WHEEL DIAMETER | MATERIAL NUMBER | PRODUCT CODE | SIZE  | BOLT CIRCLE | BACK SPACE INCHES | OFFSET MM | HUB BORE MM | MAX LOAD LBS | REPLACEMENT CAP | APPROX. WT. LBS. |
|----------------|-----------------|--------------|-------|-------------|-------------------|-----------|-------------|--------------|-----------------|------------------|
| 15"            | 250152          | 226100003    | 15X8  | 5X4.5       | 3.625             | -22       | 81.48       | 2,000        | 248921          | 21               |
|                | 250154          | 226100005    | 15X8  | 6X5.5       | 3.625             | -22       | 106.10      | 2,000        | 250225          | 20               |
|                | 250155          | 226100006    | 15X10 | 5X4.5       | 3.625             | -45       | 81.48       | 2,000        | 248921          | 23               |
|                | 250157          | 226100008    | 15X10 | 6X5.5       | 3.625             | -45       | 106.10      | 2,600        | 250225          | 22               |
| 16"            | 250174          | 226100015    | 16X8  | 6X5.5       | 4.500             | 0         | 106.10      | 2,600        | 250225          | 24               |
|                | 250176          | 226100017    | 16X8  | 8X6.5       | 4.000             | -12       | 125.20      | 3,250        | 250273          | 27               |
|                | 250178          | 226100019    | 16X10 | 6X5.5       | 4.500             | -25       | 106.10      | 2,600        | 250225          | 28               |
|                | 250179          | 226100020    | 16X10 | 8X6.5       | 4.500             | -25       | 125.20      | 3,250        | 250273          | 29               |
| 17"            | 250183          | 226100024    | 17X9  | 5X5         | 4.500             | -12       | 78.08       | 2,600        | 248921          | 31               |
|                | 250184          | 226100025    | 17X9  | 5X5.5       | 4.500             | -12       | 106.48      | 2,600        | 250210          | 31               |
|                | 250186          | 226100027    | 17X9  | 6X5.5       | 4.500             | -12       | 106.10      | 2,600        | 250225          | 30               |
|                | 250187          | 226100028    | 17X9  | 8X6.5       | 5.000             | 0         | 125.20      | 3,250        | 250273          | 29               |

OPTIONAL OPEN CAPS AVAILABLE FOR 5X5.5, 6X5.5 & 8X6.5 BOLT CIRCLES. FOR ALL 6X5.5 BOLT CIRCLE WHEELS: HUB CENTERING RING INCLUDED FOR LATE MODEL CHEVROLET/GMC APPLICATIONS. CLASSIC SERIES WHEELS ARE NOT COMPATIBLE WITH 1986 AND EARLIER JEEP® CJ MODELS.(60-DEGREE) BULGE ACORN (CONE BULGE) SEAT LUG NUTS REQUIRED. MICKEY THOMPSON RECOMMENDS DUPLEX BULGE ACORN LUG NUTS ON VEHICLES OF GVWR OF 6,500 LBS. OR GREATER. CENTER CAPS ARE NOT AVAILABLE FOR CERTAIN APPLICATIONS INCLUDING 1997 & EARLIER FORD 3/4 & 1-TON PICKUPS, 2002 & EARLIER DODGE/RAM 3/4 & 1-TON PICKUPS, 1986 & EARLIER JEEP® CJ MODELS & EARLIER TOYOTA LAND CRUISER MODELS. NOT APPROVED FOR USE ON 2022 AND NEWER TOYOTA TUNDRA AND 2023 AND NEWER TOYOTA SEQUOIA. SEE PAGE 52 FOR CAP INFORMATION. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

# WHEEL CAPS

## MICKEY THOMPSON WHEEL REPLACEMENT CAPS



### CLASSIC PRO, CANYON PRO, & CANYON CAP - POLISHED FINISH

| MATERIAL NUMBER | PRODUCT CODE | CAP ASSEMBLY   | BOLT CIRCLE  | OUTER DIAMETER INCHES | LENGTH INCHES |
|-----------------|--------------|----------------|--------------|-----------------------|---------------|
| 274578          | 224400121    | BOLT ON CLOSED | 5X4.5        | 4.28                  | 1.47          |
| 274579          | 224400122    | BOLT ON CLOSED | 5X5          | 4.77                  | 1.52          |
| 274580          | 224400123    | BOLT ON CLOSED | 5X5.5, 5X150 | 5.28                  | 1.59          |
| 276018          | 224400145    | BOLT ON OPEN   | 5X5.5, 5X150 | 5.28                  | 2.75          |
| 274601          | 224400124    | BOLT ON CLOSED | 6X120        | 4.50                  | 1.47          |
| 274602          | 224400125    | BOLT ON CLOSED | 6X135        | 5.09                  | 1.46          |
| 274603          | 224400126    | BOLT ON CLOSED | 6X5.5        | 5.28                  | 1.59          |
| 276019          | 224400146    | BOLT ON OPEN   | 6X5.5        | 5.28                  | 2.75          |
| 274604          | 224400127    | BOLT ON CLOSED | 8X6.5, 8X170 | 6.17                  | 3.07          |
| 276020          | 224400147    | BOLT ON OPEN   | 8X6.5, 8X170 | 6.28                  | 2.68          |
| 274605          | 224400128    | BOLT ON CLOSED | 8X180        | 6.75                  | 2.95          |



### CLASSIC PRO & CANYON PRO CAP - SATIN BLACK FINISH

| MATERIAL NUMBER | PRODUCT CODE | CAP ASSEMBLY   | BOLT CIRCLE  | OUTER DIAMETER INCHES | LENGTH INCHES |
|-----------------|--------------|----------------|--------------|-----------------------|---------------|
| 274693          | 224400130    | BOLT ON CLOSED | 5X5          | 4.77                  | 1.52          |
| 274694          | 224400131    | BOLT ON CLOSED | 5X5.5, 5X150 | 5.28                  | 1.59          |
| 276051          | 224400148    | BOLT ON OPEN   | 5X5.5, 5X150 | 5.28                  | 2.75          |
| 274695          | 224400132    | BOLT ON CLOSED | 6X120        | 4.50                  | 1.47          |
| 274696          | 224400133    | BOLT ON CLOSED | 6X135        | 5.09                  | 1.46          |
| 274697          | 224400134    | BOLT ON CLOSED | 6X5.5        | 5.28                  | 1.59          |
| 276052          | 224400149    | BOLT ON OPEN   | 6X5.5        | 5.28                  | 2.75          |
| 274698          | 224400135    | BOLT ON CLOSED | 8X6.5, 8X170 | 6.17                  | 3.07          |
| 276053          | 224400150    | BOLT ON OPEN   | 8X6.5, 8X170 | 6.28                  | 2.68          |
| 274699          | 224400136    | BOLT ON CLOSED | 8X180        | 6.75                  | 2.95          |



### CLASSIC PRO & CANYON PRO CAP - SATIN BRONZE FINISH

| MATERIAL NUMBER | PRODUCT CODE | CAP ASSEMBLY   | BOLT CIRCLE  | OUTER DIAMETER INCHES | LENGTH INCHES |
|-----------------|--------------|----------------|--------------|-----------------------|---------------|
| 274595          | 224400138    | BOLT ON CLOSED | 5X5          | 4.77                  | 1.52          |
| 274596          | 224400139    | BOLT ON CLOSED | 5X5.5, 5X150 | 5.28                  | 1.59          |
| 276054          | 224400151    | BOLT ON OPEN   | 5X5.5, 5X150 | 5.28                  | 2.75          |
| 274597          | 224400140    | BOLT ON CLOSED | 6X120        | 4.50                  | 1.47          |
| 274598          | 224400141    | BOLT ON CLOSED | 6X135        | 5.09                  | 1.46          |
| 274599          | 224400142    | BOLT ON CLOSED | 6X5.5        | 5.28                  | 1.59          |
| 276055          | 224400152    | BOLT ON OPEN   | 6X5.5        | 5.28                  | 2.75          |
| 274600          | 224400143    | BOLT ON CLOSED | 8X6.5, 8X170 | 6.17                  | 3.07          |
| 276056          | 224400153    | BOLT ON OPEN   | 8X6.5, 8X170 | 6.28                  | 2.68          |
| 274611          | 224400144    | BOLT ON CLOSED | 8X180        | 6.75                  | 2.95          |



### MT OPEN 5 - SATIN BLACK FINISH

| MATERIAL NUMBER | PRODUCT CODE | CAP ASSEMBLY   | BOLT CIRCLE         | OUTER DIAMETER INCHES | LENGTH INCHES |
|-----------------|--------------|----------------|---------------------|-----------------------|---------------|
| 274689          | 224400117    | SNAP IN CLOSED | 5X5.5, 5X150, 6X5.5 | 4.15                  | 0.45          |
| 274690          | 224400118    | SNAP IN CLOSED | 5X5, 6X135          | 3.62                  | 0.44          |
| 274691          | 224400119    | SNAP IN CLOSED | 6X120               | 2.76                  | 0.45          |

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



### CLASSIC III™ CAP - POLISHED FINISH

| MATERIAL NUMBER | PRODUCT CODE | CAP ASSEMBLY          | BOLT CIRCLE  | OUTER DIAMETER INCHES | LENGTH INCHES |
|-----------------|--------------|-----------------------|--------------|-----------------------|---------------|
| 250367          | 224400040    | BOLT ON CLOSED        | 5X4.5, 5X5   | 3.35                  | 3.11          |
| 250368          | 224400042    | BOLT ON CLOSED        | 5X5.5        | 4.41                  | 3.07          |
| 250371          | 224400045    | BOLT ON OPEN          | 5X5.5        | 4.41                  | 2.76          |
| 250375          | 224400049    | BOLT ON CLOSED        | 6X135        | 4.13                  | 2.84          |
| 250369          | 224400043    | BOLT ON CLOSED        | 6X5.5        | 4.37                  | 2.87          |
| 250373          | 224400047    | BOLT ON OPEN          | 6X5.5        | 4.37                  | 3.54          |
| 250370          | 224400044    | BOLT ON CLOSED        | 8X6.5        | 5.32                  | 2.64          |
| 250372          | 224400046    | BOLT ON CLOSED - TALL | 8X170        | 5.32                  | 4.53          |
| 250374          | 224400048    | BOLT ON OPEN          | 8X6.5, 8X170 | 5.32                  | 3.15          |



### CLASSIC III™ CAP - SATIN BLACK FINISH

| MATERIAL NUMBER | PRODUCT CODE | CAP ASSEMBLY          | BOLT CIRCLE  | OUTER DIAMETER INCHES | LENGTH INCHES |
|-----------------|--------------|-----------------------|--------------|-----------------------|---------------|
| 250358          | 224400031    | BOLT ON CLOSED        | 5X4.5, 5X5   | 3.35                  | 3.11          |
| 250359          | 224400032    | BOLT ON CLOSED        | 5X5.5        | 4.41                  | 3.07          |
| 250361          | 224400034    | BOLT ON OPEN          | 5X5.5        | 4.41                  | 2.76          |
| 250360          | 224400033    | BOLT ON CLOSED        | 6X5.5        | 4.37                  | 2.87          |
| 250362          | 224400035    | BOLT ON OPEN          | 6X5.5        | 4.37                  | 3.54          |
| 250365          | 224400038    | BOLT ON CLOSED        | 8X6.5        | 5.32                  | 2.64          |
| 250366          | 224400039    | BOLT ON CLOSED - TALL | 8X6.5        | 5.32                  | 4.53          |
| 250363          | 224400036    | BOLT ON OPEN          | 8X6.5, 8X170 | 5.32                  | 3.15          |



### CLASSIC BAJA LOCK™ CAP

| MATERIAL NUMBER | PRODUCT CODE | CAP ASSEMBLY          | BOLT CIRCLE | OUTER DIAMETER INCHES | LENGTH INCHES |
|-----------------|--------------|-----------------------|-------------|-----------------------|---------------|
| 248921          | 224400001    | BOLT ON CLOSED        | 5X4.5, 5X5  | 3.11                  | 3.11          |
| 250210          | 224400002    | BOLT ON CLOSED        | 5X5.5       | 4.41                  | 3.07          |
| 250276          | 224400006    | BOLT ON CLOSED        | 6X135       | 4.13                  | 2.84          |
| 250225          | 224400003    | BOLT ON CLOSED        | 6X5.5       | 4.37                  | 2.87          |
| 250273          | 224400004    | BOLT ON CLOSED        | 8X6.5       | 6.81                  | 2.64          |
| 250275          | 224400005    | BOLT ON CLOSED - TALL | 8X170       | 6.81                  | 4.53          |



### SIDEBITER® II CAP

| MATERIAL NUMBER | PRODUCT CODE | CAP ASSEMBLY           | BOLT CIRCLE | OUTER DIAMETER INCHES | LENGTH INCHES |
|-----------------|--------------|------------------------|-------------|-----------------------|---------------|
| 250398          | 224400072    | BOLT ON POP TOP        | 5X4.5, 5X5  | 4.30                  | 1.50          |
| 250394          | 224400068    | BOLT ON POP TOP        | 5X5.50      | 5.30                  | 1.60          |
| 250395          | 224400069    | BOLT ON POP TOP        | 6X135/5.5   | 5.30                  | 1.60          |
| 250396          | 224400070    | BOLT ON POP TOP        | 8-LUG       | 6.50                  | 2.50          |
| 250397          | 224400071    | BOLT ON POP TOP - TALL | 8-LUG       | 6.50                  | 3.20          |

ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

## TIRE WARRANTY

### ELIGIBILITY

This warranty applies to the original purchaser of a Mickey Thompson passenger or light truck tire and is not transferable. Eligible tires must be purchased new and must be used on the vehicle which they were originally installed. Additionally, they must be an equivalent or greater load index to that specified by the vehicle manufacturer. For warranty exclusions, please refer to the complete “Mickey Thompson Passenger and Light Truck Limited Warranty” at [mickeythompson tires.com](http://mickeythompson tires.com) or contact Mickey Thompson's technical support department at 1-800-222-9092.

### STANDARD COVERAGE

If your Mickey Thompson branded tire becomes unserviceable as a result of an eligible adjustable condition during the first 2/32" of tread wear, it will be replaced with an equivalent new Mickey Thompson tire, FREE OF CHARGE. When the tread is worn more than 2/32", if the product exhibits an eligible adjustable condition, it will be replaced on a pro rated basis. For the tire pro ration schedule, please refer to the complete “Mickey Thompson Passenger and Light Truck Limited Warranty” at [mickeythompson tires.com](http://mickeythompson tires.com) or contact Mickey Thompson's technical support department at 1-800-222-9092. You must present proof of purchase and be the original owner when requesting a replacement for your tire.

A replacement charge may be required in order to obtain a replacement tire. The replacement charge will be determined by multiplying the dealer's current selling price by the percentage of original tread depth worn from the tire. You must pay for mounting, balancing, and any other additional charges, such as taxes or the acceptance of a higher priced replacement tire.

Any Mickey Thompson tire that does not deliver satisfactory service due to a balance, out of round or a ride complaint issue will be replaced without charge within the first 2/32nds of the tire's tread life. After the first 2/32nds the tire is not warrantable for the aforementioned conditions.

### TREAD LIFE

When the tread becomes worn to 2/32" (1.6mm) anywhere on the tire (shown by tread wear indicators molded into the tread grooves), the tire is worn out. WARNING—for important safety information, you must read the section titled “Tire Service Life” and Important Tire Safety and Fitment Information Warnings section of this guide. Additional Tire Safety Information is also available at [mickeythompson tires.com](http://mickeythompson tires.com) or from your local dealer.

### HOW TO OBTAIN AN ADJUSTMENT

Tire adjustments must be presented to the dealer which originally sold the tire. You must be able to provide proof of purchase and be the original owner when requesting a replacement for your tire. See “Where to Go for Warranty Replacement.”

### NO ROAD HAZARD COVERAGE

Many dealers sell or provide their own warranty coverage for road hazards and/or repairs. Mickey Thompson does not provide this coverage. Check with your dealer to determine if Road Hazard/Repair coverage is available from them.

### TREAD WEAR PROTECTION - ELIGIBILITY

This warranty applies to the original purchaser of a replacement Mickey Thompson light truck tire and is nontransferable. Eligible tires must be purchased new and used on the vehicle which they were originally installed. Proof of purchase is required for all warranty claims. Additionally, they must be the size, load index, and speed rating equivalent

or greater than that specified by the vehicle manufacturer. This warranty applies to the 48 contiguous continental United States, District of Columbia and Canada. For warranty exclusions see “WHAT ISN'T COVERED” in the Mickey Thompson Standard Warranty.

The following Tread Wear Warranty is a prorated warranty (there is no free replacement period) based on mileage received, and is separate from the Standard Coverage & Extra Coverage Warranties just covered. No manufacturer or dealer can guarantee you a certain number of miles from a given tire. Driving habits, driving conditions, tire and vehicle maintenance all play a part in the tread life of a tire and all differ with each purchaser. The following replacement Mickey Thompson Truck tires only are warranted against tread wear out prior to the applicable indicated mileage:

### BAJA LEGEND EXP™

+ 50,000-mile Limited Tread Wear Warranty.

### BAJA BOSS® A/T

+ 50,000-mile Limited Tread Wear Warranty on LT sizes.

+ 60,000-mile Limited Tread Wear Warranty on SUV sizes.

The Tread Wear warranty is available provided the eligibility above is met and you:

1. Are the original purchaser.
2. Rotate your tires in accordance with prescribed rotation patterns at least every 6,000 miles (10,000 km) and it must be recorded.
3. Present the tire for adjustment.
4. Present the completed rotation record form when requesting an adjustment and your original purchase receipt, date of purchase, vehicle type, model, odometer reading and rotation record are properly recorded. If the tire wears to the tread wear indicators in less than the miles warranted, a pro- rated adjustment will be made according to actual mileage delivered. Your adjustment credit will be determined by dividing the actual mileage delivered by the miles warranted and multiplying the result times the current selling price of an equivalent Mickey Thompson tire. Adjustment credits can only be used toward the purchase of a new Mickey Thompson tire. You must pay for mounting and balancing and any other additional charges, such as taxes or the acceptance of a higher priced replacement tire.

### REPLACEMENT WARRANTY

If you receive a replacement tire under the terms of this Warranty, the replacement tire will be covered by the Warranty then currently given by Mickey Thompson for the replacement tire.

### WHERE TO GO FOR WARRANTY REPLACEMENT

Contact the Mickey Thompson dealer where the tire was originally purchased for initial inspection. If the dealer which originally sold the tire is no longer available, please contact Mickey Thompson's technical support department via email at [tech@mickeythompson tires.com](mailto:tech@mickeythompson tires.com) or 1-800-222-9092 for assistance in finding a Mickey Thompson dealer (Proof of purchase will be required) You may also visit our website Dealer Locator.

### CONDITIONS AND EXCLUSIONS

Any tire, no matter how well constructed, may fail in service or otherwise become unserviceable due to conditions beyond the control of the manufacturer. Nothing in this Warranty is intended to be a representation by Mickey Thompson that tire failure cannot occur.

### TIRES: RADIAL VERSUS BIAS

Bias tires tend to ride and handle differently than radials. Bias-ply or bias belted and radial tires should not be mixed on the same vehicle.

### NO WARRANTY POLICY RACING TIRES AND TUBES

Mickey Thompson offers racing tires and tubes for sale. These products should be used in racing applications only. Due to the many varied and different conditions to which racing tires and tubes are exposed and because of the manner in which racing is conducted, Mickey Thompson makes absolutely no warranty, expressed or implied, as to the fitness for a general or particular purpose or of merchantability in connection with any offer of sale or sale of racing tires and tubes. “MICKEY THOMPSON RACING TIRES OR TIRES USED IN RACING ARE SOLD AS IS”. Not all racing tires are designed, tested or labeled to meet the minimum safety and performance requirements of the Federal Motor Vehicle Safety Standards (FMVSS). Tires that do not meet these Federal safety standards can not be sold for use on public highways and should not be used on any public highway in any manner.

### CONSUMER RIGHTS

This warranty does not in any way extend to any consequential or incidental damages or losses. All incidental and consequential damages and losses are hereby expressly disclaimed and excluded from this warranty. There is no other warranty, or liability, expressed or implied, applicable to these products. No representative has the authority to make any representation, promise, or agreement except as stated herein. Some states do not allow exclusion of incidental or consequential damages. As a result, this limitation or exclusion may not apply to you.

This Warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

Please refer to [mickeythompson tires.com](http://mickeythompson tires.com) for the complete “Mickey Thompson Passenger and Light Truck Limited Warranty” or contact Mickey Thompson's technical support department at 1-800-222-9092 for additional information.

Mickey Thompson Tires shall not be liable for any incidental or consequential damages for any breach of warranty, its liability and the purchaser's exclusive remedy being expressly limited to replacement of defective wheel, as herein provided. Replacement will be handled by an authorized Mickey Thompson

Tire Dealer or Mickey Thompson Tire representative. This warranty gives you specific legal rights. You may also have other rights under applicable laws.

### FOR SERVICE ASSISTANCE OR INFORMATION CALL OR WRITE TO:

Mickey Thompson Tires  
4651 Prosper Drive  
Stow, OH 44224

Phone: (330) 928-9092

Fax: (330) 928-0503

## WHEEL WARRANTY

Mickey Thompson Tires warrants to the original purchaser that a new M/T Wheel is free from defects in material and workmanship and agrees to replace a M/T Wheel which fails in normal use and service resulting from defects in material and workmanship for the life of the vehicle for which said wheel was intended and purchased for. Mickey Thompson Tires does not warrant any wheel which has been subject to misuse or abuse including the following:

(a) Using tires which are oversized according to the standards recommended by the Tire and Rim Association, Inc.

(b) Loading the wheel beyond the applicable maximum wheel load as specified by Mickey Thompson Tires.

(c) Any type of racing or activity which subjects wheels to the abuse of racing, whether on the road or off.

(d) Inflating beyond the maximum specified on any given tire size as specified by Mickey Thompson Performance Tires.

(e) Changing or altering the original condition of the wheel or by subjecting it to any processing such as welding or straightening.

### WHEEL FINISH WARRANTY

1 Year Finish Warranty

Classic III Black, Sidebiter II, Classic Baja Lock, MT Classic Pro, MT Canyon Pro, MT Canyon, MT Open 5. All other wheels – No Finish Warranty

**THERE IS NO WARRANTY THAT WHEELS ARE MERCHANTABLE OR SATISFACTORY FOR ANY PARTICULAR PURPOSE NOR IS THERE ANY OTHER WARRANTY EXPRESSED OR IMPLIED EXCEPT AS SET FORTH HEREIN.**

[illegible]

## This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

**READY TO BUILD SOMETHING BOLD?**

EXPLORE OUR FULL LINEUP, GET EXPERT SUPPORT,  
AND SEE OUR TIRES IN ACTION.

**MICKEYTHOMPSONTIRES.COM**  
**TECH SUPPORT: 800-222-9092**

**YOUTUBE: @MICKEYTHOMPSONTIRES**  
**INSTAGRAM & FACEBOOK: @MICKEYTHOMPSONTIRES**

**FOLLOW OUR HASHTAGS**  
**#MICKEYTHOMPSONTIRES**  
**#TEAMMT #PODIUMMOMENTS**



ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.  
NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.  
PRINTED IN USA - 10/2025